



infra

- [Info, on page 1](#)
- [tags, on page 1](#)
- [Paths, on page 2](#)

Info

Title: tailf-mobile-infra
Description: ''
Version: '2021-02-19'
basePath: /restconf

tags

- **Name:** root
Description: root resources
- **Name:** operations
Description: operations resources
- **Name:** data
Description: data resources
- **Name:** get
Description: get resources
- **Name:** head
Description: head resources
- **Name:** post
Description: post resources
- **Name:** patch
Description: patch resources
- **Name:** put
Description: put resources
- **Name:** options
Description: options resources
- **Name:** delete
Description: delete resources

```

schemes:
- http
- https
produces:
- application/yang-data+json
consumes:
- application/yang-data+json

```

Paths

/

```

get:

Tags:
- root
- get
Summary: ''
Description: ''
Operation ID: root_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/root'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- root
- head
Summary: ''
Description: ''

```

```
Operation ID: root_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/operations

```
get:

Tags:
- operations
- get
Summary: ''
Description: ''
Operation ID: operations_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/operations'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

/yang-library-version

```
get:

Tags:
```

```

- yang-library-version
- get
Summary: ''
Description: ''
Operation ID: yang_library_version_get
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/yang-library-version'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- yang-library-version
- head
Summary: ''
Description: ''
Operation ID: yang_library_version_head
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data

get:

```

Tags:
- data

```

```
- get
Summary: ''
Description: ''
Operation ID: data_get
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_head
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_post
produces:
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/data-post'

Responses:

'201':
Description: Created
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
 - put

Summary: ''

Description: ''

Operation ID: data_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data-put-patch'

Responses:

'201':
Description: Created
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
 - patch

Summary: ''

```
Description: ''
Operation ID: data_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data-put-patch'

Responses:
'204':
  Description: No Content
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
```

/data/taif-mobile-infra:sessions

get:

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_sessions_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_sessions'
'204':
  Reference: '#/responses/204'
'400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_sessions_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_sessions_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_sessions-post'

  Responses:
  '201':
    Description: container sessions created
  '204':
    Reference: '#/responses/204'
  '400':

```



```
      Reference: '#/responses/400'
'401':
      Reference: '#/responses/401'
'404':
      Reference: '#/responses/404'
'405':
      Reference: '#/responses/405'
'409':
      Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_sessions_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_sessions'

Responses:
'201':
  Description: container sessions created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_sessions_patch
produces:
- application/yang-data+json

Parameters:
```

- \$ref: '#/parameters/data_tailf-mobile-infra_sessions'

Responses:

'204':
 Description: container sessions updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_sessions_delete

produces:

- application/yang-data+json

Parameters: []

Responses:

'204':
 Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_sessions_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:sessions/commit-pending

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_sessions_commit_pending_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_sessions_commit-pending'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_sessions_commit_pending_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

/data/tailf-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{commit-pending-grInstance}

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{c

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/commit-pending-podInstance'
- \$ref: '#/parameters/commit-pending-grInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK
 Schema:
 Reference:

'#/definitions/data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_head

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/commit-pending-podInstance'
      - $ref: '#/parameters/commit-pending-grInstance'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance}

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_podInstance_get

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/commit-pending-podInstance'
      - $ref: '#/parameters/commit-pending-grInstance'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_taillf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_podInstance'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_taillf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_podInstance_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/commit-pending-podInstance'
- $ref: '#/parameters/commit-pending-grInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_grInstance_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/commit-pending-podInstance'
- **\$ref:** '#/parameters/commit-pending-grInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_grInstance'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

/data/tailf-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{commit-pending-grInstance}/count

data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_grInstance_head

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/commit-pending-podInstance'
 - **\$ref:** '#/parameters/commit-pending-grInstance'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'

security:
 - **basicAuth:** []

/data/tailf-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{c

get:

Tags:
 - data
 - get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_count_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/commit-pending-podInstance'
 - **\$ref:** '#/parameters/commit-pending-grInstance'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_count'

'204':
 Reference: '#/responses/204'


```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_count_head

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/commit-pending-podInstance'
- $ref: '#/parameters/commit-pending-grInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
```

```
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

/data/tailf-mobile-infra:sessions/commit-pending={commit-pending-podInstance}

get:**Tags:**

```
- data
- get
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_pendingCommit_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/commit-pending-podInstance'
- \$ref: '#/parameters/commit-pending-grInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_taillf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_pendingCommit'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_taillf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_pendingCommit_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/commit-pending-podInstance'
- \$ref: '#/parameters/commit-pending-grInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:sessions/commit-pending={commit-pending-podInstance}

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:

data_taiif_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_dbBinarySize_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/commit-pending-podInstance'
 - **\$ref:** '#/parameters/commit-pending-grInstance'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:

'#/definitions/data_taiif-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_dbBinarySize'

'204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_dbBinarySize_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/commit-pending-podInstance'
- **\$ref:** '#/parameters/commit-pending-grInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/tailf-mobile-infra:sessions/commit-pending={commit-pending-podInstance},{c

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_lastDbSyncTime_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/commit-pending-podInstance'
- **\$ref:** '#/parameters/commit-pending-grInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

```

Description: OK
Schema:
Reference:
'#/definitions/data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_lastDbSyncTime'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_sessions_commit_pending_commit_pending_podInstance_commit_pending_grInstance_lastDbSyncTime_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/commit-pending-podInstance'
- $ref: '#/parameters/commit-pending-grInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:sessions/affinity

get:

Tags:

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_sessions_affinity_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_sessions_affinity'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_sessions_affinity_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:sessions/affinity={affinity-podInstance}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_sessions_affinity_affinity_podInstance_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/affinity-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_sessions_affinity_affinity-podInstance'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''

```

Operation ID: data_tailf_mobile_infra_sessions_affinity_affinity_podInstance_head
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/affinity-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:sessions/affinity={affinity-podInstance}/podInstance

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_sessions_affinity_affinity_podInstance_podInstance_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/affinity-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_sessions_affinity_affinity-podInstance_podInstance'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'


```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_sessions_affinity_affinity_podInstance_podInstance_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/affinity-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:sessions/affinity={affinity-podInstance}/count

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_sessions_affinity_affinity_podInstance_count_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/affinity-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'

```

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_sessions_affinity_affinity-podInstance_count'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_sessions_affinity_affinity_podInstance_count_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/affinity-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/taif-mobile-infra:peers

get:

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_peers_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_peers'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_peers_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_peers_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_peers-post'

Responses:
  '201':
    Description: container peers created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_peers_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_peers'

Responses:
  '201':
    Description: container peers created or replaced
  '204':

```

```
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:
  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_peers_patch
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_peers'
Responses:
  '204':
    Description: container peers updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:
  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_peers_delete
  produces:
  - application/yang-data+json
  Parameters: []
```

```

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_peers_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:peers/all

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_peers_all_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_peers_all'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_peers_all_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-localAddress'

```

```
/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}
```

- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference:

'#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':


```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

```
get:
```

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

```
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_grInstance_get
```

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/all-grInstance'
  - $ref: '#/parameters/all-endpoint'
  - $ref: '#/parameters/all-localAddress'
  - $ref: '#/parameters/all-peerAddress'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:

```

```
'#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_grInstance'
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

```
head:
```

/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/endpoint

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_grInstance_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/all-grInstance'
- **\$ref:** '#/parameters/all-endpoint'
- **\$ref:** '#/parameters/all-localAddress'
- **\$ref:** '#/parameters/all-peerAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_endpoint_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/all-grInstance'
- **\$ref:** '#/parameters/all-endpoint'
- **\$ref:** '#/parameters/all-localAddress'
- **\$ref:** '#/parameters/all-peerAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_endpoint'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_endpoint_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-localAddress'
- $ref: '#/parameters/all-peerAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/localAddress

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_localAddress_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/all-grInstance'
- **\$ref:** '#/parameters/all-endpoint'
- **\$ref:** '#/parameters/all-localAddress'
- **\$ref:** '#/parameters/all-peerAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf_mobile_infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_localAddress'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_localAddress_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_peerAddress_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/direction

```

    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_peerAddress'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
    data_tailf_mobile_infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_peerAddress_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-localAddress'
    - $ref: '#/parameters/all-peerAddress'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/direction

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_direction_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-localAddress'
- $ref: '#/parameters/all-peerAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_direction'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_direction_head

produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/podInstance

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_podInstance_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_podInstance'

'204':


```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_podInstance_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-localAddress'
- $ref: '#/parameters/all-peerAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''

```

Operation ID:

data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_type_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'

- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_peers_all_all-grInstance_all_endpoint_all_localAddress_all_peerAddress_connectedTime_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:**Reference:**

'#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all_endpoint_all-localAddress_all-peerAddress_connectedTime'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_connectedTime_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-localAddress'
- $ref: '#/parameters/all-peerAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/rpc

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_rpc_get

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_rpc'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_rpc_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress},{all-peerAddress}/additionalDetails**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tairf_mobile_infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_additionalDetails_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description: OK
 - Schema:

Reference:

'#/definitions/data_tairf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_additionalDetails'

- '204':
 - Reference: '#/responses/204'

- '400':
 - Reference: '#/responses/400'

- '401':
 - Reference: '#/responses/401'

- '404':
 - Reference: '#/responses/404'

- '405':
 - Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_additionalDetails_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/all-grInstance'
        - $ref: '#/parameters/all-endpoint'
        - $ref: '#/parameters/all-localAddress'
        - $ref: '#/parameters/all-peerAddress'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/tailf-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_interfaceName_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-localAddress'

```

- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_interfaceName'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_peers_all_all-grInstance_all_endpoint_all_localAddress_all_peerAddress_interfaceName_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-localAddress'
- \$ref: '#/parameters/all-peerAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':


```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:peers/all={all-grInstance},{all-endpoint},{all-localAddress}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_vrf_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/all-grInstance'
  - $ref: '#/parameters/all-endpoint'
  - $ref: '#/parameters/all-localAddress'
  - $ref: '#/parameters/all-peerAddress'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
    Reference:

```

'#/definitions/data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_vrf'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_peers_all_all_grInstance_all_endpoint_all_localAddress_all_peerAddress_vrf_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/all-grInstance'
- **\$ref:** '#/parameters/all-endpoint'
- **\$ref:** '#/parameters/all-localAddress'
- **\$ref:** '#/parameters/all-peerAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/tailf-mobile-infra:rpc

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_rpc_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:**

```

    Reference: '#/definitions/data_tailf-mobile-infra_rpc'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_rpc_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post
  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_rpc_post
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_rpc-post'
  Responses:
  '201':

```

```

    Description: container rpc created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_rpc_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_rpc'

Responses:
  '201':
    Description: container rpc created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''

```

Operation ID: data_tailf_mobile_infra_rpc_patch
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/data_tailf-mobile-infra_rpc'

Responses:
'204':
 Description: container rpc updated
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

delete:

Tags:
- data
- delete

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_rpc_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
 Reference: '#/responses/204'

security:
- **basicAuth:** []

options:

Tags:
- data
- options

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_rpc_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
 Reference: '#/responses/200'

```

security:
- basicAuth: []

```

/data/taif-mobile-infra:rpc/all

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_rpc_all_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_rpc_all'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_rpc_all_head
produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-podInstance'
    - $ref: '#/parameters/all-name'
    - $ref: '#/parameters/all-remoteAddress'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/podInstance

```

  get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_podInstance_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-podInstance'
    - $ref: '#/parameters/all-name'
    - $ref: '#/parameters/all-remoteAddress'
    - $ref: '#/parameters/content'

```


- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_podInstance'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_podInstance_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/name

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/all-podInstance'
- **\$ref:** '#/parameters/all-name'
- **\$ref:** '#/parameters/all-remoteAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_name'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

```

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-podInstance'
    - $ref: '#/parameters/all-name'
    - $ref: '#/parameters/all-remoteAddress'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/remoteAddress

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteAddress_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-podInstance'
    - $ref: '#/parameters/all-name'
    - $ref: '#/parameters/all-remoteAddress'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteAddress'
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteAddress_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/remoteHost

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteHost_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteHost'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_remoteHost_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

/data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/type

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/type

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_type_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_type'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_type_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-podInstance'
    - $ref: '#/parameters/all-name'
    - $ref: '#/parameters/all-remoteAddress'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/s

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_setName_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-podInstance'
    - $ref: '#/parameters/all-name'
    - $ref: '#/parameters/all-remoteAddress'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_setName'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_setName_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-podInstance'
  - $ref: '#/parameters/all-name'
  - $ref: '#/parameters/all-remoteAddress'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```


/data/taillf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/s

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_status_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/all-podInstance'
- **\$ref:** '#/parameters/all-name'
- **\$ref:** '#/parameters/all-remoteAddress'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_status'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_status_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/con

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_connectedTime_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_connectedTime'

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_connectedTime_head

```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/d

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_disconnectedTime_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_rpc_all_all_podInstance_all_name_all_remoteAddress_disconnectedTime'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_disconnectedTime_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/m

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_monitorRPCHost_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK

Schema:**Reference:**

'#/definitions/data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_monitorRPCHost'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_monitorRPCHost_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/pro

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_processingInstanceInfo_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_taiif-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_processingInstanceInfo'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_taiif_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_processingInstanceInfo_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-podInstance'
- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/all-remoteAddress'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

```

security:
- basicAuth: []

```

/data/tailf-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/ver

```
get:
```

```
Tags:
```

```
- data
- get
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_version_get
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
```

```
Description: OK
```

```
Schema:
```

```
Reference:
```

```
'#/definitions/data_tailf-mobile-infra_rpc_all_all_podInstance_all-name_all-remoteAddress_version'
```

```
'204':
```

```
Reference: '#/responses/204'
```

```
'400':
```

```
Reference: '#/responses/400'
```

```
'401':
```

```
Reference: '#/responses/401'
```

```
'404':
```

```
Reference: '#/responses/404'
```

```
'405':
```

```
Reference: '#/responses/405'
```

```
'409':
```

```
Reference: '#/responses/409'
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
```



```

- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_version_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:rpc/all={all-podInstance},{all-name},{all-remoteAddress}/vrf

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_vrf_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

Reference:
'#/definitions/data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_vrf'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_rpc_all_all_podInstance_all_name_all_remoteAddress_vrf_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-podInstance'
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/all-remoteAddress'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:resources

```

get:

```

```

Tags:
- data
- get

```

```
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resources'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```

    security:
      - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resources-post'

Responses:
  '201':
    Description: container resources created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resources'

Responses:
  '201':
    Description: container resources created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resources'

Responses:
'204':
  Description: container resources updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
```

```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resources_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:resources/info

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resources_info_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_resources_info'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resources_info_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:resources/info={info-podInstance}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:resources/info={info-podInstance}/podInstance

get:

```

Tags:
- data
- get

```



```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_podInstance_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance_podInstance'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_podInstance_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/tailf-mobile-infra:resources/info={info-podInstance}/cpuUsage

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_cpuUsage_get
produces:
 - application/yang-data+json
Parameters:
 - **\$ref:** '#/parameters/info-podInstance'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance_cpuUsage'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'
security:
 - **basicAuth:** []

head:

Tags:
 - data

```

- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_cpuUsage_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:resources/info={info-podInstance}/totalNodeMemoryInMB

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_resources_info_info_podInstance_totalNodeMemoryInMB_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance_totalNodeMemoryInMB'

  '204':
    Reference: '#/responses/204'
  '400':

```

```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_resources_info_info_podInstance_totalNodeMemoryInMB_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:resources/info={info-podInstance}/usedPodMemoryInMB

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_resources_info_info_podInstance_usedPodMemoryInMB_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance_usedPodMemoryInMB'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_resources_info_info_podInstance_usedPodMemoryInMB_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:resources/info={info-podInstance}/diskUsageInKbps

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_resources_info_info_podInstance_diskUsageInKbps_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/info-podInstance'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance_diskUsageInKbps'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_resources_info_info_podInstance_diskUsageInKbps_head

produces:

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
- basicAuth: []

```

/data/taif-mobile-infra:resources/info={info-podInstance}/goRoutinesCount

```

get:

  Tags:
- data
- get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_resources_info_info_podInstance_goRoutinesCount_get
  produces:
- application/yang-data+json

  Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance_goRoutinesCount'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':

```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_goRoutinesCount_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:resources/info={info-podInstance}/gcCount

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_gcCount_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:

```



```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance_gcCount'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_gcCount_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/info-podInstance'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/tailf-mobile-infra:resources/info={info-podInstance}/gcPauseInNS

```

get:

  Tags:
    - data
    - get
  Summary: ''

```

Description: ''

Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_gcPauseInNS_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_resources_info_info-podInstance_gcPauseInNS'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resources_info_info_podInstance_gcPauseInNS_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

```

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:running-status

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_running_status_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_running-status'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''

```

Operation ID: data_tailf_mobile_infra_running_status_head
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_running_status_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_running-status-post'

Responses:

'201':

Description: container running-status created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

```
Operation ID: data_tailf_mobile_infra_running_status_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_running-status'

Responses:
'201':
  Description: container running-status created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_running_status_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_running-status'

Responses:
'204':
  Description: container running-status updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
```

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_running_status_delete**produces:**

- application/yang-data+json

Parameters: []**Responses:****'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_running_status_options**produces:**

- application/yang-data+json

Parameters: []**Responses:****'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

/data/taif-mobile-infra:running-status/info

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_running_status_info_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_running-status_info'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_running_status_info_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:running-status/info={info-podInstance}

```

get:

Tags:
- data
- get

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_running_status_info_info_podInstance_get
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/info-podInstance'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_running-status_info_info-podInstance'

'204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
 - head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_running_status_info_info_podInstance_head

produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/info-podInstance'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:running-status/info={info-podInstance}/podInstance

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_tailf_mobile_infra_running_status_info_info_podInstance_podInstance_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/info-podInstance'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_running-status_info_info-podInstance_podInstance'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'
security:
 - **basicAuth:** []

head:

Tags:
 - data

```

- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_podInstance_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:running-status/info={info-podInstance}/runningStatus

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_runningStatus_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_running-status_info_info_podInstance_runningStatus'
  '204':
    Reference: '#/responses/204'
  '400':

```

```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_runningStatus_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:running-status/info={info-podInstance}/systemHealth

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_systemHealth_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_running-status_info_info-podInstance_systemHealth'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_running_status_info_info_podInstance_systemHealth_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

/data/taif-mobile-infra:running-status/info={info-podInstance}/startTime

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_startTime_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
'#/definitions/data_tailf-mobile-infra_running-status_info_info-podInstance_startTime'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_running_status_info_info_podInstance_startTime_head
  produces:
  - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:diagnostics

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_diagnostics_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description: OK
 - Schema:
 - Reference: '#/definitions/data_tailf-mobile-infra_diagnostics'
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

```
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_diagnostics_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_diagnostics_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_diagnostics-post'

  Responses:
    '201':
      Description: container diagnostics created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_diagnostics_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_diagnostics'

    Responses:
      '201':
        Description: container diagnostics created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_diagnostics_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_diagnostics'

    Responses:
      '204':
        Description: container diagnostics updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'

```



```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_diagnostics_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_diagnostics_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

/data/taif-mobile-infra:diagnostics/info

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_diagnostics_info_get
```

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_diagnostics_info'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth**: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_diagnostics_info_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth**: []

/data/taif-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/info-diagnostic'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_head
  produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/info-diagnostic'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/podInstance

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_podInstance_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/info-diagnostic'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_podInstance'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_podInstance_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/info-diagnostic'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/diag

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_diagnostic_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/info-diagnostic'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_diagnostic'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_diagnostic_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/info-diagnostic'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/taif-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/com

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_component_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/info-diagnostic'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_component'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_component_head

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/info-diagnostic'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/startTime

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_startTime_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/info-diagnostic'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_startTime'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```



```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_taijf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_startTime_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'
  - $ref: '#/parameters/info-diagnostic'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taiff-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/status

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_taijf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_status_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-podInstance'

```

- \$ref: '#/parameters/info-diagnostic'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_status'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_status_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-podInstance'
- \$ref: '#/parameters/info-diagnostic'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

```

security:
- basicAuth: []

```

/data/taif-mobile-infra:diagnostics/info={info-podInstance},{info-diagnostic}/retries

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_retries_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/info-diagnostic'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_diagnostics_info_info_podInstance_info-diagnostic_retries'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_diagnostics_info_info_podInstance_info_diagnostic_retries_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-podInstance'
- $ref: '#/parameters/info-diagnostic'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:infra

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_infra'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post
  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_post
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_infra-post'
  Responses:
  '201':
    Description: container infra created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_infra'

  Responses:
  '201':
    Description: container infra created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_infra'

```

```
Responses:
  '204':
    Description: container infra updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taillf-mobile-infra:infra/metrics

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_taillf_mobile_infra_infra_metrics_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_taillf-mobile-infra_infra_metrics'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_taillf_mobile_infra_infra_metrics_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'


```
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_metrics-post'

Responses:
  '201':
    Description: container metrics created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_metrics'
```

Responses:

'201':
Description: container metrics created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_metrics_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_infra_metrics'

Responses:

'204':
Description: container metrics updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_metrics_delete
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '204':
 Reference: '#/responses/204'
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:infra/metrics/experimental

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_infra_metrics_experimental'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_infra_metrics_experimental-post'

  Responses:
    '201':
      Description: container experimental created

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_infra_metrics_experimental'
  Responses:
  '201':
    Description: container experimental created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:
  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_patch
```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_infra_metrics_experimental'

Responses:

- '204':

- Description:** container experimental updated

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

- Summary:** ''

- Description:** ''

- Operation ID:** data_tailf_mobile_infra_infra_metrics_experimental_delete

produces:

- application/yang-data+json

- Parameters:** []

Responses:

- '204':

- Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

- Summary:** ''

- Description:** ''

- Operation ID:** data_tailf_mobile_infra_infra_metrics_experimental_options

produces:

- application/yang-data+json

- Parameters:** []

Responses:

- '200':

- Reference:** '#/responses/200'

```
security:  
- basicAuth: []
```

/data/taif-mobile-infra:infra/metrics/experimental/version

get:

Tags:

```
- data  
- get
```

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_version_get

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'
```

Responses:

'200':

Description: OK

Schema:

Reference:

```
'#/definitions/data_tailf-mobile-infra_infra_metrics_experimental_version'
```

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```
- basicAuth: []
```

head:

Tags:

```
- data  
- head
```

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_version_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_version_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_infra_metrics_experimental_version'

Responses:

'201':
 Description: leaf version created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_version_patch

produces:


```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_metrics_experimental_version'

Responses:
'204':
  Description: leaf version updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_version_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_experimental_version_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taillf-mobile-infra:infra/metrics/verbose

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_taillf_mobile_infra_infra_metrics_verbose_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_taillf-mobile-infra_infra_metrics_verbose'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_taillf_mobile_infra_infra_metrics_verbose_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth**: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_metrics_verbose_post

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_tailf-mobile-infra_infra_metrics_verbose-post'

Responses:

'201':
 Description: container verbose created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- **basicAuth**: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_metrics_verbose_put

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_tailf-mobile-infra_infra_metrics_verbose'

Responses:

```
'201':
  Description: container verbose created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID: data_tailf_mobile_infra_infra_metrics_verbose_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/data_tailf-mobile-infra_infra_metrics_verbose'
```

Responses:

```
'204':
  Description: container verbose updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

```

Operation ID: data_tailf_mobile_infra_infra_metrics_verbose_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_verbose_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:infra/metrics/verbose/verboseLevels

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podT

```

get:

```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/verboseLevels-podType'
- \$ref:

'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':
 Description: list verboseLevels created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

```

Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType'

Responses:
  '204':
    Description: list verboseLevels updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```



```

data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/verboseLevels-podType'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/verboseLevels-podType'
    - $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType'

  Responses:
    '201':
      Description: leaf podType created or replaced
    '204':
      Reference: '#/responses/204'
    '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType'

Responses:
  '204':
    Description: leaf podType updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_podType_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_level'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data

```

```

- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level'

Responses:
'201':
  Description: leaf level created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level'

Responses:
'204':
  Description: leaf level updated
'400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_level_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taillf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/verboseLevels-podType'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_head


```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_post

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics-post'

Responses:
  '201':
    Description: container metrics created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

```

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics'

Responses:
  '201':
    Description: container metrics created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics'

Responses:

```

```

    '204':
      Description: container metrics updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/verboseLevels-podType'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

?

~~/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList={metricsList-name}~~

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_get

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK

```

Schema:**Reference:**

```
'#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
```

```
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_put
```

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/verboseLevels-podType'
- **\$ref**: '#/parameters/metricsList-name'
- **\$ref**:

'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name'

- **\$ref**: '#/parameters/insert'
- **\$ref**: '#/parameters/point'

Responses:

'201':

Description: list metricsList created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth**: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList_name_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/verboseLevels-podType'
- **\$ref**: '#/parameters/metricsList-name'
- **\$ref**:

'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name'

Responses:

'204':

Description: list metricsList updated

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
?
```

/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList={metricsList-name}/name
: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/verboseLevels-podType'
- \$ref: '#/parameters/metricsList-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList-name_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_name_head


```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_name_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_name'

Responses:
'201':
  Description: leaf name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_name_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/verboseLevels-podType'
- **\$ref:** '#/parameters/metricsList-name'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList-name_name'

Responses:

'204':

Description: leaf name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_name_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/verboseLevels-podType'
- **\$ref:** '#/parameters/metricsList-name'

Responses:

'204':

Reference: '#/responses/204'

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/taillf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList={metricsList-name}/level
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_level_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList-name_level'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_level_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_level_put

  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref:
'#/parameters/data_taillf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level'

Responses:
'201':
  Description: leaf level created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taillf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref:
'#/parameters/data_taillf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level'

Responses:
'204':
  Description: leaf level updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_level_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_level_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList={metricsList-name}/granular-labels
: options:

Tags:
- data

```

```

- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/taif-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList={metricsList-name}/granular-labels={granular-labels-id}
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_granular_labels_id_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/granular-labels-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    %/definitions/data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList-name_granular-labels_granular-labels-id
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_granular_labels_id_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/granular-labels-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_granular_labels_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/verboseLevels-podType'
- $ref: '#/parameters/metricsList-name'
- $ref: '#/parameters/granular-labels-id'

```



```

- $ref:
  '#/parameters/data_tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList_rate_granular-labels_granular-labels-id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: leaf-list granular-labels created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
    data_tailf_mobile_infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList_rate_granular_labels_granular_labels_id_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/verboseLevels-podType'
    - $ref: '#/parameters/metricsList-name'
    - $ref: '#/parameters/granular-labels-id'
    - $ref:
      '#/parameters/data_tailf-mobile-infra:infra/metrics/verbose/verboseLevels={verboseLevels-podType}/metrics/metricsList_rate_granular-labels_granular-labels-id'

  Responses:
    '204':
      Description: leaf-list granular-labels updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':

```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_granular_labels_id_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'
  - $ref: '#/parameters/granular-labels-id'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_metrics_verbose_verboseLevels_verboseLevels_podType_metrics_metricsList_metricsList_name_granular_labels_granular_labels_id_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/verboseLevels-podType'
  - $ref: '#/parameters/metricsList-name'
  - $ref: '#/parameters/granular-labels-id'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:infra/transaction

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_infra_transaction_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_infra_transaction'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_infra_transaction_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_infra_transaction_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_infra_transaction-post'

Responses:

'201':
 Description: container transaction created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_infra_transaction_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_infra_transaction'

```
Responses:
  '201':
    Description: container transaction created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction'

Responses:
  '204':
    Description: container transaction updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

```

Operation ID: data_tailf_mobile_infra_infra_transaction_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:infra/transaction/limit

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_limit'

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_limit_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_limit_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit-post'

  Responses:
  '201':
    Description: container limit created
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_limit_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit'

  Responses:
    '201':
      Description: container limit created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_limit_patch

```



```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit'

Responses:
'204':
  Description: container limit updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
```

```

security:
- basicAuth: []

```

/data/taif-mobile-infra:infra/transaction/limit/stage

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_stage_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_stage'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_stage_head
produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_taulf_mobile_infra_infra_transaction_limit_stage_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_taulf-mobile-infra_infra_transaction_limit_stage'

Responses:

'201':

Description: leaf stage created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID: data_taulf_mobile_infra_infra_transaction_limit_stage_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_infra_transaction_limit_stage'

Responses:

'204':
Description: leaf stage updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_transaction_limit_stage_delete

produces:

- application/yang-data+json

Parameters: []

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_transaction_limit_stage_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':
Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/taif-mobile-infra:infra/transaction/limit/consecutive

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_infra_transaction_limit_consecutive'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_infra_transaction_limit_consecutive_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive-post'

Responses:

'201':
 Description: container consecutive created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_infra_transaction_limit_consecutive_put**produces:**

- application/yang-data+json

Parameters:

```
- $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive'
```

Responses:

- '201':
 - Description:** container consecutive created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive'

Responses:

- '204':
 - Description:** container consecutive updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
- delete

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/tailf-mobile-infra:infra/transaction/limit/consecutive/same

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```



```

Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same-post'

```

Responses:

'201':
Description: container same created
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same'

Responses:

'201':
Description: container same created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

```
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same'

Responses:
  '204':
    Description: container same updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_delete

produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_options
```

```

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:infra/transaction/limit/consecutive/same/stage

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

```

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage'

Responses:
  '201':
    Description: leaf stage created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage'

  Responses:
    '204':
      Description: leaf stage updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data

```

```

- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_limit_consecutive_same_stage_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:infra/transaction/loop

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_loop_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_loop'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_infra_transaction_loop_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_loop-post'

  Responses:
    '201':
      Description: container loop created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```



```
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_infra_transaction_loop_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_loop'

    Responses:
      '201':
        Description: container loop created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_infra_transaction_loop_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_infra_transaction_loop'

    Responses:
      '204':
        Description: container loop updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:infra/transaction/loop/detection

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_detection_get

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_detection'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_loop_detection_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_infra_transaction_loop_detection_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_infra_transaction_loop_detection'

Responses:**'201':****Description:** leaf detection created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_infra_transaction_loop_detection_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_infra_transaction_loop_detection'

Responses:**'204':****Description:** leaf detection updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_detection_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_detection_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

/data/taif-mobile-infra:infra/transaction/loop/category

```
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_infra_transaction_loop_category_options
  produces:
  - application/yang-data+json
```

`/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}`

```

Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

`/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}`

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_loop_category_category_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

```

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_infra_transaction_loop_category_category_name_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list category created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name'

Responses:
'204':
    Description: list category updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'

Responses:
'204':

```



```

    Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/category-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:infra/transaction/loop/category={category-name}/name

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/category-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_name'
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_name'

```

```

Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_name'

Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data

```

```

- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/category-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

```

- data
- post
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold-post'

Responses:
'201':
  Description: container threshold created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold'

Responses:
'201':
  Description: container threshold created or replaced
'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_threshold'

  Responses:
    '204':
      Description: container threshold updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold/interval

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```



```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_interval'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_threshold_interval'

Responses:
  '201':
    Description: leaf interval created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_threshold_interval'

Responses:
  '204':
    Description: leaf interval updated
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/category-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_interval_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/category-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold/

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/category-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:infra/transaction/loop/category={category-name}/threshold/

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/category-name'
- **\$ref:** '#/parameters/thresholds-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

```
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/thresholds-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_put
```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/category-name'
- \$ref: '#/parameters/thresholds-name'
- \$ref:

'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':
Description: list thresholds created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/category-name'
- \$ref: '#/parameters/thresholds-name'
- \$ref:

'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name'

Responses:

'204':
Description: list thresholds updated
 '400':
Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'
  - $ref: '#/parameters/thresholds-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'
  - $ref: '#/parameters/thresholds-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:infra/transaction/loop/category={category-name}/threshold/

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/category-name'
- **\$ref:** '#/parameters/thresholds-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_name_head

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/category-name'
- **\$ref:** '#/parameters/thresholds-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

put:

Tags:
- data
- put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_name_put

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/category-name'
- **\$ref:** '#/parameters/thresholds-name'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds-name_name'

Responses:
 '201':
 Description: leaf name created or replaced

 '204':
 Reference: '#/responses/204'

 '400':
 Reference: '#/responses/400'

 '401':
 Reference: '#/responses/401'

 '404':
 Reference: '#/responses/404'

 '405':
 Reference: '#/responses/405'

 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []
patch:

Tags:
 - data
 - patch
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_name_patch

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/category-name'
 - **\$ref:** '#/parameters/thresholds-name'
 - **\$ref:**

'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds-name_name'

Responses:
 '204':
 Description: leaf name updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []
delete:

Tags:
 - data
 - delete
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_name_delete

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/category-name'
 - **\$ref:** '#/parameters/thresholds-name'

Responses:

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_name_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/category-name'
        - $ref: '#/parameters/thresholds-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/taif-mobile-infra:infra/transaction/loop/category={category-name}/threshold

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_count_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/category-name'
    - $ref: '#/parameters/thresholds-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':

```

```

    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_count'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_count_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/category-name'
  - $ref: '#/parameters/thresholds-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_count_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/category-name'
 - **\$ref:** '#/parameters/thresholds-name'
 - **\$ref:**

'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_count'

Responses:

'201':

Description: leaf count created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_count_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/category-name'
 - **\$ref:** '#/parameters/thresholds-name'
 - **\$ref:**

'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_count'

Responses:

'204':

Description: leaf count updated

'400':

Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_count_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/thresholds-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_count_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/category-name'
- $ref: '#/parameters/thresholds-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:infra/transaction/loop/category={category-name}/threshold

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/category-name'
- **\$ref:** '#/parameters/thresholds-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/category-name'
- \$ref: '#/parameters/thresholds-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/category-name'
- \$ref: '#/parameters/thresholds-name'
- \$ref:

'#/parameters/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_action'

Responses:

'201':

Description: leaf action created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:
- **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/category-name'
- **\$ref:** '#/parameters/thresholds-name'
- **\$ref:**

'#/parameters/data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action'

Responses:

'204':

Description: leaf action updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/category-name'
- **\$ref:** '#/parameters/thresholds-name'

Responses:

```

    '204':
      Reference: '#/responses/204'
      security:
      - basicAuth: []
    options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_infra_transaction_loop_category_category_name_threshold_thresholds_thresholds_name_action_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/category-name'
    - $ref: '#/parameters/thresholds-name'

    Responses:
    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []

```

/data/tailf-mobile-infra:client

```

get:

    Tags:
    - data
    - get
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_get
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Description: OK
      Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client'
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client-post'

  Responses:
  '201':
    Description: container client created
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client'
  Responses:
  '201':
    Description: container client created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:
  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_patch
  produces:

```

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client'

Responses:
'204':
  Description: container client updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:client/http

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_client_http'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth**: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_post

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_tailf-mobile-infra_client_http-post'

Responses:

'201':
 Description: container http created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- **basicAuth**: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_put

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_tailf-mobile-infra_client_http'

```

Responses:
  '201':
    Description: container http created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_http'

Responses:
  '204':
    Description: container http updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```


Operation ID: data_tailf_mobile_infra_client_http_delete
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '204':
 Reference: '#/responses/204'
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:client/http/header

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_header_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_client_http_header'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_header_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_header_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_http_header-post'

  Responses:
    '201':
      Description: container header created

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_header_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_http_header'

Responses:
'201':
  Description: container header created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_header_patch
```

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_client_http_header'

Responses:

- '204':

- Description:** container header updated

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

- Summary:** ''

- Description:** ''

- Operation ID:** data_tailf_mobile_infra_client_http_header_delete

produces:

- application/yang-data+json

- Parameters:** []

Responses:

- '204':

- Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

- Summary:** ''

- Description:** ''

- Operation ID:** data_tailf_mobile_infra_client_http_header_options

produces:

- application/yang-data+json

- Parameters:** []

Responses:

- '200':

- Reference:** '#/responses/200'

```
security:  
- basicAuth: []
```

/data/taif-mobile-infra:client/http/header/user-agent

get:

Tags:

```
- data  
- get
```

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_header_user_agent_get

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'
```

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_client_http_header_user-agent'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```
- basicAuth: []
```

head:

Tags:

```
- data  
- head
```

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_header_user_agent_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data
 - put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_header_user_agent_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_client_http_header_user-agent'

Responses:

'201':
 Description: leaf user-agent created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
 - patch

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_header_user_agent_patch

produces:

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_http_header_user-agent'

Responses:
'204':
  Description: leaf user-agent updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_header_user_agent_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_header_user_agent_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:client/http/ping

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_ping_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_client_http_ping'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_ping_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth**: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_ping_post

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_tailf-mobile-infra_client_http_ping-post'

Responses:

'201':
 Description: container ping created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- **basicAuth**: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_ping_put

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_tailf-mobile-infra_client_http_ping'

Responses:

'201':
Description: container ping created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_ping_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_client_http_ping'

Responses:

'204':
Description: container ping updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_http_ping_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
 '204':
 Reference: '#/responses/204'
security:
 - **basicAuth:** []

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_options
produces:
- application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:client/http/ping/timeout

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_timeout_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_client_http_ping_timeout'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_timeout_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_timeout_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_http_ping_timeout'

  Responses:
    '201':
      Description: leaf timeout created or replaced

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_timeout_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_http_ping_timeout'

Responses:
'204':
  Description: leaf timeout updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_timeout_delete
produces:
- application/yang-data+json
```

```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_timeout_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:client/http/ping/interval

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_interval_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_http_ping_interval'
  '204':
    Reference: '#/responses/204'

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_interval_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_interval_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_http_ping_interval'

  Responses:
  '201':
    Description: leaf interval created or replaced
  '204':
    Reference: '#/responses/204'
```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_interval_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_http_ping_interval'

Responses:
  '204':
    Description: leaf interval updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_http_ping_interval_delete
produces:
- application/yang-data+json
Parameters: []

Responses:

```



```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_http_ping_interval_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:client/outbound

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_client_outbound'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound-post'

  Responses:
  '201':
    Description: container outbound created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```
      Reference: '#/responses/401'
'404':
      Reference: '#/responses/404'
'405':
      Reference: '#/responses/405'
'409':
      Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_outbound'

Responses:
'201':
  Description: container outbound created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_outbound'
```

```
Responses:
  '204':
    Description: container outbound updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:client/outbound/interface

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_outbound_interface_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:client/outbound/interface={interface-interface}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_outbound_interface_interface_interface_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_interface_interface_interface_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_interface_interface_interface_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
    '#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

```

```

Responses:
  '201':
    Description: list interface created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface'

  Responses:
  '204':
    Description: list interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:client/outbound/interface={interface-interface}/interface

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_interface_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'

```


- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_interface_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_interface_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface'

Responses:
'201':
  Description: leaf interface created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_interface_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface'

Responses:
'204':
  Description: leaf interface updated
'400':
  Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:client/outbound/interface={interface-interface}/limit

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit-post'

Responses:

'201':

Description: container limit created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data

```

- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit'

Responses:
  '201':
    Description: container limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit'

Responses:
  '204':
    Description: container limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:client/outbound/interface={interface-interface}/limit/pending

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'

```


- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending-post'

Responses:

'201':
 Description: container pending created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_put

produces:
- application/yang-data+json

Parameters:
- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending'

Responses:
'201':
 Description: container pending created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- basicAuth: []

patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_patch

produces:
- application/yang-data+json

Parameters:
- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending'

Responses:
'204':
 Description: container pending updated
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/taif-mobile-infra:client/outbound/interface={interface-interface}/limit/pending

```

get:

  Tags:
  - data
  - get

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_response_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending_response'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_response_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_response_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending_response'

Responses:

'201':
 Description: leaf response created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_response_patch

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/interface-interface'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending_response'

Responses:
 '204':
 Description: leaf response updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_response_delete

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/interface-interface'

Responses:
 '204':
 Reference: '#/responses/204'

security:
- **basicAuth:** []

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_pending_response_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/cons

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_post

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive-post'

  Responses:
    '201':
      Description: container consecutive created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```



```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive'

  Responses:
    '201':
      Description: container consecutive created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'

- \$ref:

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive'

Responses:

'204':

Description: container consecutive updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data

- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data

- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/consecutive/failure

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_post

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure-post'

Responses:
'201':
  Description: container failure created
'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure'

  Responses:
    '201':
      Description: container failure created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure'

Responses:
  '204':
    Description: container failure updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:client/outbound/interface={interface-interface}/limit/consecutive/failure/count

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count'

    Responses:
    '201':
        Description: leaf count created or replaced

```



```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count'

  Responses:
    '204':
      Description: leaf count updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_count_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/consec

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_codes_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/limit/consecutive/failure/codes={codes-id}

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_codes_codes_id_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/interface-interface'
 - **\$ref:** '#/parameters/codes-id'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:

'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_codes_codes-id'

'204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_codes_codes_id_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/codes-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_codes_codes_id_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/codes-id'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_codes_codes-id'

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: leaf-list codes created or replaced

'204':

Reference: '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_codes_codes_id_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/codes-id'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_codes_codes-id'

  Responses:
  '204':
    Description: leaf-list codes updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_codes_codes_id_delete

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/codes-id'

Responses:
'204':
 Reference: '#/responses/204'

security:
- **basicAuth:** []

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_limit_consecutive_failure_codes_codes_id_options

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/codes-id'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/host

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_get

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference:

'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host'

'204':
Reference: '#/responses/204'
'400':
Reference: '#/responses/400'
'401':
Reference: '#/responses/401'
'404':
Reference: '#/responses/404'
'405':
Reference: '#/responses/405'
'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data

```

- post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host-post'

  Responses:
    '201':
      Description: container host created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host'

  Responses:
    '201':
      Description: container host created or replaced
    '204':
      Reference: '#/responses/204'
    '400':

```



```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host'

  Responses:
  '204':
    Description: container host updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_delete
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/tailf-mobile-infra:client/outbound/interface={interface-interface}/host/ping

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```

    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_post

```

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/interface-interface'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping-post'

Responses:
 '201':
 Description: container ping created
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_put

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/interface-interface'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping'

Responses:
 '201':
 Description: container ping created or replaced
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping'

  Responses:
  '204':
    Description: container ping updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:client/outbound/interface={interface-interface}/host/ping/tin

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_timeout_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

Reference:

```
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_timeout'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_timeout_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
```

```
  Reference: '#/responses/200'
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_timeout_put
```

```
produces:
```

```
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping_timeout'

Responses:

- '201':
 - Description:** leaf timeout created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_taulf_mobile_infra_client_outbound_interface_interface_interface_host_ping_timeout_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data_taulf-mobile-infra_client_outbound_interface_interface-interface_host_ping_timeout'

Responses:

- '204':
 - Description:** leaf timeout updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'


```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_taulf_mobile_infra_client_outbound_interface_interface_interface_host_ping_timeout_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/interface-interface'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_taulf_mobile_infra_client_outbound_interface_interface_interface_host_ping_timeout_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/interface-interface'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/taulf-mobile-infra:client/outbound/interface={interface-interface}/host/ping/interval

```

get:

  Tags:
    - data
    - get

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_interval_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_interval'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_interval_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_interval_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_interval'

Responses:

'201':
 Description: leaf interval created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_interval_patch

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/interface-interface'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_interval'

Responses:
'204':
Description: leaf interval updated
'400':
Reference: '#/responses/400'
'401':
Reference: '#/responses/401'
'404':
Reference: '#/responses/404'
'405':
Reference: '#/responses/405'
'409':
Reference: '#/responses/409'

security:
- **basicAuth:** []

delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_interval_delete

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/interface-interface'

Responses:
'204':
Reference: '#/responses/204'

security:
- **basicAuth:** []

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_interval_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:client/outbound/interface={interface-interface}/host/ping/

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_backoff'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_backoff'

  Responses:
    '201':
      Description: leaf backoff created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_backoff'

  Responses:
    '204':
      Description: leaf backoff updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_interface_interface_interface_host_ping_backoff_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:client/outbound/limit

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```



```
Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_limit'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_post
produces:
- application/yang-data+json

Parameters:
```

- \$ref: '#/parameters/data_tailf-mobile-infra_client_outbound_limit-post'

Responses:

'201':
 Description: container limit created
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
 - put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_outbound_limit_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_client_outbound_limit'

Responses:

'201':
 Description: container limit created or replaced
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

```
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_limit'

Responses:
  '204':
    Description: container limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_options
produces:
- application/yang-data+json
Parameters: []
```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/tailf-mobile-infra:client/outbound/limit/pending

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_limit_pending'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head

```
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_limit_pending-post'

Responses:
'201':
  Description: container pending created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_put
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/data_tailf-mobile-infra_client_outbound_limit_pending'

Responses:
 '201':
 Description: container pending created or replaced
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_patch
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/data_tailf-mobile-infra_client_outbound_limit_pending'

Responses:
 '204':
 Description: container pending updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

```
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/tailf-mobile-infra:client/outbound/limit/pending/response

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_response_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_client_outbound_limit_pending_response'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_client_outbound_limit_pending_response_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''

Operation ID: data_taulf_mobile_infra_client_outbound_limit_pending_response_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_taulf-mobile-infra_client_outbound_limit_pending_response'

Responses:

'201':

Description: leaf response created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID: data_taulf_mobile_infra_client_outbound_limit_pending_response_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_taulf-mobile-infra_client_outbound_limit_pending_response'

Responses:

'204':

Description: leaf response updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_response_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_pending_response_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:client/outbound/limit/consecutive

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference:

'#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive'

'204':
Reference: '#/responses/204'
'400':
Reference: '#/responses/400'
'401':
Reference: '#/responses/401'
'404':
Reference: '#/responses/404'
'405':
Reference: '#/responses/405'
'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive-post'

Responses:

'201':

Description: container consecutive created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

put:

Tags:

- data

- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive'

Responses:

'201':

Description: container consecutive created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive'

  Responses:
    '204':
      Description: container consecutive updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_delete
    produces:
      - application/yang-data+json
    Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

    Tags:
      - data
      - options
```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - basicAuth: []

/data/tailf-mobile-infra:client/outbound/limit/consecutive/failure

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_get
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'
security:

```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_post

  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure-post'

  Responses:
  '201':
    Description: container failure created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure'

  Responses:
    '201':
      Description: container failure created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure'

  Responses:
    '204':

```



```
    Description: container failure updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_options

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/tailf-mobile-infra:client/outbound/limit/consecutive/failure/count

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_count_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_count'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_count_head

produces:

- application/yang-data+json

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_count_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_count'

Responses:
  '201':
    Description: leaf count created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_count_patch

```

```

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_count'

Responses:
  '204':
    Description: leaf count updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_count_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_count_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:client/outbound/limit/consecutive/failure/codes

options:

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []

```

/data/taif-mobile-infra:client/outbound/limit/consecutive/failure/codes={codes-id}

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
  data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/codes-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:

```

```

Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/codes-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_put
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/codes-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: leaf-list codes created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/codes-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id'

Responses:
'204':
  Description: leaf-list codes updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
    delete:

      Tags:
      - data
      - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_delete
      produces:
      - application/yang-data+json

      Parameters:
      - $ref: '#/parameters/codes-id'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
          - basicAuth: []
    options:

      Tags:
      - data
      - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_client_outbound_limit_consecutive_failure_codes_codes_id_options
      produces:
      - application/yang-data+json

      Parameters:
      - $ref: '#/parameters/codes-id'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
          - basicAuth: []

```

/data/tailf-mobile-infra:client/outbound/host

```

get:

  Tags:
  - data
  - get
  Summary: ''

```



```
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_host'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
```

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host-post'

Responses:
  '201':
    Description: container host created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host'

Responses:
  '201':
    Description: container host created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host'

  Responses:
    '204':
      Description: container host updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:client/outbound/host/ping

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_host_ping'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping-post'

  Responses:
    '201':
      Description: container ping created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping'

  Responses:
    '201':
      Description: container ping created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping'

  Responses:
    '204':
      Description: container ping updated

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:client/outbound/host/ping/timeout

```
get:

Tags:
```

```

- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_get
produces:
- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

'200':
  Description: OK
  Schema:
  Reference:

```

```

'#/definitions/data_tailf-mobile-infra_client_outbound_host_ping_timeout'

```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```

- basicAuth: []

```

head:**Tags:**

```

- data
- head

```

Summary: ''**Description:** ''

```

Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_head

```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:


```
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping_timeout'

    Responses:
      '201':
        Description: leaf timeout created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping_timeout'

    Responses:
      '204':
        Description: leaf timeout updated
      '400':
        Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_timeout_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:client/outbound/host/ping/interval

```

get:

  Tags:
  - data
  - get
  Summary: ''

```

```

Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_interval_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_client_outbound_host_ping_interval'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_interval_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_interval_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping_interval'

    Responses:
      '201':
        Description: leaf interval created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_interval_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping_interval'

    Responses:
      '204':
        Description: leaf interval updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_interval_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_interval_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

/data/taif-mobile-infra:client/outbound/host/ping/backoff

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_backoff_get
```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Description:** OK

- Schema:**

- Reference:**

- '#/definitions/data_tailf-mobile-infra_client_outbound_host_ping_backoff'

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

- Summary:** ''

- Description:** ''

- Operation ID:** data_tailf_mobile_infra_client_outbound_host_ping_backoff_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Reference:** '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_client_outbound_host_ping_backoff_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping_backoff'

Responses:**'201':****Description:** leaf backoff created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_client_outbound_host_ping_backoff_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_client_outbound_host_ping_backoff'

Responses:**'204':****Description:** leaf backoff updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_backoff_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_outbound_host_ping_backoff_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:client/inbound

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_get
  produces:
  - application/yang-data+json

```



```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_inbound'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
```

```

- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound-post'

Responses:
  '201':
    Description: container inbound created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound'

Responses:
  '201':
    Description: container inbound created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_inbound_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound'

    Responses:
      '204':
        Description: container inbound updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_inbound_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
```

```

- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:client/inbound/interface

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_interface_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:client/inbound/interface={interface-interface}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_interface_interface_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_inbound_interface_interface_interface_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_interface_interface_interface_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list interface created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface'

Responses:
  '204':
    Description: list interface updated
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taillf-mobile-infra:client/inbound/interface={interface-interface}/interface

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_interface_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_interface'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_interface_head
  produces:

```


- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:
 - basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_inbound_interface_interface_interface_interface_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_interface'

Responses:

'201':
 Description: leaf interface created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - basicAuth: []

patch:

Tags:

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_interface_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_interface'

Responses:
  '204':
    Description: leaf interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_interface_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

Description: ''

Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_interface_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/interface-interface'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/taif-mobile-infra:client/inbound/interface={interface-interface}/limit

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:
'#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit-post'

Responses:
    '201':
        Description: container limit created
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit'

  Responses:
    '201':
      Description: container limit created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_patch
  produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'

- \$ref:

'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit'

Responses:

'204':

Description: container limit updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data

- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data

- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:client/inbound/interface={interface-interface}/limit/pending

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending-post'

Responses:**'201':****Description:** container pending created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'


```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/interface-interface'
      - $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending'

    Responses:
      '201':
        Description: container pending created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_patch
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/interface-interface'
      - $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending'

```

```

Responses:
  '204':
    Description: container pending updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/taif-mobile-infra:client/inbound/interface={interface-interface}/limit/pending/request

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_request_get
```

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending_request'
```

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

```
head:
```

```

Tags:
- data
- head
Summary: ''

```

Description: ''

Operation ID:

data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_request_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_request_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-interface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending_request'

Responses:

'201':

Description: leaf request created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_request_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/interface-interface'
      - $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending_request'

    Responses:
      '204':
        Description: leaf request updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_request_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/interface-interface'

    Responses:
      '204':
        Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_pending_request_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:client/inbound/interface={interface-interface}/limit/overload

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_taif_mobile_infra_client_inbound_interface_interface_interface_limit_overload_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID:
data_taif_mobile_infra_client_inbound_interface_interface_interface_limit_overload_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/interface-interface'
    - $ref:

```

```
'#/parameters/data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_overload-post'
```

Responses:

```
'201':
  Description: container overload created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

put:

Tags:

```
- data
- put
```

Summary: ''

Description: ''

Operation ID:

```
data_taulf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_put
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/interface-interface'
- $ref:
```

```
'#/parameters/data_taulf-mobile-infra_client_inbound_interface_interface-interface_limit_overload'
```

Responses:

```
'201':
  Description: container overload created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:


```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taif_mobile_infra_client_inbound_interface_interface_interface_limit_overload_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'
- $ref:
'#/parameters/data_taif-mobile-infra_client_inbound_interface_interface-interface_limit_overload'

Responses:
'204':
  Description: container overload updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_taif_mobile_infra_client_inbound_interface_interface_interface_limit_overload_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

```

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/interface-interface'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/tailf-mobile-infra:client/inbound/interface={interface-interface}/limit/overload

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_reject_code_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/interface-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:
#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload_reject-code'

'204':

Reference: '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_reject_code_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_reject_code_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload_reject-code'
```

Responses:

'201':
Description: leaf reject-code created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_reject_code_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/interface-interface'

- **\$ref:**

'#/parameters/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload_reject-code'

Responses:

'204':
Description: leaf reject-code updated

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_reject_code_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_client_inbound_interface_interface_interface_limit_overload_reject_code_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-interface'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:client/inbound/limit

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_get
produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_tailf-mobile-infra_client_inbound_limit'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_client_inbound_limit_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

Method: Post**Tags:**

- data

```
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit-post'

Responses:
  '201':
    Description: container limit created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit'

Responses:
  '201':
    Description: container limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
```

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit'

Responses:
'204':
    Description: container limit updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```



```

- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:client/inbound/limit/pending

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_inbound_limit_pending'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_pending-post'

  Responses:
  '201':
    Description: container pending created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_pending'

    Responses:
      '201':
        Description: container pending created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_pending'

    Responses:
      '204':
        Description: container pending updated
      '400':
        Reference: '#/responses/400'
      '401':
```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:client/inbound/limit/pending/request

```

get:

Tags:
- data
- get
Summary: ''
Description: ''

```

Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_request_get
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_client_inbound_limit_pending_request'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_request_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

```

- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_request_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_pending_request'

Responses:
  '201':
    Description: leaf request created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_request_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_pending_request'

Responses:
  '204':
    Description: leaf request updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_request_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_pending_request_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/tailf-mobile-infra:client/inbound/limit/overload

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_get
  produces:
```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference: '#/definitions/data_tailf-mobile-infra_client_inbound_limit_overload'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post


```
Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_overload-post'

Responses:
'201':
  Description: container overload created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_overload'

Responses:
'201':
  Description: container overload created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_overload'

  Responses:
    '204':
      Description: container overload updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:client/inbound/limit/overload/reject-code

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_reject_code_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_client_inbound_limit_overload_reject-code'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_reject_code_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_reject_code_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_overload_reject-code'

  Responses:
    '201':
      Description: leaf reject-code created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_reject_code_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_client_inbound_limit_overload_reject-code'

  Responses:
    '204':
      Description: leaf reject-code updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_reject_code_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_client_inbound_limit_overload_reject_code_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:edr

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_edr'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_edr-post'

  Responses:
    '201':
      Description: container edr created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_edr_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_edr'

    Responses:
    '201':
        Description: container edr created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_edr_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_edr'

    Responses:
    '204':

```



```
    Description: container edr updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/tailf-mobile-infra:edr/reporting

```
get:
```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_edr_reporting_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_edr_reporting'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_edr_reporting_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

```
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:
    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_edr_reporting_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_taulf-mobile-infra_edr_reporting'

    Responses:
      '201':
        Description: leaf reporting created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:
    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_taulf_mobile_infra_edr_reporting_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_taulf-mobile-infra_edr_reporting'

    Responses:
      '204':
        Description: leaf reporting updated
      '400':
        Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_reporting_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_reporting_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taillf-mobile-infra:edr/edrsubscribers

```

get:

  Tags:
  - data
  - get
  Summary: ''

```

Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_edr_edrsubscribers'
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

head:

Tags:
- data
- head

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_head
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

security:

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_edrsubscribers-post'

Responses:
  '201':
    Description: container edrsubscribers created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_edrsubscribers'

Responses:
  '201':
    Description: container edrsubscribers created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_edrsubscribers'

  Responses:
    '204':
      Description: container edrsubscribers updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:edr/edrsubscribers/subscribers

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_subscribers_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:edr/edrsubscribers/subscribers={subscribers-id}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_get

produces:
- application/yang-data+json

```


Parameters:

- \$ref: '#/parameters/subscribers-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/subscribers-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

```

- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscribers-id'
- $ref:
'/parameters/data_tailf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: leaf-list subscribers created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/subscribers-id'
- $ref:
'/parameters/data_tailf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id'

Responses:

```

```

    '204':
      Description: leaf-list subscribers updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscribers-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_edrsubscribers_subscribers_subscribers_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/subscribers-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taillf-mobile-infra:edr/all

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_taillf_mobile_infra_edr_all_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_taillf-mobile-infra_edr_all'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_taillf_mobile_infra_edr_all_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth**: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_all_post

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_tailf-mobile-infra_edr_all-post'

Responses:

'201':
 Description: container all created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- **basicAuth**: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_all_put

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_tailf-mobile-infra_edr_all'

Responses:

'201':
Description: container all created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_all_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_edr_all'

Responses:

'204':
Description: container all updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_all_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
 '204':
 Reference: '#/responses/204'
security:
- **basicAuth:** []

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_all_options
produces:
- application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
- **basicAuth:** []

/data/taif-mobile-infra:edr/all/subscribers

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_all_subscribers_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_edr_all_subscribers'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_all_subscribers_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_all_subscribers_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_all_subscribers'

  Responses:
    '201':
      Description: leaf subscribers created or replaced

```



```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_all_subscribers_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_all_subscribers'

Responses:
'204':
  Description: leaf subscribers updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_all_subscribers_delete
produces:
- application/yang-data+json
```

```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_all_subscribers_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:edr/file

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_edr_file'
  '204':
    Reference: '#/responses/204'

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file-post'

Responses:
'201':
  Description: container file created
'204':
  Reference: '#/responses/204'
```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_file'

  Responses:
    '201':
      Description: container file created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_patch
  produces:
  - application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file'

Responses:
  '204':
    Description: container file updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taillf-mobile-infra:edr/file/files

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_file_files_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taillf-mobile-infra:edr/file/files={files-name}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'
  Responses:
  '201':
    Description: list files created or replaced
  '204':
```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name'

Responses:
  '204':
    Description: list files updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_delete
produces:
- application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taillf-mobile-infra:edr/file/files={files-name}/name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

    Reference: '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_name'

```

```
Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_name'

Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
```

```

Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taulf-mobile-infra:edr/file/files={files-name}/reporting

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_reporting_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_reporting'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_reporting_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_reporting_put

```

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/files-name'
- **\$ref**: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_reporting'

Responses:

- '201':
 - Description**: leaf reporting created or replaced
- '204':
 - Reference**: '#/responses/204'
- '400':
 - Reference**: '#/responses/400'
- '401':
 - Reference**: '#/responses/401'
- '404':
 - Reference**: '#/responses/404'
- '405':
 - Reference**: '#/responses/405'
- '409':
 - Reference**: '#/responses/409'

security:

- **basicAuth**: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_edr_file_files_files_name_reporting_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/files-name'
- **\$ref**: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_reporting'

Responses:

- '204':
 - Description**: leaf reporting updated
- '400':
 - Reference**: '#/responses/400'
- '401':
 - Reference**: '#/responses/401'
- '404':
 - Reference**: '#/responses/404'
- '405':
 - Reference**: '#/responses/405'
- '409':
 - Reference**: '#/responses/409'

security:

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_reporting_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_reporting_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:edr/file/files={files-name}/verbose

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_verbose_get
produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_verbose'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_verbose_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:


```
Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_verbose_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_verbose'

Responses:
'201':
  Description: leaf verbose created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_verbose_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_verbose'

Responses:
'204':
  Description: leaf verbose updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_taillf_mobile_infra_edr_file_files_files_name_verbose_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taillf_mobile_infra_edr_file_files_files_name_verbose_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/taillf-mobile-infra:edr/file/files={files-name}/limit

```
get:
```

```

Tags:
- data
- get

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_get
produces:
- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference: '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_limit'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:
- basicAuth: []

head:

Tags:
- data
- head

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_head
produces:
- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_limit-post'

Responses:

- '201':
 - Description:** container limit created
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_limit'

Responses:

- '201':

```
    Description: container limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_limit'

  Responses:
  '204':
    Description: container limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_delete
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:edr/file/files={files-name}/limit/size

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_size_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```
'200':
  Description: OK
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_limit_size'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_size_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_size_put
  produces:
  - application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_limit_size'

Responses:

- '201':
 - Description:** leaf size created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_edr_file_files_files_name_limit_size_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_limit_size'

Responses:

- '204':
 - Description:** leaf size updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:


```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_size_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_size_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:edr/file/files={files-name}/limit/count

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_count_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference:

'#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_limit_count'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_count_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

```
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_limit_count_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_taulf-mobile-infra_edr_file_files_files-name_limit_count'

Responses:
'201':
  Description: leaf count created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_limit_count_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_taulf-mobile-infra_edr_file_files_files-name_limit_count'

Responses:
'204':
  Description: leaf count updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_count_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_limit_count_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/tailf-mobile-infra:edr/file/files={files-name}/rate

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_get

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_rate'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/files-name'
      - $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_rate'

    Responses:
      '201':
        Description: leaf rate created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/files-name'
      - $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_rate'

    Responses:
      '204':
        Description: leaf rate updated
      '400':
        Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/files-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_rate_options
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/files-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:edr/file/files={files-name}/flush

```
get:
```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_edr_file_files_files_name_flush_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_edr_file_files_files_name_flush'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_edr_file_files_files_name_flush_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'


```
- $ref: '#/parameters/with-defaults'
```

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_flush-post'

Responses:

- '201':
 - Description:** container flush created
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_flush'

Responses:

'201':
Description: container flush created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
 - **\$ref:** '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_flush'

Responses:

'204':
Description: container flush updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

```

Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taillf-mobile-infra:edr/file/files={files-name}/flush/interval

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_interval_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_flush_interval'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_interval_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_interval_put
  produces:

```

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_flush_interval'

Responses:
  '201':
    Description: leaf interval created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_flush_interval_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_flush_interval'

Responses:
  '204':
    Description: leaf interval updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_flush_interval_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_flush_interval_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taulf-mobile-infra:edr/file/files={files-name}/procedure

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_taulf_mobile_infra_edr_file_files_files_name_procedure_get

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
```

```

    security:
      - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_procedure-post'

Responses:
  '201':
    Description: container procedure created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_procedure'

Responses:
  '201':
    Description: container procedure created or replaced
  '204':

```



```
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_procedure'

Responses:
  '204':
    Description: container procedure updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_delete
produces:
- application/yang-data+json
```

```

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_edr_file_files_files_name_procedure_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/data_tailf-mobile-infra_edr_file_files_files_name_procedure_enable-event-id_enable-event-id-procedure'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':

Description: list enable-event-id created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/files-name'
        - $ref: '#/parameters/enable-event-id-procedure'
        - $ref:
'#/parameters/data_tailf-mobile-infra_edr_file_files_files_name_procedure_enable-event-id_enable-event-id-procedure'

      Responses:
        '204':
          Description: list enable-event-id updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/files-name'
        - $ref: '#/parameters/enable-event-id-procedure'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enab

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_procedure_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tairf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_procedure'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tairf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_procedure_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''

```

Description: ''

Operation ID:

data_taulf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_procedure_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'

- \$ref: '#/parameters/enable-event-id-procedure'

- \$ref:

'#/parameters/data_taulf-mobile-infra_edr_file_files_files_name_procedure_enable-event-id_enable-event-id-procedure_procedure'

Responses:

'201':

Description: leaf procedure created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data

- patch

Summary: ''

Description: ''

Operation ID:

data_taulf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_procedure_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'

- \$ref: '#/parameters/enable-event-id-procedure'

- \$ref:

'#/parameters/data_taulf-mobile-infra_edr_file_files_files_name_procedure_enable-event-id_enable-event-id-procedure_procedure'

Responses:

'204':

Description: leaf procedure updated

'400':


```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_procedure_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_procedure_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/content'

'#/parameters/data_tailf-mobile-infra_edr_file_files_files_name_procedure_enable-event-id_enable-event-id-procedure_enable-inner-post'

Responses:

'201':

Description: container enable-inner created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/files-name'
      - $ref: '#/parameters/enable-event-id-procedure'
      - $ref:
'#/parameters/data_tailf-mobile-infra_edr_file_files_files_name_procedure_enable-event-id_enable-event-id-procedure_enable-inner'

    Responses:
      '201':
        Description: container enable-inner created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/files-name'
      - $ref: '#/parameters/enable-event-id-procedure'

```

- \$ref:

'#/parameters/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner'

Responses:

'204':

Description: container enable-inner updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'

- \$ref: '#/parameters/enable-event-id-procedure'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_options

produces:

- application/yang-data+json

Parameters:

```

- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/event
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_edr_file_files_files_name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

```

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:**

'#/parameters/data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_post'

Responses:

'201':

Description: container event created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'
  - $ref:
'#/parameters/data_tailf-mobile-infra_edr_file_files_files_name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event'

  Responses:
    '201':
      Description: container event created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_patch

```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'
- $ref:
'#/parameters/data_tailf-mobile-infra_edr_file_files_files_name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event'

Responses:
  '204':
    Description: container event updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```

Operation ID:

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/event/enable-field-id
: options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/event/enable-field-id={enable-field-id-event}
: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

```

    '200':
      Reference: '#/responses/200'
      security:
      - basicAuth: []
    put:

      Tags:
      - data
      - put
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_put

      produces:
      - application/yang-data+json

      Parameters:
      - $ref: '#/parameters/files-name'
      - $ref: '#/parameters/enable-event-id-procedure'
      - $ref: '#/parameters/enable-field-id-event'
      - $ref:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event'

      - $ref: '#/parameters/insert'
      - $ref: '#/parameters/point'

      Responses:
      '201':
        Description: list enable-field-id created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
      - basicAuth: []
    patch:

      Tags:
      - data
      - patch
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_patch

```

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/enable-field-id-event'
- **\$ref:**

#/parameters/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/event/enable-field-id={enable-field-id-event}

Responses:
'204':
 Description: list enable-field-id updated
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/event/enable-field-id={enable-field-id-event}/delete

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/enable-field-id-event'

Responses:
'204':
 Reference: '#/responses/204'

security:
- **basicAuth:** []

options:

Tags:
- data
- options
Summary: ''

Description: ''

Operation ID:

`data tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/actions`

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
 - **\$ref:** '#/parameters/enable-event-id-procedure'
 - **\$ref:** '#/parameters/enable-field-id-event'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

?

`/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable`

get:

Tags:

- data
 - get

Summary: ''

Description: ''

Operation ID:

`data tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable`

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
 - **\$ref:** '#/parameters/enable-event-id-procedure'
 - **\$ref:** '#/parameters/enable-field-id-event'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

`#/definitions/data-tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable`

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra:edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_event_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'
  - $ref: '#/parameters/enable-field-id-event'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra:edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_event_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/files-name'
  - $ref: '#/parameters/enable-event-id-procedure'
  - $ref: '#/parameters/enable-field-id-event'

```

- \$ref:

#/parameters/taillf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}

Responses:**'201':****Description:** leaf event created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data/taillf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-event-path

produces:

- application/yang-data+json

Parameters:**- \$ref:** '#/parameters/files-name'**- \$ref:** '#/parameters/enable-event-id-procedure'**- \$ref:** '#/parameters/enable-field-id-event'**- \$ref:**

#/parameters/taillf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}

Responses:**'204':****Description:** leaf event updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':**


```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/files-name'
    - $ref: '#/parameters/enable-event-id-procedure'
    - $ref: '#/parameters/enable-field-id-event'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/files-name'
    - $ref: '#/parameters/enable-event-id-procedure'
    - $ref: '#/parameters/enable-field-id-event'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable
: get:

  Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra:edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_enable_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/files-name'
- $ref: '#/parameters/enable-event-id-procedure'
- $ref: '#/parameters/enable-field-id-event'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        #/definitions/data_tailf_mobile_infra:edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_enable

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra:edr_file_files_files_name_procedure_enable_event_id_enable_event_id_procedure_enable_inner_event_enable_field_id_enable_field_id_event_enable_head

produces:
- application/yang-data+json

Parameters:

```

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:**

data/taif/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/event/enable-field-id={enable-field-id-event}/enable-post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/content'

#/parameters/taif/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/event/enable-field-id={enable-field-id-event}/enable-post

Responses:

'201':
 Description: container enable created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/enable-field-id-event'
- **\$ref:**

#/parameters/{data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-put

Responses:

'201':

Description: container enable created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/enable-field-id-event'
- **\$ref:**

#/parameters/{data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-patch

Responses:

'204':
Description: container enable updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra:edr file files_files_name procedure enable_event_id enable_event_id procedure enable_inner event_enable_field_id enable_field_id event_enable_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
 - **\$ref:** '#/parameters/enable-event-id-procedure'
 - **\$ref:** '#/parameters/enable-field-id-event'

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra:edr file files_files_name procedure enable_event_id enable_event_id procedure enable_inner event_enable_field_id enable_field_id event_enable_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'

- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}

: options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}/options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data/tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}/field-id={enable-field-id-event}/field-id={enable-field-id-event}/get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/field-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**~~#/definitions/data-tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}~~

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**~~data-tailf-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}~~**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/field-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/enable-field-id-event'
- **\$ref:** '#/parameters/field-id'
- **\$ref:**

#/parameters/data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

Responses:

- '201':
 - Description:** leaf-list field created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data/tailf/mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id-event}/patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/field-id'
- \$ref:

#/parameters/files-name/enable-event-id-procedure/enable-inner/enable-field-id-event/enable-field-id

Responses:

- '204':
 - Description: leaf-list field updated
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

data/taif-mobile-infra:edr/file/files={files-name}/procedure/enable-event-id={enable-event-id-procedure}/enable-inner/enable-field-id={enable-field-id-event}/enable-field-id={enable-field-id}

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/files-name'
- \$ref: '#/parameters/enable-event-id-procedure'
- \$ref: '#/parameters/enable-field-id-event'
- \$ref: '#/parameters/field-id'

Responses:

- '204':
 - Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:
data_tailf_mobile_infra_instance_enable_event_id_event_id_enable_infra_instance_enable_field_id_event_id_enable_field_id_idations

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/files-name'
- **\$ref:** '#/parameters/enable-event-id-procedure'
- **\$ref:** '#/parameters/enable-field-id-event'
- **\$ref:** '#/parameters/field-id'

Responses:

- '200':
Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/taif-mobile-infra:instance

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_instance_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

- '200':
Description: OK
Schema:
Reference: '#/definitions/data_tailf-mobile-infra_instance'
- '204':
Reference: '#/responses/204'
- '400':
Reference: '#/responses/400'
- '401':
Reference: '#/responses/401'
- '404':
Reference: '#/responses/404'
- '405':

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_instance_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_instance-post'

  Responses:
    '201':
      Description: container instance created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
```

```

        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_instance_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_instance'

    Responses:
      '201':
        Description: container instance created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_instance_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_instance'

    Responses:
      '204':
        Description: container instance updated
      '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:instance/instance-id

```

options:

  Tags:
  - data
  - options

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instance_instance_id_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

```
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id'
      - $ref: '#/parameters/insert'
      - $ref: '#/parameters/point'

    Responses:
      '201':
        Description: list instance-id created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id'

  Responses:
    '204':
      Description: list instance-id updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```



```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:instance/instance-id={instance-id}/id

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_id_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_id'

  Responses:
  '201':
    Description: leaf id created or replaced
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_id'

  Responses:
    '204':
      Description: leaf id updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_id_delete
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```

```

    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint'
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_head

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_post

    produces:
      - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint-post'

Responses:
'201':
  Description: container endpoint created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint'

Responses:
'201':
  Description: container endpoint created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint'

  Responses:
    '204':
      Description: container endpoint updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_delete
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ep-type}

get:

```

Tags:
- data
- get

```



```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref:

'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':
 Description: list ep created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''

```

Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype'

Responses:
'204':
  Description: list ep updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```

Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_options
produces:
- application/yang-data+json

Parameters:
- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

Responses:
'200':
Reference: '#/responses/200'

security:
- basicAuth: []

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/eptype

get:

Tags:
- data
- get

Summary: ''
Description: ''

Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_eptype_get

produces:
- application/yang-data+json

Parameters:
- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:
'200':
Description: OK
Schema:
Reference:
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_eptype'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_eptype_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_eptype_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_eptype'

  Responses:

```

```

    '201':
      Description: leaf eptype created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_eptype_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_eptype'

Responses:
    '204':
      Description: leaf eptype updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:

```

```

- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_eptype_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_eptype_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_replicas_get

```

produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/instance-id-id'
 - \$ref: '#/parameters/ep-eptype'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:
 '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_replicas'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:
 - basicAuth: []

head:

Tags:
 - data
 - head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_replicas_head

produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/instance-id-id'
 - \$ref: '#/parameters/ep-eptype'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'


```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_replicas_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_replicas'

Responses:
  '201':
    Description: leaf replicas created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_replicas_patch

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_replicas'

Responses:

- '204':
 - Description:** leaf replicas updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_replicas_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_replicas_options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes'

  Responses:
  '201':
    Description: leaf nodes created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes'

  Responses:
    '204':
      Description: leaf nodes updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_nodes_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackEth_get

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackEth'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackEth_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackEth_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackEth'

    Responses:
      '201':
        Description: leaf loopbackEth created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
        - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackEth_patch

    produces:
      - application/yang-data+json

    Parameters:

```



```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackEth'

```

Responses:

```

'204':
  Description: leaf loopbackEth updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackEth_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackEth_options
```

produces:

```
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

Responses:

- '200':
 - Reference: '#/responses/200'
- security:**
- **basicAuth:** []

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackPort_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackPort'

- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackPort_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackPort_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackPort'

      Responses:
        '201':
          Description: leaf loopbackPort created or replaced
        '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackPort_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackPort'

Responses:
  '204':
    Description: leaf loopbackPort updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackPort_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_loopbackPort_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_instancetype_get

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_instancetype'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_instancetype_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_instancetype_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_instancetype'

  Responses:
  '201':
    Description: leaf instancetype created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_instancetype_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'

```

```

- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_instancetype'

```

Responses:

```

'204':
  Description: leaf instancetype updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

Summary: ''

Description: ''

Operation ID:

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_instancetype_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Summary: ''

Description: ''

Operation ID:

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_instancetype_options
```

produces:

```
- application/yang-data+json
```



```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

```

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip-vip-ip'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip'

  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
  '201':
    Description: list vip created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_patch

  produces:
  - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip'

Responses:

- '204':
 - Description:** list vip updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_ip_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-ip'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_ip_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/vip-vip-ip'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_ip_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'

```

```

- $ref: '#/parameters/vip-vip-ip'
- $ref:
'#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-ip'

```

Responses:

```

'201':
  Description: leaf vip-ip created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_taulf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-ip_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'
- $ref:

```

```
'#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-ip'
```

Responses:

```

'204':
  Description: leaf vip-ip updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_ip_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/vip-vip-ip'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_ip_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/vip-vip-ip'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```


/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_port_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_port_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_port_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id_id_endpoint_ep_ep_eptype_vip_vip-vip-ip_vip-port'

Responses:

'201':

Description: leaf vip-port created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_port_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip-vip-ip'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_vip_vip-vip-ip_vip-port'

  Responses:
  '204':
    Description: leaf vip-port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_port_delete

  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_port_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip={vip-vip-ip}/vip-interface

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tai-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-interface'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tai-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-interface_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_interface_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-interface'

Responses:

'201':

Description: leaf vip-interface created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_interface_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip-vip-ip'

- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-interface'

Responses:

'204':

Description: leaf vip-interface updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_interface_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip-vip-ip'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vip_interface_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_offline_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_offline'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':


```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_offline_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip-vip-ip'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_offline_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip-vip-ip'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_offline'

  Responses:

```

```

    '201':
      Description: leaf offline created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_offline_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
'#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_offline'

Responses:
    '204':
      Description: leaf offline updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_ip_offline_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_ip_offline_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''

```

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vrf_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vrf'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vrf_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vrf_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vrf'

Responses:

'201':
 Description: leaf vrf created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vrf_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vrf'

Responses:
  '204':
    Description: leaf vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vrf_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []

```

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip_vip_vip_ip_vrf_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip-vip-ip'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept**options:****Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept**get:**

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip6-vip-ipv6'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip6-vip-ipv6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip6-vip-ipv6'
- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description: list vip6 created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/vip6-vip-ipv6'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6'

  Responses:
    '204':
      Description: list vip6 updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/vip6-vip-ipv6'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_taillf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:

```

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6'

Responses:
'201':
  Description: leaf vip-ipv6 created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6'

```

Responses:

- '204':
 - Description:** leaf vip-ipv6 updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/vip6-vip-ipv6'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

- \$ref: '#/parameters/vip6-vip-ipv6'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6-port_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip6-vip-ipv6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6-port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_port_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/vip6-vip-ipv6'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_port_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/vip6-vip-ipv6'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6-port'

  Responses:
    '201':
      Description: leaf vip-ipv6-port created or replaced
    '204':

```



```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_port_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6-port'

Responses:
  '204':
    Description: leaf vip-ipv6-port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_port_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vip_ipv6_port_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-epty

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_offline_get

```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
 - \$ref: '#/parameters/ep-eptype'
 - \$ref: '#/parameters/vip6-vip-ipv6'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_taif-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_offline'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
 - head

Summary: ''

Description: ''

Operation ID:

data_taif_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_offline_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
 - \$ref: '#/parameters/ep-eptype'
 - \$ref: '#/parameters/vip6-vip-ipv6'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_offline_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref:
'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_offline'

Responses:
  '201':
    Description: leaf offline created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_offline_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/vip6-vip-ipv6'
 - **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_offline'

Responses:

'204':

Description: leaf offline updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_offline_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/vip6-vip-ipv6'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/vip6={vip6-vip-ipv6}/vrf

```

- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_offline_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vrf_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vrf'
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vrf_head

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/vip6-vip-ipv6'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vrf_put

```

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip6-vip-ipv6'
- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vrf'

Responses:

- '201':
 - Description:** leaf vrf created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6_vip-ipv6_vrf_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/vip6-vip-ipv6'
- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vrf'

Responses:

- '204':
 - Description:** leaf vrf updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':


```

        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vrf_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip6-vip-ipv6'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_vip6_vip6_vip_ipv6_vrf_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/vip6-vip-ipv6'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID:

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_system-health-level-post'

Responses:

'201':

Description: container system-health-level created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level'

    Responses:
      '201':
        Description: container system-health-level created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'

```

- \$ref:
 '#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level'

Responses:

'204':
 Description: container system-health-level updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
 - \$ref: '#/parameters/ep-eptype'

Responses:

'204':
 Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK
 Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_head

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_post

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_system-health-level_warn-post'

    Responses:
      '201':
        Description: container warn created
      '204':
        Reference: '#/responses/204'
      '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id_id_endpoint_ep_ep-eptype_system-health-level_warn'

  Responses:
  '201':
    Description: container warn created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''

```


Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn'

Responses:

'204':

Description: container warn updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data

- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data

```

- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/warn/cpu-percent
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_cpu_percent_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_cpu_percent_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_cpu_percent_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent'
```

Responses:

'201':
Description: leaf cpu-percent created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent'

Responses:

'204':
Description: leaf cpu-percent updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_cpu_percent_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_cpu_percent_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/warn/memory-in-ribs

: get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_memory_in_ribs_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_memory-in-ribs'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system_health_level_warn_memory_in_ribs_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_memory_in_rbs_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_memory-in-rbs'

      Responses:
        '201':
          Description: leaf memory-in-mbs created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_memory_in_rbs_patch

      produces:
        - application/yang-data+json

      Parameters:

```

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_memory-in-ribs'

```

Responses:

```

'204':
  Description: leaf memory-in-mbs updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

Summary: ''

Description: ''

Operation ID:

```
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_memory_in_ribs_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Summary: ''

Description: ''

Operation ID:

```
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_memory_in_ribs_options
```

produces:

```
- application/yang-data+json
```


Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

?

~~/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/warn/num-of-goroutine~~

: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_num_of_goroutine_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK

Schema:**Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_num-of-goroutine'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

```

    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_num_of_goroutine_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_num_of_goroutine_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_num-of-goroutine'

  Responses:
    '201':
      Description: leaf num-of-goroutine created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_num_of_goroutine_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_num-of-goroutine'

  Responses:
    '204':
      Description: leaf num-of-goroutine updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_num_of_goroutine_delete

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_warn_num_of_goroutine_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_taiff-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_taiff_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system_health_level_critical_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref:

'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical-post'

Responses:

'201':

Description: container critical created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref:

'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical'

```

Responses:
  '201':
    Description: container critical created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_taulf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical'

Responses:
  '204':
    Description: container critical updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

Responses:**'204':****Reference:** '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

?

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/critical/cpu-percent**: get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_cpu_percent_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_cpu-percent'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id-id_endpoint_ep_ep-eptype_system_health_level_critical_cpu_percent_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**put:****Tags:**- data
- put**Summary:** ''**Description:** ''**Operation ID:**

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_cpu_percent_put

produces:

- application/yang-data+json

Parameters:**- \$ref:** '#/parameters/instance-id-id'**- \$ref:** '#/parameters/ep-eptype'**- \$ref:**

'#/parameters/data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_cpu_percent'

Responses:**'201':****Description:** leaf cpu-percent created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**- data
- patch**Summary:** ''**Description:** ''**Operation ID:**

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_cpu_percent_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref:

'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_cpu-percent'

Responses:

'204':

Description: leaf cpu-percent updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_cpu-percent_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_cpu-percent_options

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

?

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/critical/memory-in-ribs
: get:

Tags:
- data
- get

Summary: ''
Description: ''
Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_memory_in_ribs_get

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Description: OK
 Schema:
 Reference:

'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_memory-in-ribs'

'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_memory_in_mbs_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_memory_in_mbs_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_memory-in-mbs'

  Responses:
    '201':
      Description: leaf memory-in-mbs created or replaced
    '204':
      Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tai_f_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_memory_in_mbs_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'#/parameters/data_tai_f_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_memory_in_mbs'

  Responses:
    '204':
      Description: leaf memory-in-mbs updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''

```

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_memory_in_rbs_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_memory_in_rbs_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/critical/num-of-goroutine

: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_num_of_goroutine_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_num-of-goroutine'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_num-of-goroutine_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_num_of_goroutine_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_num-of-goroutine'

Responses:

'201':

Description: leaf num-of-goroutine created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_num_of_goroutine_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_num-of-goroutine'

Responses:

'204':
Description: leaf num-of-goroutine updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_num_of_goroutine_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_critical_num_of_goroutine_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'

```

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []

```

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash-post'

Responses:

'201':

Description: container crash created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id_id_endpoint_ep_ep-eptype_system-health-level_crash'

  Responses:
  '201':
    Description: container crash created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'

- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash'

Responses:

'204':

Description: container crash updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data

- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data

- options

Summary: ''

Description: ''

Operation ID:

data_taif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

?

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/crash/cpu-percent

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_taif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_cpu_percent_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_taif-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_cpu_percent_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_cpu_percent_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent'

    Responses:

```



```

    '201':
      Description: leaf cpu-percent created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent'

  Responses:
    '204':
      Description: leaf cpu-percent updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:

```

```

- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_cpu_percent_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_cpu_percent_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/crash/memory-in-ribs
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_ribs_get

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_memory-in-ribs'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_ribs_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_mbs_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref:
'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_memory-in-mbs'

  Responses:
  '201':
    Description: leaf memory-in-mbs created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_mbs_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'

```

```

- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_memory-in-mbs'

Responses:
  '204':
    Description: leaf memory-in-mbs updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_mbs_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_memory_in_mbs_options

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/system-health-level/crash/num-of-goroutine
: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_num_of_goroutine_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK

Schema:**Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_num-of-goroutine'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_num_of_goroutine_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_num_of_goroutine_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_num-of-goroutine'

Responses:

'201':

Description: leaf num-of-goroutine created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_num_of_goroutine_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref:
'#/parameters/data_taiif-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_num-of-goroutine'

Responses:
    '204':
        Description: leaf num-of-goroutine updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_num_of_goroutine_delete

```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_system_health_level_crash_num_of_goroutine_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-ept

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_uri_scheme_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'

```

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_uri-scheme'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id-id_endpoint_ep_ep_eptype_uri_scheme_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_uri_scheme_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_uri-scheme'

Responses:

'201':

Description: leaf uri-scheme created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_uri_scheme_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_uri-scheme'

Responses:

- '204':
 - Description:** leaf uri-scheme updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_uri_scheme_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_uri_scheme_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_certificate_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_certificate-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

```

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_certificate_name_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_certificate_name_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_certificate-name'

Responses:

'201':

Description: leaf certificate-name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_certificate_name_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_certificate-name'

  Responses:
    '204':
      Description: leaf certificate-name updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_certificate_name_delete

  produces:
    - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_certificate_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'

Responses:
  '200':

```



```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

```
get:
```

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_get
```

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:

```

```
'#/definitions/data_tailf_mobile_infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_service_service-service-name'
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

  security:
  - basicAuth: []

```

```
head:
```

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: list service created or replaced

'204':

Reference: '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name'

  Responses:
  '204':
    Description: list service updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/service-name

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_service_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_service-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_service_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_service_name_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/service-service-name'
      - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service-service-name_service_name'

    Responses:
      '201':
        Description: leaf service-name created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
        - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_service_name_patch

    produces:
      - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref:

'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_service-name'

Responses:

'204':

Description: leaf service-name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_service_name_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_service_name_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
 - \$ref: '#/parameters/ep-eptype'
 - \$ref: '#/parameters/service-service-name'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface
 : options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
 - \$ref: '#/parameters/ep-eptype'
 - \$ref: '#/parameters/service-service-name'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}
 : get:

Tags:

- data
 - get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':
 Description: list interface created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_patch

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/service-service-name'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service-service-name_interface_interface-interface-type'

Responses:
 '204':
 Description: list interface updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

delete:

Tags:
 - data
 - delete
Summary: ''
Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_delete

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/service-service-name'
 - **\$ref:** '#/parameters/interface-interface-type'

Responses:
 '204':
 Reference: '#/responses/204'

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

```

    security:
      - basicAuth: []
  options:

```

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_options

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

  security:
  - basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/interface-type

: get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_type_get

```

  produces:
  - application/yang-data+json

```

```

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Description: OK

```

Schema:**Reference:**

```
#/definitions/data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep/ep-eptype/service/service-service-name/interface/interface-interface-type/interface-type'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep/ep-eptype/service/service-service-name/interface/interface-interface-type/interface-type-head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Operation ID:

data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_type_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_type'

Responses:

'201':

Description: leaf interface-type created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_type_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_type'

Responses:

```

    '204':
      Description: leaf interface-type updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/lookupEth

: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tai_f_mob_ile_infra_instanc_e_id_instanc_e_id_id_endp_o_int_ep_ep_eptype_servic_e_servic_e_name_int_erafc_e_int_erafc_e_type_loo_kupEth_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_tai_f_mob_ile_infra_instanc_e_id_instanc_e_id_id_endp_o_int_ep_ep_eptype_servic_e_servic_e_name_int_erafc_e_int_erafc_e_type_loo_kupEth'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:


```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data/taillf-mobile-infra:instance/instance-id/instance-id/endpoint/ep/ep-eptype/service/service-service-name/interface/interface-interface-type/loopbackEth/head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data/taillf-mobile-infra:instance/instance-id/instance-id/endpoint/ep/ep-eptype/service/service-service-name/interface/interface-interface-type/loopbackEth/put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'201':
  Description: leaf loopbackEth created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tai-mobile-infra:instance:instance-id:instance-id-id:endpoint:ep:ep-eptype:service:service-service-name:interface:interface-interface-type:loopbackEth:patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
#/parameters/data_tai-mobile-infra:instance:instance-id:instance-id-id:endpoint:ep:ep-eptype:service:service-service-name:interface:interface-interface-type:loopbackEth

  Responses:
    '204':
      Description: leaf loopbackEth updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:

```

- data
- delete

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-name interface interface-type http delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-name interface interface-type http options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/logback

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/loopbackPort/get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/loopbackPort'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/loopbackPort/head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'

- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_loopbackPort_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_loopbackPort'

Responses:

'201':
 Description: leaf loopbackPort created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type loopbackPort patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref:
#/parameters/data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type loopbackPort'

Responses:
  '204':
    Description: leaf loopbackPort updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type loopbackPort delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'

Responses:
  '204':

```

```

    Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_lookupPort_options

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

?

```

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/uri-scheme
: get:

```

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_uri_scheme_get

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':

```

Description: OK

Schema:

Reference:

#/definitions/data-taif-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/uri-scheme'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data-taif-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/uri-scheme-head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep/ep-eptype/service/service-name/interface/interface-interface-type/uri-scheme/patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/service-service-name'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:**

#/parameters/data tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep/ep-eptype/service/service-name/interface/interface-interface-type/uri-scheme'

Responses:

'201':

Description: leaf uri-scheme created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep/ep-eptype/service/service-name/interface/interface-interface-type/uri-scheme/patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/service-service-name'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:**

#/parameters/data tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep/ep-eptype/service/service-name/interface/interface-interface-type/uri-scheme'

Responses:

'204':
Description: leaf uri-scheme updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_uri_scheme_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/service-service-name'
 - **\$ref:** '#/parameters/interface-interface-type'

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_uri_scheme_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

?

~~/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/instance-type~~
: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

~~data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instance_type_get~~

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK

Schema:**Reference:**

~~#/definitions/data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instance_type~~

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tai/mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instancetype_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tai/mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instancetype_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/data_tai/mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instancetype'

  Responses:
    '201':

```

```

    Description: leaf instancetype created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instancetype_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
#/parameters/data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_instancetype

  Responses:
  '204':
    Description: leaf instancetype updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Tags:

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-name interface interface-type instance-type delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-name interface interface-type instance-type options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/certificate

: get:**Tags:**

- data
- get

Summary: ''**Description:** ''

Operation ID:

```
data tailf-mobile-infra:instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type certificate name get
```

produces:

```
- application/yang-data+json
```

Parameters:

- **\$ref**: '#/parameters/instance-id-id'
- **\$ref**: '#/parameters/ep-eptype'
- **\$ref**: '#/parameters/service-service-name'
- **\$ref**: '#/parameters/interface-interface-type'
- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:

```
'200':
```

```
  Description: OK
```

```
  Schema:
```

```
  Reference:
```

```
"/definitions/data tailf-mobile-infra:instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type certificate name"
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

- data
- head

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data tailf-mobile-infra:instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type certificate name head
```

produces:

```
- application/yang-data+json
```

Parameters:

- **\$ref**: '#/parameters/instance-id-id'
- **\$ref**: '#/parameters/ep-eptype'

- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/{interface-interface-type}/certificate-name/put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/certificate-name'

Responses:

'201':
 Description: leaf certificate-name created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id endpoint ep ep-eptype service service-service-name interface interface-interface-type certificate name patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

#/parameters/data tailf mobile infra instance instance-id instance-id endpoint ep ep-eptype service service-service-name interface interface-interface-type certificate name

Responses:

'204':

Description: leaf certificate-name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id endpoint ep ep-eptype service service-service-name interface interface-interface-type certificate name delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

```

```

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_name_interface_interface_interface_type_certificate_name_options

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'

```

```

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/sla
: get:

```

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_name_interface_interface_interface_type_sla_get

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

```

```

      Responses:

```

```

    '200':
      Description: OK
      Schema:
      Reference:
data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/sla'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/sla/head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post

```

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Summary: ''

Description: ''

Operation ID:

data taillf_mobile_infra_instance_instance_id_instance_id_id endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:** '#/parameters/service-service-name'

- **\$ref:** '#/parameters/interface-interface-type'

- **\$ref:**

'#/parameters/data_taillf_mobile_infra_instance_instance_id_instance_id_id endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_post'

Responses:

'201':

Description: container sla created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

put:

Tags:

- data

- put

Summary: ''

Description: ''

Operation ID:

data taillf_mobile_infra_instance_instance_id_instance_id_id endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:** '#/parameters/service-service-name'

- **\$ref:** '#/parameters/interface-interface-type'

- **\$ref:**

'#/parameters/data_taillf_mobile_infra_instance_instance_id_instance_id_id endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_put'

Responses:

'201':
Description: container sla created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_sla_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/service-service-name'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:**

#/parameters/data_taillf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_sla'

Responses:

'204':
Description: container sla updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

```

    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/sla/response
: get:

    Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_name_interface_interface_interface_type_sla_response_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    #/definitions/data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_name_interface_interface_interface_type_sla_response'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_name_interface_interface_interface_type_sla_response_head

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tai_f_mob_ile_infra_instanc_ instance_id instance_id_id endpoint_ep ep_eptype_service_service_service_name interface_interface_interface_type sla_response_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

#/parameters/data_tai_f_mob_ile_infra_instanc_ instance_id instance_id_id endpoint_ep ep_eptype_service_service_service_name interface_interface_interface_type sla_response_put

Responses:

- '201':
 - Description: leaf response created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:


```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_response_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_response'

Responses:
'204':
  Description: leaf response updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_sla_response_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type sla response options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/sla/procedure

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type sla procedure get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id/endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_sla_procedure'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_taillf-mobile-infra_instance_instance-id_instance-id-id/endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_sla_procedure_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type sla procedure put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

#/parameters/data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type sla procedure'

Responses:**'201':****Description:** leaf procedure created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type sla procedure patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

- \$ref:

```
#/parameters/data_tailf_mobile_infra_instance_instance-id_instance-id-id/endpoint/ep_ep-eptype_service_service-service-name_interface_interface-interface-type_sla_procedure
```

Responses:

'204':

Description: leaf procedure updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id/endpoint/ep_ep-eptype_service_service-service-name_interface_interface-interface-type_sla_procedure_delete
```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id/endpoint/ep_ep-eptype_service_service-service-name_interface_interface-interface-type_sla_procedure_options
```

produces:

- application/yang-data+json

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

- '200':
 - Reference: '#/responses/200'
- security:
 - basicAuth: []

?

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip
: options:

Tags:

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

- '200':
 - Reference: '#/responses/200'
- security:
 - basicAuth: []

?

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}
: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_ip_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description: list vip created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data


```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip

Responses:
'204':
  Description: list vip updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

```

```

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_options

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'

```

```

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/vip-ip
: get:

```

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_ip_get

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'

```

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip-vip-ip/vip-ip'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip-vip-ip/vip-ip/head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tai_f_mobile_infra_instanc_instance_id_instanc_instance_id_id_endpoin_ep_ep_eptype_servic_servic_servic_name_interfac_interfac_interfac_type_vip_vip_vip_ip_vip_ip_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:**

#/parameters/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/vip-ip'

Responses:

- '201':
 - Description:** leaf vip-ip created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tai_f_mobile_infra_instanc_instance_id_instanc_instance_id_id_endpoin_ep_ep_eptype_servic_servic_servic_name_interfac_interfac_interfac_type_vip_vip_vip_ip_vip_ip_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

#/parameters/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/vip-ip'

Responses:

- '204':
 - Description: leaf vip-ip updated
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/vip-ip/delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

Responses:

- '204':
 - Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip/vip-ip/vip-ip/ports

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip/vip-ip/vip-ip/ports

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip/vip-ip/vip-ip/ports

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip/vip-ip/vip-ip/ports

'204':

Reference: '#/responses/204'

```

'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

Summary: ''**Description: ''****Operation ID:**

data tailf mobile infra instance instance-id instance-id id endpoint ep ep-eptype service service-service-name interface interface-interface-type vip vip vip-ip vip-port head

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Summary: ''**Description: ''****Operation ID:**

data tailf mobile infra instance instance-id instance-id id endpoint ep ep-eptype service service-service-name interface interface-interface-type vip vip vip-ip vip-port put

produces:

```
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

```
#/schemas/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/vip-port'
```

Responses:

- '201':
 - Description:** leaf vip-port created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

```
data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/vip-port/patch
```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

```
#/schemas/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip/vip-ip/vip-port'
```

Responses:

- '204':
 - Description:** leaf vip-port updated


```

'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

Summary: ''**Description: ''****Operation ID:**

~~data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/port={delete~~

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
```

Responses:

```
'204':
  Reference: '#/responses/204'
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Summary: ''**Description: ''****Operation ID:**

~~data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/port={options~~

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

Responses:

'200':
Reference: '#/responses/200'

security:

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/vip-interface
: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vip_interface_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK

Schema:

Reference:

#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vip_interface

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

```

security:
  - basicAuth: []

```

```

head:

```

```

Tags:

```

```

- data
- head

```

```

Summary: ''

```

```

Description: ''

```

```

Operation ID:

```

```

data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/interface/head

```

```

produces:

```

```

- application/yang-data+json

```

```

Parameters:

```

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:

```

```

'200':

```

```

  Reference: '#/responses/200'

```

```

security:

```

```

- basicAuth: []

```

```

put:

```

```

Tags:

```

```

- data
- put

```

```

Summary: ''

```

```

Description: ''

```

```

Operation ID:

```

```

data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/interface/put

```

```

produces:

```

```

- application/yang-data+json

```

```

Parameters:

```

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:

```

```

#/parameters/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/interface

```

Responses:

'201':
Description: leaf vip-interface created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-type}/vip-vip-ip/vip-interface/patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/service-service-name'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:** '#/parameters/vip-vip-ip'
 - **\$ref:**

#/parameters/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-type}/vip-vip-ip/vip-interface'

Responses:

'204':
Description: leaf vip-interface updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip/vip-ip/vip-interface/delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/service-service-name'
      - $ref: '#/parameters/interface-interface-type'
      - $ref: '#/parameters/vip-vip-ip'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:
data tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip/vip-ip/vip-interface/options

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/service-service-name'
      - $ref: '#/parameters/interface-interface-type'
      - $ref: '#/parameters/vip-vip-ip'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip/vip-ip/vip-interface/options
: get:

```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_offline_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_offline_get

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_offline_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID:

data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/offline/put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

#/parameters/data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/offline/put

Responses:

'201':

Description: leaf offline created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_offline_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_offline_patch

Responses:
'204':
    Description: leaf offline updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_offline_delete

```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type vip vip-ip offline options

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip={vip-vip-ip}/vrf

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type vip vip-ip vrf get

```

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip-vip-ip/vrf

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip-vip-ip/vrf-head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_taill_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vrf_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

#/parameters/data_taill_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vrf

Responses:

'201':
 Description: leaf vrf created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vrf_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vrf'

Responses:
  '204':
    Description: leaf vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vrf_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

Responses:

```

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

```

```

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip_vip_vip_ip_vrf_options

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'

```

```

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6

: options:

```

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_options

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'

```

```

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_idendpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type=vip6/vip6/vip-ip6/head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type=vip6/vip6/vip-ip6/put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:**

#/parameters/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type=vip6/vip6/vip-ip6

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: list vip6 created or replaced

'204':

Reference: '#/responses/204'

```

'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

patch:

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

```

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={vip6-vip6-vip-ip6}/patch

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'
- $ref:

```

#/parameters/data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={vip6-vip6-vip-ip6}

```

Responses:
'204':
  Description: list vip6 updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

delete:

```

Tags:
- data

```


- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/vip6

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

`data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip6/vip-ip6/vip-ip6/get`

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

`#/definitions/data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip6/vip-ip6/vip-ip6`

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

`data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type/vip6/vip-ip6/vip-ip6/head`

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip6/vip6-vip-ip6/vip-ip6/put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

#/parameters/data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/vip6/vip6-vip-ip6/vip-ip6

Responses:

'201':
 Description: leaf vip-ip6 created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

```

    - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'
  - $ref:
#/parameters/instance-id-id_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_patch

  Responses:
    '204':
      Description: leaf vip-ip6 updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description: ''****Operation ID:**

data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/ip6={ip6-ip6-ot

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/ip6={ip6-ip6-ot

: get:**Tags:**

- data
- get

Summary: ''**Description: ''****Operation ID:**

data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/ip6={ip6-ip6-ot

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip6-vip-ip6-port'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip6-vip-ip6-port-head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/port={port-port}

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'
  - $ref: '#/parameters/port-port'

  Responses:
  '201':
    Description: leaf vip-ipv6-port created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/port={port-port}

  produces:
  - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref:

~~#/parameters/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/vip6-vip-ip6/vip6-port'~~

Responses:

- '204':
 - Description:** leaf vip-ipv6-port updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

~~data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep-eptype/service-service-name/interface-interface-type/vip6-vip-ip6/vip6-port/delete~~

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**


```

- data
- options
Summary: ''
Description: ''
Operation ID:

```

data tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-interface-type=vip6/vip6/vip-ip6/vip-ip6/offline

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-interface-type=vip6/vip6/vip-ip6/offline

: get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

data tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-interface-type=vip6/vip6/vip-ip6/offline

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
    Reference:

```

#/definitions/data tailf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-interface-type=vip6/vip6/vip-ip6/offline

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_put

```

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:**

#/parameters/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/offline

Responses:

'201':

Description: leaf offline created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/offline/patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:**

#/parameters/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/offline

Responses:

```

    '204':
      Description: leaf offline updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

```

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

?

~~/data/taill-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/vrf={vrf-vrf-id}~~

: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

~~data_tai-mobile-infra_instance_instance-id_instance-id-id/endpoint_ep_ep-eptype_service-service-service-name_interface_interface-interface-type_vip6-vip6-vip-ip6_vrf-vrf-id~~

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK

Schema:**Reference:**

~~#/definitions/data_tai-mobile-infra_instance_instance-id_instance-id-id/endpoint_ep_ep-eptype_service-service-service-name_interface_interface-interface-type_vip6-vip6-vip-ip6_vrf-vrf-id~~

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_head

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip6-vip-ip6'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
      put:

      Tags:
        - data
        - put
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_put

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip6-vip-ip6'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

```

Responses:

```
'201':
  Description: leaf vrf created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type/vip6/vip6/vip6/vrf/patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'
- $ref:
```

```
#/parameters/data/taill-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type/vip6/vip6/vip6/vrf
```

Responses:

```
'204':
  Description: leaf vrf updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
```

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6/vip6/vip-ip6/vrf/delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
'204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vip6/vip6/vip-ip6/vrf/options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
'200':
    Reference: '#/responses/200'
security:
- basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/vrf

```


: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vrf_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vrf'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vrf_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vrf_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

#/parameters/data_tailf_mobile_infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_service_service-service-name_interface_interface-interface-type_vrf'

Responses:

'201':

Description: leaf vrf created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vrf_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vrf_patch'

Responses:
'204':
  Description: leaf vrf updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vrf_delete

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_vrf_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher

: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id/endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_dispatcher'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance-id_instance-id-id/endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_dispatcher_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

```

    security:
      - basicAuth: []
  Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_post

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_post'

  Responses:
    '201':
      Description: container dispatcher created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_put

  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/dispatcher'

Responses:

- '201':
 - Description:** container dispatcher created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/dispatcher_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/dispatcher'

Responses:

- '204':
 - Description:** container dispatcher updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'

```

```

Responses:
  '204':
    Reference: '#/responses/204'

```

```

security:
- basicAuth: []

```

```
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```
security:

```



```

- basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/court
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_name_interface_interface_interface_type_dispatcher_court_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  #/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_name_interface_interface_interface_type_dispatcher_court

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''

```

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_count_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_count_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_count'

Responses:

'201':

Description: leaf count created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_curl_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_curl

  Responses:
    '204':
      Description: leaf count updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_curl_delete

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type dispatcher controller options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/capacity

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type dispatcher capacity get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data-tailf-mobile-infra:instance/instance-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher-capacity

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data-tailf-mobile-infra:instance/instance-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher-capacity/head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/dispatcher/capacity

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref:
  '#/parameters/data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/dispatcher/capacity'

Responses:
  '201':
    Description: leaf capacity created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

```

data taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-interface-type}/dispatcher/capacity/patch

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/instance-id-id'
- **\$ref**: '#/parameters/ep-eptype'
- **\$ref**: '#/parameters/service-service-name'
- **\$ref**: '#/parameters/interface-interface-type'
- **\$ref**: '#/parameters/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-interface-type}/dispatcher/capacity'

Responses:

'204':

Description: leaf capacity updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth**: []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-interface-type}/dispatcher/capacity/delete

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/instance-id-id'
- **\$ref**: '#/parameters/ep-eptype'
- **\$ref**: '#/parameters/service-service-name'
- **\$ref**: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth**: []

options:

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Tags:

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data tailf-mobile-infra:instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type dispatcher capacity options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/attendant

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data tailf-mobile-infra:instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type dispatcher attendant get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data tailf-mobile-infra:instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type dispatcher attendant


```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_outboard_head

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

put:

Tags:

```

- data
- put

```

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_outboard_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/dispatcher-outbound'

Responses:

- '201':
 - Description:** leaf outbound created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher-outbound/patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/dispatcher-outbound'

Responses:

- '204':
 - Description:** leaf outbound updated
- '400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_outboard_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_outboard_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'

  Responses:

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  ?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/rate-limit
: get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_rate_limit_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          #/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_rate_limit

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

  Tags:

```

- data
- head

Summary: ''

Description: ''

Operation ID:

data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={dispatcher-rate-limit-head}

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={dispatcher-rate-limit-put}

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

#/parameters/data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={dispatcher-rate-limit}

Responses:

'201':

Description: leaf rate-limit created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_rate_limit_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/instance-id-id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_rate_limit'

Responses:
'204':
  Description: leaf rate-limit updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/rate/interface/interface/interface-type/dispatcher/rate/limit/delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/rate/interface/interface/interface-type/dispatcher/rate/limit/options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface/interface-type/dispatcher/rate

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/rate/interface/interface/interface-type/dispatcher/cache/get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher/cache'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher/cache-head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_cache_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/dispatcher-cache'

#/parameters/data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_cache

Responses:

'201':
 Description: leaf cache created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_cache_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_cache'

Responses:

- '204':
 - Description:** leaf cache updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_cache_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_cache_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/threshold

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_threshold_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

```

#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/dispatcher/threshold

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/dispatcher/threshold

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/service-service-name'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-interface-type/dispatcher/threshold.put

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/interface-interface-type-dispatcher-threshold'

Responses:
'201':
  Description: leaf threshold created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

security:
- basicAuth: []

patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/{interface-interface-type}/dispatcher-threshold/patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/interface-interface-type-dispatcher-threshold'

Responses:
'204':
  Description: leaf threshold updated

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_threshold_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
```

Responses:

```
'204':
  Reference: '#/responses/204'
```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_threshold_options
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
```

Responses:

'200':

Reference: '#/responses/200'**security:**- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/epiry
: get:

Tags:- data
- get**Summary:** ''**Description:** ''**Operation ID:**

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/epiry get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/epiry

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**- **basicAuth:** []**head:**

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type dispatcher expiry head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type dispatcher expiry put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

#/parameters/data tailf mobile infra instance instance-id instance-id-id endpoint ep ep-eptype service service-service-name interface interface-interface-type dispatcher expiry

Responses:

'201':

Description: leaf expiry created or replaced

'204':

Reference: '#/responses/204'

'400':


```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_expiry_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref:

#/parameters/data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_expiry

Responses:
'204':
  Description: leaf expiry updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_expiry_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_expiry_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/response

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_dispatcher_response_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/dispatcher/response'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/dispatcher/response/head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_name_interface_interface_interface_type_dispatcher_response_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_service_service_name_interface_interface_interface_type_dispatcher_response'

Responses:

'201':
 Description: leaf nonresponsive created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={dispatcher-responsive}/patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/service-service-name'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:**

#/parameters/data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={dispatcher-responsive}

Responses:

'204':

Description: leaf nonresponsive updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={dispatcher-responsive}/delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/service-service-name'
 - **\$ref:** '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

```
- basicAuth: []
options:
```

Tags:

```
- data
- options
```

Summary: ''

Description: ''

Operation ID:

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/flowctrl-gop

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
```

Responses:

```
'200':
```

```
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/flowctrl-gop

: options:

Tags:

```
- data
- options
```

Summary: ''

Description: ''

Operation ID:

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/flowctrl-gop

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
```

Responses:

```
'200':
```

```
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/dispatcher/flowctrl-gop

: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group={flowctrl-group}/prae=get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

%#/schemas/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group={flowctrl-group}/prae'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group={flowctrl-group}/prae=head

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

put:

Tags:
- data
- put

Summary: ''
Description: ''
Operation ID:

~~data/tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group-rept~~

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:**

~~"/parameters/data/tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/dispatcher/flowctrl-group/flowctrl-group-rept~~

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

Responses:
'201':
 Description: list flowctrl-group created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'


```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data/taill-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={data-flowctrl-group-flowctrl-group-name}

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'
  - $ref:

%((data/taill-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={data-flowctrl-group-flowctrl-group-name}

  Responses:
    '204':
      Description: list flowctrl-group updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

~~data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/instance-id={instance-id-id}/interface-type={interface-type-dispatcher}/flowctrl-group={flowctrl-group-name}/delete~~

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

~~data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/instance-id={instance-id-id}/interface-type={interface-type-dispatcher}/flowctrl-group={flowctrl-group-name}/create~~

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

~~/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/instance-id={instance-id-id}/interface-type={interface-type-dispatcher}/flowctrl-group={flowctrl-group-name}/set~~

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

~~data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/instance-id={instance-id-id}/interface-type={interface-type-dispatcher}/flowctrl-group={flowctrl-group-name}/get~~

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/schemas/data/taillf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/flowctrl-group-name

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

#/schemas/data/taillf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/flowctrl-group-name

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/flowctrl-group/flowctrl-group-name

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref:

#/parameters/instance-id-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={interface-type}/flowctrl-group/flowctrl-group-name

Responses:

- '201':
 - Description: leaf name created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

~~data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={data-flowctrl-group-name}/patch~~

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:**

~~#/parameters/instance-id-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={data-flowctrl-group-name}/patch~~

Responses:

'204':

Description: leaf name updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

~~data/taillf-mobile-infra:instance/instance-id={instance-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface/interface-type={data-flowctrl-group-name}/delete~~

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Responses:**'204':****Reference:** '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/data/flowctrl-group={flowctrl-group-name}/priority

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/service-service-name'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:** '#/parameters/flowctrl-group-name'

Responses:**'200':****Reference:** '#/responses/200'**security:**- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/data/flowctrl-group={flowctrl-group-name}/priority

: get:**Tags:**- data
- get**Summary:** ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/data/flowctrl-group={flowctrl-group-name}/priority/get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/service-service-name'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:** '#/parameters/flowctrl-group-name'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK **Schema:** **Reference:**

```

#/schemas/data/taillf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group-name={flowctrl-group-name}/content={content}/depth={depth}/fields={fields}/filter={filter}/with-defaults={with-defaults}

```

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

```

data/taillf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group-name={flowctrl-group-name}/content={content}/depth={depth}/fields={fields}/filter={filter}/with-defaults={with-defaults}

```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep-eptype={ep-eptype}/service-service-name={service-service-name}/interface-interface-type={interface-interface-type}/data-flowctrl-group={data-flowctrl-group}/prae-capacity

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:**

#/parameters/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep-eptype={ep-eptype}/service-service-name={service-service-name}/interface-interface-type={interface-interface-type}/data-flowctrl-group={data-flowctrl-group}/prae-capacity

Responses:

'201':

Description: leaf capacity created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data/tailf-mobile-infra:instance/instance-id-id={instance-id-id}/endpoint/ep-eptype={ep-eptype}/service-service-name={service-service-name}/interface-interface-type={interface-interface-type}/data-flowctrl-group={data-flowctrl-group}/prae-capacity/patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref:

#/parameters/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/flowctrl-group-name/capacity

Responses:

- '204':
 - Description: leaf capacity updated
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep-eptype/service-service-name/interface-interface-type/flowctrl-group-name/capacity/delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

Responses:

- '204':
 - Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Description: ''

Operation ID:

data/tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/data-flowctrl-group-flowctrl-group-name/capacity

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

data/tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/data-flowctrl-group-flowctrl-group-name/limit

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data/tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/data-flowctrl-group-flowctrl-group-name/limit

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data/tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-type/data-flowctrl-group-flowctrl-group-name/limit

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data/taiff-mobile-infra:instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={data-flowctrl-group-name}/prae-ate-limit
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data/taiff-mobile-infra:instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={data-flowctrl-group-name}/prae-ate-limit
  produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref:

#/parameters/instance-id-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={data-flowctrl-group-name}/rate-limit

Responses:

- '201':
 - Description:** leaf rate-limit created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data-flowctrl-group-name={data-flowctrl-group-name}/rate-limit/patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref:

#/parameters/instance-id-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={data-flowctrl-group-name}/rate-limit

Responses:

- '204':

```

    Description: leaf rate-limit updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
  data/taillf-mobile-infra:instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group={flowctrl-group-name}/rate-limit-data

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/service-service-name'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
  data/taillf-mobile-infra:instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface-interface-type={interface-interface-type}/flowctrl-group={flowctrl-group-name}/rate-limit-options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/internal
get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK

Schema:

Reference:

'#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:
- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_post

Responses:

'201':

```

    Description: container internal created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tai_lf_mobi_le_infra_instanc_e_instanc_e_id_instanc_e_id_id_endp_o_int_ep_ep_eptype_servic_e_servic_e_servic_e_name_interfac_e_interfac_e_interfac_e_type_intern_al_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref:
#/parameters/data_tai_lf_mobi_le_infra_instanc_e_instanc_e_id_instanc_e_id_id_endp_o_int_ep_ep_eptype_servic_e_servic_e_servic_e_name_interfac_e_interfac_e_interfac_e_type_intern_al

Responses:
  '201':
    Description: container internal created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:

```



```

- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal'

Responses:
'204':
  Description: container internal updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/service-service-name'

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type internal options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/internal/accept

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra instance instance id instance id id endpoint ep ep eptype service service service name interface interface interface type internal base port get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_base_port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_internal_base_port_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

Tags:

- data
- post

Summary: ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype service service service name interface interface interface type internal base port post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

#/parameters/tailf/mobile-infra/instance/instance-id/instance-id-id/endpoint/ep/eptype/service/service/service-name/interface/interface/interface-type/internal/base/port/post'

Responses:

'201':

Description: container base-port created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype service service service name interface interface interface type internal base port put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'

- \$ref:

```
#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id/endpoint/ep_eptype_service_service-service-name_interface_interface-interface-type_internal_base-port'
```

Responses:**'201':****Description:** container base-port created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id/endpoint/ep_eptype_service_service-service-name_interface_interface-interface-type_internal_base-port_patch
```

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

```
#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id/endpoint/ep_eptype_service_service-service-name_interface_interface-interface-type_internal_base-port'
```

Responses:**'204':****Description:** container base-port updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_base_port_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id/endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type/interface_base_port_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}/interface={interface-interface-type}/interface_base_port/status
: get:

```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_base_port_start_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/service-service-name'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_base_port_start_get

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_base_port_start_head

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/service={service-service-name}

produces:
- application/yang-data+json

Parameters:
- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

put:

Tags:
- data
- put

Summary: ''

Description: ''

Operation ID:

data tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/internal-base-port/stat/put

produces:
- application/yang-data+json

Parameters:
- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

data tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/service-service-name/interface-interface-interface-type/internal-base-port/stat/put

Responses:
'201':
 Description: leaf start created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'


```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_taiifnobile_infra_instanc_instanc_id_instanc_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_baseport_start_patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/service-service-name'
        - $ref: '#/parameters/interface-interface-type'
        - $ref:
%/{parameters/data_taiifnobile_infra_instanc_instanc_id_instanc_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_baseport_start_patch'

      Responses:
        '204':
          Description: leaf start updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_taiifnobile_infra_instanc_instanc_id_instanc_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_baseport_start_delete

      produces:
        - application/yang-data+json

      Parameters:

```

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':
 Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_service_service_service_name_interface_interface_interface_type_interface_type_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/service-service-name'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'

```

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

```

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: list interface created or replaced

'204':

Reference: '#/responses/204'

'400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type'

  Responses:
  '204':
    Description: list interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

Operation ID:

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/interface-type

: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_interface_type_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_interface-type'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_interface-type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_interface_type_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_interface_type'

  Responses:
    '201':
      Description: leaf interface-type created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_interface_type_patch

  produces:
    - application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_interface-type'

Responses:
'204':
  Description: leaf interface-type updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_interface_type_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_interface_type_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
 - \$ref: '#/parameters/ep-eptype'
 - \$ref: '#/parameters/interface-interface-type'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/loopbackEth

: get:

Tags:

- data
 - get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackEth_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
 - \$ref: '#/parameters/ep-eptype'
 - \$ref: '#/parameters/interface-interface-type'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK
 Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_loopbackEth'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':

```

        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackEth_head

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/interface-interface-type'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackEth_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/ep-eptype'
      - $ref: '#/parameters/interface-interface-type'
      - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_loopbackEth'
```

Responses:

'201':
Description: leaf loopbackEth created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_loopbackEth_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_loopbackEth'

Responses:

'204':
Description: leaf loopbackEth updated

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackEth_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackEth_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/loopbackPort

get:**Tags:**

- data
- get

Summary: ''**Description:** ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackPort_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_loopbackPort'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackPort_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackPort_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_loopbackPort'

Responses:

'201':
 Description: leaf loopbackPort created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackPort_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'

- \$ref: '#/parameters/interface-interface-type'

- \$ref:

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_loopbackPort'

Responses:

'204':

Description: leaf loopbackPort updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data

- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackPort_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'

- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_loopbackPort_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/uri-scheme

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_uri_scheme_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_uri-scheme'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_uri_scheme_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_uri_scheme_put

  produces:
    - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_uri-scheme'

Responses:

- '201':
 - Description:** leaf uri-scheme created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface_interface-type_uri-scheme_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_uri-scheme'

Responses:

- '204':
 - Description:** leaf uri-scheme updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_uri_scheme_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_uri_scheme_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/instancetype
: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_instancetype_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_instancetype'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_instancetype_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_instancetype_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_instancetype'

Responses:

'201':

Description: leaf instancetype created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_instancetype_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_instancetype'

  Responses:
  '204':
    Description: leaf instancetype updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_instancetype_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_instancetype_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/certificate-name

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_certificate_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'


```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_certificate-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID:
  data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_certificate_name_head

produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put

```

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_certificate_name_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:** '#/parameters/interface-interface-type'

- **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_certificate-name'

Responses:

'201':

Description: leaf certificate-name created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_certificate_name_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'

- **\$ref:** '#/parameters/ep-eptype'

- **\$ref:** '#/parameters/interface-interface-type'

- **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_certificate-name'

Responses:

```

'204':
  Description: leaf certificate-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

delete:

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_certificate_name_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

```

```

Responses:
'204':
  Reference: '#/responses/204'

```

```

security:
- basicAuth: []

```

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_certificate_name_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/sla
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
    security:
      - basicAuth: []
head:

Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_post

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_sla_post'

Responses:
  '201':
    Description: container sla created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla'

  Responses:
    '201':
      Description: container sla created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla'

Responses:

'204':

Description: container sla updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

```

- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/sla/response
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_response_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_response'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```



```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

```

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_response_head

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

put:

```

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_response_put

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'

```

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

```
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_response'
```

Responses:

```
'201':
  Description: leaf response created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

patch:

Tags:

```
- data
- patch
```

Summary: ''

Description: ''

Operation ID:

```
data_tailf_mobile_infra_instance_instance_id_instance_id-id_endpoint_ep_ep-eptype_interface_interface_interface_type_sla_response_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_response'
```

Responses:

```
'204':
  Description: leaf response updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_response_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/interface-interface-type'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_response_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/interface-interface-type'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/sla/procedure
: get:

      Tags:

```

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_sla_procedure'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure_head

produces:
- application/yang-data+json

Parameters:

```

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_sla_procedure'

Responses:

'201':
 Description: leaf procedure created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure'

Responses:
  '204':
    Description: leaf procedure updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
  '204':
    Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_sla_procedure_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip
: options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}
: get:

  Tags:

```

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_head

produces:
- application/yang-data+json

```


Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref:

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':
 Description: list vip created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip-vip-ip'
    - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_patch'

  Responses:
    '204':
      Description: list vip updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'

```

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}/vip-ip

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_ip_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_ip'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_ip_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_ip_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:**

#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-ip'

Responses:

'201':

Description: leaf vip-ip created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_ip_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

```

- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
'/parameters/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-ip'

```

Responses:

```

'204':
  Description: leaf vip-ip updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-ip_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-ip_options
```

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

?

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}/vip-port
: **get:**

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_port_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

```

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_port_head

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

```

put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_port_put

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

```


- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-port'

Responses:**'201':****Description:** leaf vip-port created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:****- basicAuth:** []**patch:****Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-port_patch

produces:

- application/yang-data+json

Parameters:**- \$ref:** '#/parameters/instance-id-id'**- \$ref:** '#/parameters/ep-eptype'**- \$ref:** '#/parameters/interface-interface-type'**- \$ref:** '#/parameters/vip-vip-ip'**- \$ref:**

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-port'

Responses:**'204':****Description:** leaf vip-port updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_port_delete

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_port_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}/vip-interface
: get:

```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_interface_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-interface'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_interface_head

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

put:

Tags:
- data
- put
Summary: ''
Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_interface_put

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip-vip-ip'
- **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_interface'

Responses:
'201':
 Description: leaf vip-interface created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      patch:

      Tags:
        - data
        - patch
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_interface_patch

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/ep-eptype'
        - $ref: '#/parameters/interface-interface-type'
        - $ref: '#/parameters/vip-vip-ip'
        - $ref:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_interface

      Responses:
        '204':
          Description: leaf vip-interface updated
        '400':
          Reference: '#/responses/400'
        '401':
          Reference: '#/responses/401'
        '404':
          Reference: '#/responses/404'
        '405':
          Reference: '#/responses/405'
        '409':
          Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_interface_delete

      produces:
        - application/yang-data+json

      Parameters:

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

Responses:

- '204':
 - Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vip_interface_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}/offline

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_offline_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_tailf_mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_offline'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_offline_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []
put:

Tags:

- data
 - put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_offline_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:** '#/parameters/vip-vip-ip'
 - **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_offline'

Responses:**'201':****Description:** leaf offline created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_offline_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'


```

- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_offline'

```

Responses:

```

'204':
  Description: leaf offline updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

Summary: ''

Description: ''

Operation ID:

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_offline_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'

```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

Summary: ''

Description: ''

Operation ID:

data tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_offline_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip={vip-vip-ip}/vrf

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vrf_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip-vip-ip'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_vip_vip-vip-ip_vrf'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vrf_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip-vip-ip'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vrf_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

/data/taillf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

```

- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vrf'

```

Responses:

```

'201':
  Description: leaf vrf created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:

Tags:

```
- data
- patch
```

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip_ip_vrf_patch

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip-vip-ip'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vrf'

```

Responses:

```

'204':
  Description: leaf vrf updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

```

```

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vrf_delete

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip-vip-ip'

```

```

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

```

```

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip_vip_vip_ip_vrf_options

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip-vip-ip'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

?

/data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6
: options:

Tags:

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/taulf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6={vip6-vip-ip6}
: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_taulf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

```
security:
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
  Reference: '#/responses/200'
```

```
security:
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_put
```

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6'

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

Responses:

- '201':
 - Description:** list vip6 created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6'

Responses:


```

    '204':
      Description: list vip6 updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/vip-ip6

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_tailf_mobile_infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'
  - $ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6'

  Responses:
  '201':
    Description: leaf vip-ip6 created or replaced

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip6-vip-ip6'
    - $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_patch

  Responses:
    '204':
      Description: leaf vip-ip6 updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:

```

```

- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data tailf mobile infra instance instance_id instance_id_id endpoint ep ep_eptype interface interface_interface_type vip6 vip6_vip_ip6 vip_ip6 delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

```

```

Responses:
  '204':
    Reference: '#/responses/204'

```

```

security:
- basicAuth: []

```

options:

```

Tags:
- data
- options
Summary: ''

```

```

Description: ''
Operation ID:

```

data tailf mobile infra instance instance_id instance_id_id endpoint ep ep_eptype interface interface_interface_type vip6 vip6_vip_ip6 vip_ip6 options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/vip-ip6-port

: **get:**

```

Tags:
- data
- get
Summary: ''

```

```

Description: ''
Operation ID:

```

data tailf mobile-infra instance instance-id instance-id-id endpoint ep ep-eptype interface interface interface-type vip6 vip6 vip-ip6 vip-ip6 port get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data-tailf-mobile-infra-instance-instance-id-instance-id-id-endpoint-ep-ep-eptype-interface-interface-interface-type-vip6-vip6-vip-ip6-vip-ip6-port'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data tailf mobile-infra instance instance-id instance-id-id endpoint ep ep-eptype interface interface interface-type vip6 vip6 vip-ip6 vip-ip6 port head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_port_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_port'

Responses:

'201':
 Description: leaf vip-ip6-port created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

```

- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'
- $ref:
'/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_patch'

Responses:
  '204':
    Description: leaf vip-ipv6-port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_patch_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
  '204':

```



```

    Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vip_ip6_port_options

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip6-vip-ip6'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

?

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/offline
: get:

```

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_get

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip6-vip-ip6'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':

```

Description: OK

Schema:

Reference:

'#/definitions/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_offline'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_offline_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/vip6-vip-ip6'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:** '#/parameters/vip6-vip-ip6'
 - **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_offline'

Responses:

'201':

Description: leaf offline created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:** '#/parameters/vip6-vip-ip6'
 - **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_offline'

Responses:

'204':
Description: leaf offline updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:** '#/parameters/vip6-vip-ip6'

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_offline_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vip6={vip6-vip-ip6}/vrf
 : get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tai_f_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/vip6-vip-ip6'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK

Schema:**Reference:**

'#/definitions/data_tai_f_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

```

```

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_head

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip6-vip-ip6'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []

```

```

  put:

```

```

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_put

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/vip6-vip-ip6'
    - $ref:

```

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf'

```

  Responses:
    '201':

```

```

    Description: leaf vrf created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/vip6-vip-ip6'
  - $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf

  Responses:
  '204':
    Description: leaf vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
  delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vip6_vip6_vip_ip6_vrf_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/vip6-vip-ip6'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/vrf
: get:

Tags:
- data
- get
Summary: ''
Description: ''

```


Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vrf_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vrf'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vrf_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vrf_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vrf'

Responses:

- '201':
 - Description: leaf vrf created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vrf_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vrf'

Responses:
  '204':
    Description: leaf vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vrf_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []

```

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_vrf_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher
: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher'

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_head

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

```
Method: Post
```

Tags:

```
- data
- post
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_post

produces:

```
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher-post'

Responses:

- '201':
 - Description:** container dispatcher created
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface_interface-type_dispatcher_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher'

Responses:

- '201':
 - Description:** container dispatcher created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher'

  Responses:
    '204':
      Description: container dispatcher updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_delete

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:
'204':
 Reference: '#/responses/204'

security:
- **basicAuth:** []

options:

Tags:
- data
- options

Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_options

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:
'200':
 Reference: '#/responses/200'

security:
- **basicAuth:** []

?

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/count
: **get:**

Tags:
- data
- get

Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_count_get

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/instance-id-id'

- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_count'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_count_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

    Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_count_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_count'

  Responses:
    '201':
      Description: leaf count created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_count_patch

  produces:
    - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_count'

Responses:
  '204':
    Description: leaf count updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_count_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_count_options

```

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/interface-interface-type'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/capacity
: get:

Tags:
 - data
 - get

Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity'

  Responses:

```

```

    '201':
      Description: leaf capacity created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher_capacity'

  Responses:
    '204':
      Description: leaf capacity updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

```

Tags:

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_capacity_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/outbound

: get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_outbound_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_outbound'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_outbound_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_outbound_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_outbound'

Responses:

'201':
 Description: leaf outbound created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description: ''**

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_outbound_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_outbound'

Responses:

- '204':
 - Description:** leaf outbound updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_outbound_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_outbound_options

```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

```

Responses:

```

'200':
  Reference: '#/responses/200'

```

security:

```
- basicAuth: []
```

?

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/rate-limit
: get:

```

Tags:

```

- data
- get

```

Summary: ''**Description:** ''**Operation ID:**

```

data tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_rate_limit_get

```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

```

'200':
  Description: OK
  Schema:
  Reference:

```

```
'#/definitions/data tailf-mobile-infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher_rate-limit'
```

```

'204':
  Reference: '#/responses/204'
'400':

```

Reference: '#/responses/400'
'401':
Reference: '#/responses/401'
'404':
Reference: '#/responses/404'
'405':
Reference: '#/responses/405'
'409':
Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_rate_limit_head

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/instance-id-id'
 - **\$ref:** '#/parameters/ep-eptype'
 - **\$ref:** '#/parameters/interface-interface-type'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
Reference: '#/responses/200'

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_rate_limit_put

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/instance-id-id'

```

- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_rate-limit'

```

Responses:

```

'201':
  Description: leaf rate-limit created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_rate_limit_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:

```

```
'/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_rate-limit'
```

Responses:

```

'204':
  Description: leaf rate-limit updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':

```

```

        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
      security:
      - basicAuth: []
    delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_rate_limit_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'

    Responses:
    '204':
      Reference: '#/responses/204'
    security:
    - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_rate_limit_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
?
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/cache
: get:

```

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_cache_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher_cache'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_cache_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_cache_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_cache'

Responses:

- '201':
 - Description: leaf cache created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_taif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_cache_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data_taif-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher_cache'

Responses:

'204':

Description: leaf cache updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_taif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_cache_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'204':

```

    Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_cache_options

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

?

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/threshold
: get:

```

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_threshold_get

```

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

```

  Responses:
    '200':
      Description: OK
      Schema:

```

Reference:

```
'#/definitions/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_threshold'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_threshold_head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_threshold_put
```

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data_tai-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_threshold'

Responses:

- '201':
Description: leaf threshold created or replaced
- '204':
Reference: '#/responses/204'
- '400':
Reference: '#/responses/400'
- '401':
Reference: '#/responses/401'
- '404':
Reference: '#/responses/404'
- '405':
Reference: '#/responses/405'
- '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tai-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_threshold_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data_tai-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_threshold'

Responses:

- '204':
Description: leaf threshold updated
- '400':
Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_threshold_delete

```

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

```

```

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_threshold_options

```

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'

```

```

  Responses:
    '200':
      Reference: '#/responses/200'
  security:

```

```

    - basicAuth: []
?
/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/expiry
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''

```

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_dispatcher_expiry'

Responses:

'201':

Description: leaf expiry created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry'

Responses:
'204':
    Description: leaf expiry updated
'400':
    Reference: '#/responses/400'
'401':
    Reference: '#/responses/401'
'404':
    Reference: '#/responses/404'
'405':
    Reference: '#/responses/405'
'409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_taiif_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry_delete

produces:
- application/yang-data+json

Parameters:

```


- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_expiry_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/nonresponsive

: get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_nonresponsive_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_nonresponsive'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_nonresponsive_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:

```

```

- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_nonresponsive_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_nonresponsive'

Responses:
'201':
  Description: leaf nonresponsive created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_nonresponsive_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_nonresponsive'

```

Responses:

- '204':
 - Description:** leaf nonresponsive updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_nonresponsive_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_nonresponsive_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/flowctrl-group
: options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/flowctrl-group={flowctrl-group-name}
: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

#/definitions/data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/interface/interface-interface-type/dispatcher_flowctrl_group_flowctrl_group_rate'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data-tailf-mobile-infra:instance/instance-id/instance-id-id/endpoint/ep-eptype/interface/interface-interface-type/dispatcher_flowctrl_group_flowctrl_group_rate_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:**

#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name

- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: list flowctrl-group created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'

/data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

```

- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'
- $ref:
#/parameters/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-interface-type/dispatcher_flowctrl_group_flowctrl_group_name'

```

Responses:

```

'204':
  Description: list flowctrl-group updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:

Tags:

```
- data
- delete
```

Summary: ''

Description: ''

Operation ID:

data/taif-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-interface-type/dispatcher_flowctrl_group_flowctrl_group_name/delete

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'

```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:

Tags:

```
- data
- options
```

Summary: ''

Description: ''

Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-interface-type={interface-type}/dispatcher/flowctrl-group={flowctrl-group-name}/rate

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type={interface-type}/dispatcher/flowctrl-group={flowctrl-group-name}/rate

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type={interface-type}/dispatcher/flowctrl-group={flowctrl-group-name}/rate/get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

#/definitions/data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type={interface-type}/dispatcher/flowctrl-group={flowctrl-group-name}/rate

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

```

- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'
- $ref:
#/parameters/data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-interface-type/dispatcher/flowctrl-group/flowctrl-group/rate/rate

```

Responses:

```

'201':
  Description: leaf name created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-interface-type/dispatcher/flowctrl-group/flowctrl-group/rate/rate/patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'
- $ref:

```

```
#/parameters/data-tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-interface-type/dispatcher/flowctrl-group/flowctrl-group/rate/rate
```

Responses:

```

'204':
  Description: leaf name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
?
```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/dispatcher/flowctrl-group={flowctrl-group-name}/capacity
: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype interface interface-interface-type dispatcher flowctrl_group flowctrl_group_name capacity get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype interface interface-interface-type dispatcher flowctrl_group flowctrl_group_name capacity

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

`data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/instance-id-id/endpoint/ep-eptype/interface/interface-type/dispatcher/flowctrl-group/flowctrl-group-name/capacity`

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID:

`data tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-type/dispatcher/flowctrl-group/flowctrl-group-name/capacity`

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/flowctrl-group-name'
- **\$ref:**

`#/parameters/instance-id-id/endpoint/ep-eptype/interface/interface-type/dispatcher/flowctrl-group/flowctrl-group-name/capacity`

Responses:

'201':

Description: leaf capacity created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data/tailf/mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-type={interface-type}/dispatcher/flowctrl-group/flowctrl-group-name/capacity/patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/flowctrl-group-name'
  - $ref:

%/zaxes/data/tailf/mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-type={interface-type}/dispatcher/flowctrl-group/flowctrl-group-name/capacity/

  Responses:
    '204':
      Description: leaf capacity updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data/tailf/mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface/interface-type={interface-type}/dispatcher/flowctrl-group/flowctrl-group-name/capacity/delete

  produces:
  - application/yang-data+json

```

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype interface interface-interface-type dispatcher flowctrl-group flowctrl-group-name capacity options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type/dispatcher/flowctrl-group(flowctrl-group-name)/rate-limit

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data tailf mobile infra instance instance-id instance-id-id endpoint ep eptype interface interface-interface-type dispatcher flowctrl-group flowctrl-group-name rate-rate-limit get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/interface/interface-type/dispatcher/flowctrl-group/flowctrl-group-rate-limit'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data-tailf-mobile-infra:instance/instance-id-id/endpoint/ep-eptype/interface/interface-type/dispatcher/flowctrl-group/flowctrl-group-rate-limit-head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_rate_limit_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/ep-eptype'
    - $ref: '#/parameters/interface-interface-type'
    - $ref: '#/parameters/flowctrl-group-name'
    - $ref:
#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_rate_limit'

    Responses:
    '201':
        Description: leaf rate-limit created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_rate_limit_patch

    produces:
    - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'
- $ref:
"/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type={interface-type}/flowctrl-group={flowctrl-group}/rate-limit"

Responses:
'204':
  Description: leaf rate-limit updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface-interface-type={interface-type}/flowctrl-group={flowctrl-group}/rate-limit/delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref: '#/parameters/flowctrl-group-name'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''

```

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_dispatcher_flowctrl_group_flowctrl_group_name_rate_limit_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/flowctrl-group-name'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/internal

: get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_internal'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

security:
  - basicAuth: []

```

head:

```

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_head

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
  - basicAuth: []

```

Method: Post

```

Tags:
  - data
  - post
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_post

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'

```

```

- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_taiif-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal-post'

```

Responses:

```

'201':
  Description: container internal created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

Summary: ''

Description: ''

Operation ID:

```
data_taiif_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_put
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_taiif-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal'

```

Responses:

```

'201':
  Description: container internal created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/ep-eptype'
  - $ref: '#/parameters/interface-interface-type'
  - $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_internal'

  Responses:
    '204':
      Description: container internal updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_delete

  produces:
  - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/internal/base-port

: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference:

'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port'

'204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_post

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_internal_base-port-post'

Responses:

'201':

Description: container base-port created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:**

'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface-interface-type_internal_base-port'

Responses:

```
'201':
  Description: container base-port created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
```

```
'#/parameters/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port'
```

Responses:

```
'204':
  Description: container base-port updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```

- basicAuth: []
delete:

```

Tags:

```

- data
- delete

```

Summary: ''**Description:** ''**Operation ID:**

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_delete
```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

```

Responses:**'204':****Reference:** '#/responses/204'**security:**

```

- basicAuth: []

```

options:**Tags:**

```

- data
- options

```

Summary: ''**Description:** ''**Operation ID:**

```
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_options
```

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

```

Responses:**'200':****Reference:** '#/responses/200'**security:**

```

- basicAuth: []

```

?

```
/data/tailf-mobile-infra:instance/instance-id={instance-id-id}/endpoint/ep={ep-eptype}/interface={interface-interface-type}/internal/base-port/start
```

: **get:****Tags:**

```

- data
- get

```

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_start_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf_mobile_infra_instance_instance_id_instance-id-id_endpoint_ep_ep_eptype_interface_interface-interface-type_internal_base-port_start'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_start_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'

- \$ref: '#/parameters/interface-interface-type'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_start_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/ep-eptype'
- \$ref: '#/parameters/interface-interface-type'
- \$ref:

#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_start

Responses:

'201':
 Description: leaf start created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_start_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'
- $ref:
'#/parameters/data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_start'

Responses:
'204':
  Description: leaf start updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_start_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/ep-eptype'
- $ref: '#/parameters/interface-interface-type'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []

```

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instance_instance_id_instance_id_id_endpoint_ep_ep_eptype_interface_interface_interface_type_internal_base_port_start_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/ep-eptype'
- **\$ref:** '#/parameters/interface-interface-type'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/tailf-mobile-infra:endpoint

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_endpoint_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_endpoint'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'


```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_endpoint_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_endpoint_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_endpoint-post'

  Responses:
  '201':
    Description: container endpoint created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_endpoint_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_endpoint'

  Responses:
    '201':
      Description: container endpoint created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_endpoint_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_endpoint'

```

```
Responses:
  '204':
    Description: container endpoint updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_endpoint_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_endpoint_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:endpoint/info

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_endpoint_info_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_endpoint_info'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_endpoint_info_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/taillf-mobile-infra:endpoint/info={info-endpoint},{info-address}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-endpoint'
- \$ref: '#/parameters/info-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK
 Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_endpoint_info_info_endpoint_info-address'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/info-endpoint'
- **\$ref:** '#/parameters/info-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/endpoint**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_endpoint_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/info-endpoint'
- **\$ref:** '#/parameters/info-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:**

```

Reference:
'#/definitions/data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_endpoint'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_endpoint_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-endpoint'
- $ref: '#/parameters/info-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/address

```

get:

Tags:
- data
- get
Summary: ''
Description: ''

```

Operation ID:

data_taulf_mobile_infra_endpoint_info_info_endpoint_info_address_address_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/info-endpoint'
- **\$ref:** '#/parameters/info-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_taulf-mobile-infra_endpoint_info_info-endpoint_info-address_address'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_taulf_mobile_infra_endpoint_info_info_endpoint_info_address_address_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/info-endpoint'
- **\$ref:** '#/parameters/info-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:endpoint/info={info-endpoint},{info-address}/type

get:

Tags:
 - data
 - get

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_type_get

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/info-endpoint'
 - **\$ref:** '#/parameters/info-address'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_endpoint_info_info_endpoint_info_address_type'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/status

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_type_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-endpoint'
- $ref: '#/parameters/info-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/status

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_status_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-endpoint'
- $ref: '#/parameters/info-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:

```

```

'#/definitions/data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_status'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_status_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/info-endpoint'
    - $ref: '#/parameters/info-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:endpoint/info={info-endpoint},{info-address}/Interface

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_taulf_mobile_infra_endpoint_info_info_endpoint_info_address_Interface_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/info-endpoint'
    - $ref: '#/parameters/info-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_taulf-mobile-infra_endpoint_info_info-endpoint_info-address_Interface'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

  security:
    - basicAuth: []

head:

  Tags:
    - data
    - head

  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_endpoint_info_info_endpoint_info_address_Interface_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/info-endpoint'
    - $ref: '#/parameters/info-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:endpoint/info={info-endpoint},{info-address}/internal

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_internal_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/info-endpoint'
 - **\$ref:** '#/parameters/info-address'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_endpoint_info_info_endpoint_info-address_internal'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'
security:
 - **basicAuth:** []

head:

Tags:

/data/taif-mobile-infra:endpoint/info={info-endpoint},{info-address}/startTime

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_internal_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-endpoint'
- $ref: '#/parameters/info-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:endpoint/info={info-endpoint},{info-address}/startTime

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_startTime_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-endpoint'
- $ref: '#/parameters/info-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_startTime'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_startTime_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/info-endpoint'
    - $ref: '#/parameters/info-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:endpoint/info={info-endpoint},{info-address}/stoppedTime

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_stoppedTime_get

```

produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/info-endpoint'
 - \$ref: '#/parameters/info-address'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:
 '#/definitions/data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_stoppedTime'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:
 - basicAuth: []

head:

Tags:
 - data
 - head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_stoppedTime_head

produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/info-endpoint'
 - \$ref: '#/parameters/info-address'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - basicAuth: []

/data/taif-mobile-infra:endpoint/info={info-endpoint},{info-address}/grInstance

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_grInstance_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/info-endpoint'
 - **\$ref:** '#/parameters/info-address'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_endpoint_info_info_endpoint_info_address_grInstance'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - basicAuth: []

head:

/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/vrf

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:
data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_grInstance_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-endpoint'
- \$ref: '#/parameters/info-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:endpoint/info={info-endpoint},{info-address}/vrf

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_vrf_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-endpoint'
- \$ref: '#/parameters/info-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

```
'#/definitions/data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_vrf'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_endpoint_info_info_endpoint_info_address_vrf_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-endpoint'
  - $ref: '#/parameters/info-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/tailf-mobile-infra:endpoint/all

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_endpoint_all_get
```

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Description:** OK

- Schema:**

- Reference:** '#/definitions/data_tailf-mobile-infra_endpoint_all'

- '204':

- Reference:** '#/responses/204'

- '400':

- Reference:** '#/responses/400'

- '401':

- Reference:** '#/responses/401'

- '404':

- Reference:** '#/responses/404'

- '405':

- Reference:** '#/responses/405'

- '409':

- Reference:** '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

- Summary:** ''

- Description:** ''

- Operation ID:** data_tailf_mobile_infra_endpoint_all_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':

- Reference:** '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/all-grInstance'
- **\$ref:** '#/parameters/all-endpoint'
- **\$ref:** '#/parameters/all-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

```

data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/grInstance

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_grInstance_get

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_grInstance'

    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_grInstance_head

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/e

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:

```

```

data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_endpoint_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_endpoint'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

  security:
    - basicAuth: []

  head:

  Tags:
    - data
    - head

  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_endpoint_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'

```


- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/a

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_endpoint_all_all-grInstance_all_endpoint_all_address_address_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK
 Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all_endpoint_all_address_address'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/type

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_address_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/all-grInstance'
      - $ref: '#/parameters/all-endpoint'
      - $ref: '#/parameters/all-address'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/type

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_type_get
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/all-grInstance'
      - $ref: '#/parameters/all-endpoint'
      - $ref: '#/parameters/all-address'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_type'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all-grInstance_all_endpoint_all_address_type_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-grInstance'
  - $ref: '#/parameters/all-endpoint'
  - $ref: '#/parameters/all-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/status

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_status_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/all-grInstance'
- **\$ref:** '#/parameters/all-endpoint'
- **\$ref:** '#/parameters/all-address'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_status'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

```

data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_status_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/Interface

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_Interface_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_Interface'

'204':
  Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_Interface_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/internal

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_internal_get

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_internal'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_all_all-grInstance_all_endpoint_all_address_internal_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/sta

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_endpoint_all_all-grInstance_all_endpoint_all_address_startTime_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-grInstance'
- \$ref: '#/parameters/all-endpoint'
- \$ref: '#/parameters/all-address'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all_endpoint_all-address_startTime'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:


```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_startTime_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/s

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_stoppedTime_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_stoppedTime'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_stoppedTime_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-grInstance'
- $ref: '#/parameters/all-endpoint'
- $ref: '#/parameters/all-address'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:endpoint/all={all-grInstance},{all-endpoint},{all-address}/vrf

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_vrf_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-grInstance'
  - $ref: '#/parameters/all-endpoint'
  - $ref: '#/parameters/all-address'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_vrf'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:

```

```

data_tailf_mobile_infra_endpoint_all_all_grInstance_all_endpoint_all_address_vrf_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/all-grInstance'
    - $ref: '#/parameters/all-endpoint'
    - $ref: '#/parameters/all-address'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/tailf-mobile-infra:vrf

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_vrf'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':

```

```
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_vrf-post'

  Responses:
  '201':
    Description: container vrf created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_vrf'

    Responses:
    '201':
        Description: container vrf created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_vrf'

    Responses:
    '204':

```

```

    Description: container vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:vrf/vrflist

```
options:
```

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_vrf_vrflist_options

produces:

- application/yang-data+json

Parameters: []

Responses:

 '200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taillf-mobile-infra:vrf/vrflist={vrflist-name}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/vrflist-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

 '200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name'

 '204':

Reference: '#/responses/204'

 '400':

Reference: '#/responses/400'

 '401':

Reference: '#/responses/401'

 '404':

Reference: '#/responses/404'

 '405':

Reference: '#/responses/405'


```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/vrflist-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/vrflist-name'
      - $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name'
      - $ref: '#/parameters/insert'
      - $ref: '#/parameters/point'

    Responses:
      '201':
        Description: list vrflist created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name'

  Responses:
    '204':
      Description: list vrflist updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'

  Responses:
    '204':

```

```

    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_name'
    '204':
      Reference: '#/responses/204'
    '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/vrflist-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_name'

  Responses:
  '201':
    Description: leaf name created or replaced
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_name'

Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_name_delete
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/gateway

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gateway_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

Reference:
'#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gateway'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gateway_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gateway_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gateway'

```

```

Responses:
  '201':
    Description: leaf gateway created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_vrf_vrflist_vrflist_name_gateway_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_taulf-mobile-infra_vrf_vrflist_vrflist-name_gateway'

Responses:
  '204':
    Description: leaf gateway updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete

```



```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gateway_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gateway_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/gateway|pv6

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

 #/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data

- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/vrflist-name'

- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'

- \$ref: '#/parameters/fields'

- \$ref: '#/parameters/filter'

- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data

- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_put

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6'

Responses:
'201':
  Description: leaf gatewayIpv6 created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6'

Responses:
'204':
  Description: leaf gatewayIpv6 updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:

```

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_gatewayIpv6_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:vrf/vrflist={vrflist-name}/device

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_device_get
produces:
- application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_device'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_device_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:
```

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_vrf_vrflist_vrflist_name_device_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/vrflist-name'
- **\$ref:** '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_device'

Responses:

- '201':
 - Description:** leaf device created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_vrf_vrflist_vrflist_name_device_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/vrflist-name'
- **\$ref:** '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_device'

Responses:

- '204':
 - Description:** leaf device updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_device_delete
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/vrflist-name'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_device_options
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/vrflist-name'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/taif-mobile-infra:vrf/vrflist={vrflist-name}/linkDevice

```

get:

    Tags:
    - data
    - get

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_linkDevice_get
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/vrflist-name'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_linkDevice'

'204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:
 - basicAuth: []

head:

Tags:
 - data
 - head

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_linkDevice_head
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/vrflist-name'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'


```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_linkDevice_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_linkDevice'

Responses:
  '201':
    Description: leaf linkDevice created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_linkDevice_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'
- $ref: '#/parameters/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_linkDevice'

Responses:
  '204':

```

```

    Description: leaf linkDevice updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_linkDevice_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_vrflist_vrflist_name_linkDevice_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/vrflist-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taillf-mobile-infra:vrf-info

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_vrf_info_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_vrf-info'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_vrf_info_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_vrf_info_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_vrf-info-post'

Responses:

'201':
 Description: container vrf-info created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_vrf_info_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_vrf-info'

```
Responses:
  '201':
    Description: container vrf-info created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_vrf-info'

Responses:
  '204':
    Description: container vrf-info updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

```

Operation ID: data_tailf_mobile_infra_vrf_info_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taillf-mobile-infra:vrf-info/all

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_all_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_vrf-info_all'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_info_all_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taillf-mobile-infra:vrf-info/all={all-name}

```

get:
  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_get
  produces:
    - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_vrf-info_all_all-name'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_vrf_info_all_all_name_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

/data/taillf-mobile-infra:vrf-info/all={all-name}/name

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_vrf_info_all_all_name_name_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/all-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_vrf-info_all_all-name_name'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_vrf_info_all_all_name_name_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/all-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

/data/taulf-mobile-infra:vrf-info/all={all-name}/gateway

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_taulf_mobile_infra_vrf_info_all_all_name_gateway_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description: OK
 - Schema:
 - Reference: '#/definitions/data_taulf-mobile-infra_vrf-info_all_all-name_gateway'

- '204':
 - Reference: '#/responses/204'

- '400':
 - Reference: '#/responses/400'

- '401':
 - Reference: '#/responses/401'

- '404':
 - Reference: '#/responses/404'

- '405':
 - Reference: '#/responses/405'

- '409':
 - Reference: '#/responses/409'

security:

```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_gateway_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:vrf-info/all={all-name}/gatewayIpv6

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_gatewayIpv6_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_vrf-info_all_all-name_gatewayIpv6'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_gatewayIpv6_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/all-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/tailf-mobile-infra:vrf-info/all={all-name}/device

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_device_get
  produces:
  - application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_vrf-info_all_all-name_device'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_device_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/tailf-mobile-infra:vrf-info/all={all-name}/linkDevice

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_linkDevice_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/all-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_vrf-info_all_all-name_linkDevice'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_linkDevice_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:vrf-info/all={all-name}/tableId

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_vrf_info_all_all_name_tableId_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_vrf-info_all_all-name_tableId'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_tableId_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/all-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/tailf-mobile-infra:vrf-info/all={all-name}/state

```

get:

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_state_get
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/all-name'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Description: OK
        Schema:

```



```

      Reference: '#/definitions/data_tailf-mobile-infra_vrf-info_all_all-name_state'

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_state_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/all-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:vrf-info/all={all-name}/podName

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_podName_get
produces:

```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_tailf-mobile-infra_vrf-info_all_all-name_podName'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_vrf_info_all_all_name_podName_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/all-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

```
security:  
- basicAuth: []
```

/data/tailf-mobile-infra:logging

get:

```
Tags:  
- data  
- get  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_logging_get  
produces:  
- application/yang-data+json
```

```
Parameters:  
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'
```

```
Responses:  
'200':  
  Description: OK  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging'  
'204':  
  Reference: '#/responses/204'  
'400':  
  Reference: '#/responses/400'  
'401':  
  Reference: '#/responses/401'  
'404':  
  Reference: '#/responses/404'  
'405':  
  Reference: '#/responses/405'  
'409':  
  Reference: '#/responses/409'
```

```
security:  
- basicAuth: []
```

head:

```
Tags:  
- data  
- head  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_logging_head  
produces:  
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_logging-post'

Responses:

- '201':
 - Description: container logging created
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_put**produces:**

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging'

Responses:
  '201':
    Description: container logging created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging'

Responses:
  '204':
    Description: container logging updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
```

```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:logging/transaction

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```

```
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_transaction_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_transaction_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction-post'
```

Responses:

'201':
Description: container transaction created
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_transaction_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_logging_transaction'

Responses:

'201':
Description: container transaction created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data


```
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction'

Responses:
  '204':
    Description: container transaction updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_options
produces:
- application/yang-data+json
Parameters: []
```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:logging/transaction/persist

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_persist_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_persist'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head
Summary: ''

Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_persist_head
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
 Reference: '#/responses/200'
security:
- **basicAuth:** []

put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_persist_put
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/data_tailf-mobile-infra_logging_transaction_persist'

Responses:
'201':
 Description: leaf persist created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

patch:

Tags:
- data
- patch
Summary: ''

Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_persist_patch
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_persist'

Responses:

- '204':
Description: leaf persist updated
- '400':
Reference: '#/responses/400'
- '401':
Reference: '#/responses/401'
- '404':
Reference: '#/responses/404'
- '405':
Reference: '#/responses/405'
- '409':
Reference: '#/responses/409'

security:
 - basicAuth: []

delete:

Tags:
 - data
 - delete

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_persist_delete
produces:
 - application/yang-data+json
Parameters: []

Responses:

- '204':
Reference: '#/responses/204'

security:
 - basicAuth: []

options:

Tags:
 - data
 - options

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_persist_options
produces:
 - application/yang-data+json
Parameters: []

Responses:

- '200':

```

    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:logging/transaction/max-file-size

get:

```

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_transaction_max_file_size_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_logging_transaction_max-file-size'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_transaction_max_file_size_head

```

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_max_file_size_put
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/data_tailf-mobile-infra_logging_transaction_max-file-size'

Responses:
 '201':
 Description: leaf max-file-size created or replaced
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

patch:

Tags:
 - data
 - patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_max_file_size_patch

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_max-file-size'

Responses:
'204':
  Description: leaf max-file-size updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_max_file_size_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_max_file_size_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
```

```
security:
- basicAuth: []
```

/data/taif-mobile-infra:logging/transaction/max-rotation

get:

Tags:

```
- data
- get
```

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_transaction_max_rotation_get

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

'200':

Description: OK

Schema:

Reference:

```
'#/definitions/data_tailf-mobile-infra_logging_transaction_max-rotation'
```

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```
- basicAuth: []
```

head:

Tags:

```
- data
- head
```

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_transaction_max_rotation_head

produces:


```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_max_rotation_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_max-rotation'

Responses:
'201':
  Description: leaf max-rotation created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_max_rotation_patch
produces:
```

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_logging_transaction_max-rotation'

Responses:

'204':
Description: leaf max-rotation updated

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_transaction_max_rotation_delete

produces:

- application/yang-data+json

Parameters: []

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_transaction_max_rotation_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':
Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/taif-mobile-infra:logging/transaction/message

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_transaction_message_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_logging_transaction_message'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_transaction_message_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_transaction_message_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_message'

Responses:

'201':
 Description: leaf message created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_transaction_message_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_message'

```
Responses:
  '204':
    Description: leaf message updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_message_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_message_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:logging/transaction/duplicate

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_transaction_duplicate_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_duplicate'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_transaction_duplicate_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'

```
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_duplicate_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_duplicate'

Responses:
  '201':
    Description: leaf duplicate created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_duplicate_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_transaction_duplicate'
```

```
Responses:
  '204':
    Description: leaf duplicate updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_duplicate_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_transaction_duplicate_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```


/data/taif-mobile-infra:logging/level

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_level_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_logging_level'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_level_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_level_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_logging_level-post'

Responses:

'201':
 Description: container level created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_level_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_logging_level'

```
Responses:
  '201':
    Description: container level created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_level'

Responses:
  '204':
    Description: container level updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

Operation ID: data_tailf_mobile_infra_logging_level_delete
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '204':
 Reference: '#/responses/204'
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:logging/level/application

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_application_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_logging_level_application'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_application_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_application_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_level_application'

  Responses:
  '201':
    Description: leaf application created or replaced
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_application_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_level_application'

  Responses:
    '204':
      Description: leaf application updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_application_delete
  produces:
  - application/yang-data+json

```

```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_application_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/tailf-mobile-infra:logging/level/transaction

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_transaction_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_logging_level_transaction'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_transaction_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_transaction_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_logging_level_transaction'

  Responses:
    '201':
      Description: leaf transaction created or replaced
    '204':
      Reference: '#/responses/204'

```



```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_transaction_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_level_transaction'

Responses:
'204':
  Description: leaf transaction updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_transaction_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
```

```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_transaction_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:logging/level/tracing

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_tracing_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_logging_level_tracing'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_tracing_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_tracing_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_level_tracing'
  Responses:
  '201':
    Description: leaf tracing created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_tracing_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_level_tracing'

Responses:
    '204':
        Description: leaf tracing updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_tracing_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
    '204':
        Reference: '#/responses/204'
    security:

```

```
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_tracing_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:logging/level/monitor-subscriber

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_monitor_subscriber_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_logging_level_monitor-subscriber'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_monitor_subscriber_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_level_monitor_subscriber_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_level_monitor-subscriber'

  Responses:
  '201':
    Description: leaf monitor-subscriber created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_monitor_subscriber_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_level_monitor-subscriber'

Responses:
  '204':
    Description: leaf monitor-subscriber updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_level_monitor_subscriber_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:
```

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_level_monitor_subscriber_options

produces:

- application/yang-data+json

Parameters: []

Responses:

 '200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/taif-mobile-infra:logging/logger

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_logger_options

produces:

- application/yang-data+json

Parameters: []

Responses:

 '200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/taif-mobile-infra:logging/logger={logger-name}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/logger-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_logger_logger_name_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger-name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list logger created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger-name'

Responses:
  '204':
    Description: list logger updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:logging/logger={logger-name}/name

```

get:

  Tags:
  - data
  - get

```

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_name_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

```
Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_name'

Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_name'

Responses:
  '204':
```

```

    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taillf-mobile-infra:logging/logger={logger-name}/level

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_logger_logger_name_level_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/logger-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_logging_logger_logger_name_level'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_logger_logger_name_level_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_logger_logger_name_level_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger_name_level-post'

Responses:

- '201':
 - Description: container level created
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_logger_logger_name_level_put**produces:**

- application/yang-data+json


```
Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_level'

Responses:
  '201':
    Description: container level created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_level'

Responses:
  '204':
    Description: container level updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:
```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:logging/logger={logger-name}/level/application

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_application_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level_application'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_application_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_logging_logger_logger_name_level_application_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref:
'#/parameters/data_taulf-mobile-infra_logging_logger_logger-name_level_application'

Responses:
  '201':
    Description: leaf application created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_logging_logger_logger_name_level_application_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref:
'#/parameters/data_taulf-mobile-infra_logging_logger_logger-name_level_application'

Responses:
  '204':
    Description: leaf application updated
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_application_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_application_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:logging/logger={logger-name}/level/transaction

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_transaction_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/logger-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_logging_logger_logger_name_level_transaction'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_transaction_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/logger-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_logger_logger_name_level_transaction_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/logger-name'
- \$ref:

'#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_level_transaction'

Responses:

'201':
 Description: leaf transaction created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

```

Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_transaction_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_level_transaction'

Responses:
  '204':
    Description: leaf transaction updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_transaction_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_transaction_options

```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taillf-mobile-infra:logging/logger={logger-name}/level/tracing

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_tracing_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level_tracing'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```

```

- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_tracing_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_tracing_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger_name_level_tracing'

  Responses:
    '201':
      Description: leaf tracing created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'

```

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_tracing_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/logger-name'
      - $ref: '#/parameters/data_tailf-mobile-infra_logging_logger_logger_name_level_tracing'

    Responses:
      '204':
        Description: leaf tracing updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_tracing_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/logger-name'

    Responses:
      '204':
        Reference: '#/responses/204'
```

```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_logger_logger_name_level_tracing_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/logger-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/tailf-mobile-infra:logging/logger={logger-name}/level/monitor-subscriber

```

get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/logger-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
'#/definitions/data_tailf-mobile-infra_logging_logger_logger_name_level_monitor-subscriber'
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/logger-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_logging_logger_logger_name_level_monitor-subscriber'
```

Responses:

'201':
Description: leaf monitor-subscriber created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/logger-name'
 - **\$ref:**

'#/parameters/data_tailf-mobile-infra_logging_logger_logger-name_level_monitor-subscriber'

Responses:

'204':
Description: leaf monitor-subscriber updated

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data

```

- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_logger_logger_name_level_monitor_subscriber_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/logger-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:logging/async

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_tailf-mobile-infra_logging_async'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_async_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''


```
Operation ID: data_tailf_mobile_infra_logging_async_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async-post'

Responses:
'201':
  Description: container async created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async'

Responses:
'201':
  Description: container async created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_logging_async'

    Responses:
      '204':
        Description: container async updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''

```

```
Description: ''  
Operation ID: data_tailf_mobile_infra_logging_async_options  
produces:  
- application/yang-data+json  
Parameters: []  
  
Responses:  
  '200':  
    Reference: '#/responses/200'  
security:  
- basicAuth: []
```

/data/taif-mobile-infra:logging/async/application

```
get:  
  
Tags:  
- data  
- get  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_logging_async_application_get  
produces:  
- application/yang-data+json  
  
Parameters:  
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'  
  
Responses:  
  '200':  
    Description: OK  
    Schema:  
      Reference: '#/definitions/data_tailf-mobile-infra_logging_async_application'  
  '204':  
    Reference: '#/responses/204'  
  '400':  
    Reference: '#/responses/400'  
  '401':  
    Reference: '#/responses/401'  
  '404':  
    Reference: '#/responses/404'  
  '405':  
    Reference: '#/responses/405'  
  '409':  
    Reference: '#/responses/409'  
security:  
- basicAuth: []  
head:
```

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_async_application_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_async_application_post**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_logging_async_application-post'

Responses:**'201':****Description:** container application created**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

put:

```
Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application'

Responses:
'201':
  Description: container application created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application'

Responses:
'204':
  Description: container application updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
```

```

      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
  Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taillf-mobile-infra:logging/async/application/enable

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_get
produces:
- application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_logging_async_application_enable'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

Tags:
```

```

- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application_enable-post'

Responses:
  '201':
    Description: container enable created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application_enable'

Responses:
  '201':
    Description: container enable created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```



```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_application_enable_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application_enable'

    Responses:
      '204':
        Description: container enable updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_application_enable_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
```

```

- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:logging/async/application/enable/buffer-size

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_application_enable_buffer_size_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_logging_async_application_enable_buffer-size'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_application_enable_buffer_size_head

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_application_enable_buffer_size_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref:
        '#/parameters/data_tailf-mobile-infra_logging_async_application_enable_buffer-size'

    Responses:
      '201':
        Description: leaf buffer-size created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':

```

```

        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_application_enable_buffer_size_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_tailf-mobile-infra_logging_async_application_enable_buffer-size'

  Responses:
    '204':
      Description: leaf buffer-size updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_application_enable_buffer_size_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'

```

```

    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_application_enable_buffer_size_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:logging/async/application/disable

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_application_disable_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_logging_async_application_disable'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_application_disable_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_application_disable_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application_disable'

  Responses:
    '201':
      Description: leaf disable created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_application_disable_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_application_disable'

  Responses:
    '204':
      Description: leaf disable updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_application_disable_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
```

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_async_application_disable_options**produces:**

- application/yang-data+json

Parameters: []**Responses:**

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

/data/taif-mobile-infra:logging/async/transaction

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_async_transaction_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_logging_async_transaction'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':


```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_transaction_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_transaction_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction-post'

    Responses:
      '201':
        Description: container transaction created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction'

Responses:
  '201':
    Description: container transaction created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction'

Responses:
  '204':
    Description: container transaction updated
  '400':

```

```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:logging/async/transaction/enable

```

get:

  Tags:
  - data
  - get

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_get
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_logging_async_transaction_enable'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - basicAuth: []

head:

Tags:
 - data
 - head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_head
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:
 '200':

```
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction_enable-post'

Responses:
  '201':
    Description: container enable created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction_enable'

Responses:
  '201':
    Description: container enable created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction_enable'

Responses:
  '204':
    Description: container enable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':

```

```

    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:logging/async/transaction/enable/buffer-size

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_logging_async_transaction_enable_buffer-size'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_head

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_put

    produces:
    - application/yang-data+json

    Parameters:
    - $ref:
    '#/parameters/data_tailf-mobile-infra_logging_async_transaction_enable_buffer-size'

    Responses:
    '201':
        Description: leaf buffer-size created or replaced
    '204':
        Reference: '#/responses/204'

```



```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref:
'#/parameters/data_tailf-mobile-infra_logging_async_transaction_enable_buffer-size'

  Responses:
    '204':
      Description: leaf buffer-size updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_delete
  produces:
  - application/yang-data+json

```

```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_async_transaction_enable_buffer_size_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:logging/async/transaction/disable

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_logging_async_transaction_disable'
  '204':

```

```
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction_disable'
  Responses:
  '201':
    Description: leaf disable created or replaced
  '204':
```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_transaction_disable'

Responses:
  '204':
    Description: leaf disable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_delete
produces:
- application/yang-data+json
Parameters: []

```

```

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_transaction_disable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:logging/async/tracing

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_tracing_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_tracing_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing-post'

  Responses:
    '201':
      Description: container tracing created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing'

Responses:
'201':
  Description: container tracing created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing'
```

Responses:

'204':
 Description: container tracing updated
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_async_tracing_delete

produces:

- application/yang-data+json

Parameters: []

Responses:

'204':
 Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_async_tracing_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/taif-mobile-infra:logging/async/tracing/enable

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_async_tracing_enable_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_logging_async_tracing_enable'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_async_tracing_enable_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_async_tracing_enable_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing_enable-post'

Responses:

- '201':
 - Description: container enable created
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_async_tracing_enable_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing_enable'

```
Responses:
  '201':
    Description: container enable created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing_enable'

Responses:
  '204':
    Description: container enable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
```

```

Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/taif-mobile-infra:logging/async/tracing/enable/buffer-size

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_buffer_size_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

      Reference:
'#/definitions/data_tailf-mobile-infra_logging_async_tracing_enable_buffer-size'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
  head:

    Tags:
    - data
    - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_buffer_size_head
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

    Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_buffer_size_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing_enable_buffer-size'
```

```

Responses:
  '201':
    Description: leaf buffer-size created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_buffer_size_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing_enable_buffer-size'

Responses:
  '204':
    Description: leaf buffer-size updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''

```

```
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_buffer_size_delete

produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_enable_buffer_size_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/taif-mobile-infra:logging/async/tracing/disable

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_disable_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
```

```

    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing_disable'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_tracing_disable_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_tracing_disable_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing_disable'

```



```
Responses:
  '201':
    Description: leaf disable created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_disable_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_tracing_disable'

Responses:
  '204':
    Description: leaf disable updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
```

```

Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_disable_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_tracing_disable_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/taif-mobile-infra:logging/async/monitor-subscriber

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

```

      Reference:
'#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
    - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber-post'

  Responses:
```

```

    '201':
      Description: container monitor-subscriber created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber'

  Responses:
    '201':
      Description: container monitor-subscriber created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''

```

```
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber'

Responses:
'204':
  Description: container monitor-subscriber updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
```

Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taillf-mobile-infra:logging/async/monitor-subscriber/enable

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_post
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable-post'

Responses:
  '201':
    Description: container enable created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''

```

Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_put
produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable'

Responses:

'201':

Description: container enable created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data

- patch

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable'

Responses:

'204':

Description: container enable updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:


```
- basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_options

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/taif-mobile-infra:logging/async/monitor-subscriber/enable/buffer-size

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
```

```

- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data

```

```

- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_put
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size'

Responses:
'201':
  Description: leaf buffer-size created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size'

Responses:
'204':
  Description: leaf buffer-size updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_logging_async_monitor_subscriber_enable_buffer_size_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:logging/async/monitor-subscriber/disable

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_disable_get

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_disable'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_disable_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []

```

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_async_monitor_subscriber_disable_put
produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber_disable'

Responses:

'201':

Description: leaf disable created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_logging_async_monitor_subscriber_disable_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_logging_async_monitor-subscriber_disable'

Responses:

'204':

Description: leaf disable updated

'400':

Reference: '#/responses/400'

'401':

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_disable_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_async_monitor_subscriber_disable_options

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/taif-mobile-infra:logging/error

```
get:

  Tags:
  - data
  - get
```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_get
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_logging_error'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - basicAuth: []

head:

Tags:
 - data
 - head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_head
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'


```
    security:
      - basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_error-post'

Responses:
  '201':
    Description: container error created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_error'

Responses:
  '201':
    Description: container error created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_error_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_error'

  Responses:
    '204':
      Description: container error updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_error_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'

```

```
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
```

/data/taif-mobile-infra:logging/error/stack

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_stack_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_logging_error_stack'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_error_stack_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_logging_error_stack_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_logging_error_stack'

  Responses:
  '201':
    Description: leaf stack created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_stack_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_logging_error_stack'

Responses:
  '204':
    Description: leaf stack updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_logging_error_stack_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:
```

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_logging_error_stack_options

produces:

- application/yang-data+json

Parameters: []

Responses:

 '200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/taif-mobile-infra:nodemonitor

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_nodemonitor_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

 '200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor'

 '204':

Reference: '#/responses/204'

 '400':

Reference: '#/responses/400'

 '401':

Reference: '#/responses/401'

 '404':

Reference: '#/responses/404'

 '405':

Reference: '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_nodemonitor_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_nodemonitor_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_nodemonitor-post'

    Responses:
      '201':
        Description: container nodemonitor created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_nodemonitor_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_nodemonitor'

    Responses:
      '201':
        Description: container nodemonitor created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_nodemonitor_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_nodemonitor'

    Responses:
      '204':
        Description: container nodemonitor updated
      '400':
        Reference: '#/responses/400'

```



```
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/taif-mobile-infra:nodemonitor/mode

```
get:

  Tags:
  - data
  - get
  Summary: ''
```

Description: ''

Operation ID: data_tailf_mobile_infra_nodemonitor_mode_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor_mode'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_nodemonitor_mode_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

```
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_nodemonitor_mode_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_nodemonitor_mode'

Responses:
'201':
  Description: leaf mode created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_nodemonitor_mode_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_nodemonitor_mode'

Responses:
'204':
  Description: leaf mode updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_mode_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_mode_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taillf-mobile-infra:nodemonitor/interval

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_interval_get
  produces:

```

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor_interval'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_nodemonitor_interval_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
put:
```

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_nodemonitor_interval_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_nodemonitor_interval'

Responses:**'201':****Description:** leaf interval created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_nodemonitor_interval_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_nodemonitor_interval'

Responses:**'204':****Description:** leaf interval updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_interval_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_nodemonitor_interval_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
```

/data/taillf-mobile-infra:router

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_get
  produces:
    - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_tailf-mobile-infra_router'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_router_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

Method: Post**Tags:**

- data
- post


```
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router-post'

Responses:
'201':
  Description: container router created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router'

Responses:
'201':
  Description: container router created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_router'

    Responses:
      '204':
        Description: container router updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_delete
    produces:
      - application/yang-data+json
    Parameters: []

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data

```

```

- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:router/bgplist

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_router_bgplist_bgplist_bgp_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''

Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_put
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp'
- **\$ref:** '#/parameters/insert'
- **\$ref:** '#/parameters/point'

Responses:
'201':
 Description: list bgplist created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- **basicAuth:** []

patch:

Tags:
- data
- patch

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_patch
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp'

Responses:
'204':
 Description: list bgplist updated
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':

```

        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/bgp

```

get:

Tags:
- data
- get
Summary: ''
Description: ''

```

Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bgp'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

```

        Reference: '#/responses/200'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bgp'

    Responses:
    '201':
        Description: leaf bgp created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bgp'

    Responses:
    '204':
        Description: leaf bgp updated
    '400':

```



```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bgp_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/loopbackPort

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackPort_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackPort'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackPort_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''**

Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackPort_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist_bgp_loopbackPort'

Responses:

'201':
 Description: leaf loopbackPort created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description: ''**

Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackPort_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
 - **\$ref:** '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackPort'

Responses:

'204':
 Description: leaf loopbackPort updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackPort_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'

Responses:

'204':
 Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackPort_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/loopbackBFDPort

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackBFDPort_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackBFDPort'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackBFDPort_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackBFDPort_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackBFDPort'

Responses:**'201':****Description:** leaf loopbackBFDPort created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':**

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackBFDPort_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackBFDPort'

  Responses:
    '204':
      Description: leaf loopbackBFDPort updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackBFDPort_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:

```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_loopbackBFDPort_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/learnDefaultRoute

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute'
  '204':
    Reference: '#/responses/204'
  '400':

```



```

      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute'

  Responses:

```

```

    '201':
      Description: leaf learnDefaultRoute created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute'

  Responses:
    '204':
      Description: leaf learnDefaultRoute updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_learnDefaultRoute_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '200':

```

```

    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taillf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-inte

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID:

```

data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_get

```

  produces:
    - application/yang-data+json

```

```

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/interfaceList-interface'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

```

Responses:

```

  '200':
    Description: OK
    Schema:
      Reference:

```

'#/definitions/data_taillf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface'

```

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

  security:
    - basicAuth: []

```

head:

```

  Tags:

```

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list interfaceList created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/interfaceList-interface'
  - $ref:
'#/parameters/data_taillf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface'

  Responses:
    '204':
      Description: list interfaceList updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_delete

  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-in

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_interface'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_interface_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:


```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_interface_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_interface'

Responses:
'201':
  Description: leaf interface created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_interface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_interface'

```

Responses:

'204':
Description: leaf interface updated
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
 - delete

Summary: ''

Description: ''

Operation ID:

data_taulf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_interface_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
 - **\$ref:** '#/parameters/interfaceList-interface'

Responses:

'204':
Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
 - options

Summary: ''

Description: ''

Operation ID:

data_taulf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_interface_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
 - **\$ref:** '#/parameters/interfaceList-interface'

Responses:

```

    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/bondingInterfaces={bondingInterfaces-bondingInterface}

options:

```

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID:

```

data_taiif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_options

```

    produces:
      - application/yang-data+json

```

```

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/interfaceList-interface'

```

```

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

?

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/bondingInterfaces={bondingInterfaces-bondingInterface}

: get:

```

    Tags:
      - data
      - get
    Summary: ''
    Description: ''
    Operation ID:

```

data_taiif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_get

```

    produces:
      - application/yang-data+json

```

```

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/interfaceList-interface'
      - $ref: '#/parameters/bondingInterfaces-bondingInterface'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_tailf_mobile_infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**- **basicAuth:** []**head:****Tags:**- data
- head**Summary:** ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface_head

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/bondingInterfaces-bondingInterface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'**Responses:**

'200':

Reference: '#/responses/200'**security:**- **basicAuth:** []**put:****Tags:**

- data

```

- put
Summary: ''
Description: ''
Operation ID:
data_taiif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/bondingInterfaces-bondingInterface'
- $ref:
'#/parameters/data_taiif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list bondingInterfaces created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taiif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/bondingInterfaces-bondingInterface'
- $ref:
'#/parameters/data_taiif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface'

```

Responses:

- '204':
 - Description:** list bondingInterfaces updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/bondingInterfaces-bondingInterface'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'

- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/bondingInterfaces-bondingInterface'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

?

~~/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/bondingInterfaces={bondingInterfaces-bondingInterface}/bondingInterface~~

: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

~~data_taiif_mobile_infra_router_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_bondingInterface_get~~

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/bondingInterfaces-bondingInterface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK

Schema:**Reference:**

~~#/definitions/data_taiif_mobile_infra_router_bgplist_bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces_bondingInterface_bondingInterface~~

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_bondingInterface_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/bondingInterfaces-bondingInterface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_bondingInterface_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/bondingInterfaces-bondingInterface'
- **\$ref:**

#/parameters/data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_bondingInterface'

Responses:

'201':

Description: leaf bondingInterface created or replaced

'204':

Reference: '#/responses/204'

'400':


```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_taiif_mobile_infra_router_bgplist_bgp_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_bondingInterface_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/interfaceList-interface'
  - $ref: '#/parameters/bondingInterfaces-bondingInterface'
  - $ref:
#/parameters/data_taiif_mobile_infra_router_bgplist_bgp_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_bondingInterface

  Responses:
  '204':
    Description: leaf bondingInterface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

Operation ID:

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_bondingInterface_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/bondingInterfaces-bondingInterface'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_bondingInterfaces_bondingInterfaces_bondingInterface_bondingInterface_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/bondingInterfaces-bondingInterface'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-inte

get:**Tags:**

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_vrf_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference:

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_vrf'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_vrf_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

```

    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_vrf_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/interfaceList-interface'
    - $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_vrf'

  Responses:
    '201':
      Description: leaf vrf created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_vrf_patch

  produces:
    - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref:
'/parameters/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_vrf'

Responses:
  '204':
    Description: leaf vrf updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_vrf_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/interfaceList-interface'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_vrf_options

  produces:
  - application/yang-data+json

```

/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/neighbors

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-inte

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/tailf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/neighbors={neighbors-neighbor}

: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'

- \$ref: '#/parameters/neighbors-neighbor'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

#/definitions/data_taillf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_put

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/interfaceList-interface'
      - $ref: '#/parameters/neighbors-neighbor'
      - $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor'

      - $ref: '#/parameters/insert'
      - $ref: '#/parameters/point'

    Responses:
      '201':
        Description: list neighbors created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_patch

    produces:
      - application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/neighbors-neighbor'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor'

Responses:
'204':
  Description: list neighbors updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/neighbors-neighbor'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
 - \$ref: '#/parameters/interfaceList-interface'
 - \$ref: '#/parameters/neighbors-neighbor'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/taillf-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/neighbors={neighbors-neighbor}/neighbor
 : get:

Tags:

- data
 - get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_neighbor_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
 - \$ref: '#/parameters/interfaceList-interface'
 - \$ref: '#/parameters/neighbors-neighbor'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK
 Schema:
 Reference:

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_neighbor'

'204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_neighbor_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/interfaceList-interface'
  - $ref: '#/parameters/neighbors-neighbor'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_neighbor_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/interfaceList-interface'
  - $ref: '#/parameters/neighbors-neighbor'
  - $ref:
'#/parameters/data_taillf-mobile-infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_neighbor'
```

Responses:

- '201':
 - Description:** leaf neighbor created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_taiif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_neighbor_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'
- **\$ref:**

#/parameters/data_taiif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_neighbors_neighbors_neighbor_neighbor_patch

Responses:

- '204':
 - Description:** leaf neighbor updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_neighbor_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_neighbor_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/interfaceList={interfaceList-interface}/neighbors={neighbors-neighbor}/terote-as**: get:****Tags:**

- data
- get

Summary: ''**Description:** ''

Operation ID:

data_taiif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_remote_as_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_taiif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_neighbors_neighbors_neighbor_remote-as'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_taiif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_remote_as_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_remote_as_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref:

'#/parameters/data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_remote-as'

Responses:

'201':
 Description: leaf remote-as created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_remote_as_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'

- \$ref: '#/parameters/interfaceList-interface'

- \$ref: '#/parameters/neighbors-neighbor'

- \$ref:

'#/parameters/data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_neighbors_neighbors_neighbor_remote-as'

Responses:

'204':

Description: leaf remote-as updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data

- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_remote_as_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'

- \$ref: '#/parameters/interfaceList-interface'

- \$ref: '#/parameters/neighbors-neighbor'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_taif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_rerote_as_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

?

/data/taif-mobile-infra:router/bgplist=(bgplist-bgp)/interfaceList=(interfaceList-interface)/neighbors=(neighbors-neighbor)/fail-over
: get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_taif_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_fail_over_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/interfaceList-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_taif-mobile-infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList-interface_neighbors_neighbors_neighbor_fail-over'

```

'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_fail_over_head

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/neighbors-neighbor'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_fail_over_put

```

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref:

'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_fail-over'

Responses:

- '201':
 - Description:** leaf fail-over created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_fail_over_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/interfaceList-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref:

'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_fail-over'

Responses:

- '204':
 - Description:** leaf fail-over updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_fail_over_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/neighbors-neighbor'

```

```

Responses:
  '204':
    Reference: '#/responses/204'

```

```

security:
- basicAuth: []

```

```
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data_taillf_mobile_infra_router_bgplist_bgplist_bgp_interfaceList_interfaceList_interface_neighbors_neighbors_neighbor_fail_over_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/interfaceList-interface'
- $ref: '#/parameters/neighbors-neighbor'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/policies-policy-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name'

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/policies-policy-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

```

```

- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list policies created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist-bgp_policies_policies-policy_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/policies-policy-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name'

Responses:
  '204':
    Description: list policies updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'

```

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      delete:

      Tags:
        - data
        - delete
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_delete
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/bgplist-bgp'
        - $ref: '#/parameters/policies-policy-name'

      Responses:
        '204':
          Reference: '#/responses/204'
          security:
            - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_options
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/bgplist-bgp'
        - $ref: '#/parameters/policies-policy-name'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

/data/taillf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

get:

```

      Tags:
        - data

```



```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_policy_name_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_policy-name'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_policy_name_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

```

- \$ref: '#/parameters/policies-policy-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_policy_name_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/policies-policy-name'
- \$ref:

'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_policy-name'

Responses:

- '201':
 - Description: leaf policy-name created or replaced

- '204':
 - Reference: '#/responses/204'

- '400':
 - Reference: '#/responses/400'

- '401':
 - Reference: '#/responses/401'

- '404':
 - Reference: '#/responses/404'

- '405':
 - Reference: '#/responses/405'

- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_policy_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_policy-name'

Responses:
  '204':
    Description: leaf policy-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_policy_name_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_policy_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_as-path-set'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/policies-policy-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

```

```

- $ref: '#/parameters/policies-policy-name'
- $ref:
'/#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_as-path-set'

```

Responses:

```

'201':
  Description: leaf as-path-set created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'/#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_as-path-set'

```

Responses:

```

'204':
  Description: leaf as-path-set updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/policies-policy-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_as_path_set_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/policies-policy-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

```

get:

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_ip_prefix_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_ip-prefix'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_ip_prefix_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

```


- \$ref: '#/parameters/policies-policy-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_ip_prefix_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/policies-policy-name'
- \$ref:

'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_ip-prefix'

Responses:

'201':
 Description: leaf ip-prefix created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_ip_prefix_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_ip-prefix'

Responses:
  '204':
    Description: leaf ip-prefix updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_ip_prefix_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_ip_prefix_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}/source-prefix

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_source-prefix'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/policies-policy-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

```

```

- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_source-prefix'

```

Responses:

```

'201':
  Description: leaf source-prefix created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

Summary: ''**Description:** ''**Operation ID:**

```
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:

```

```
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_source-prefix'
```

Responses:

```

'204':
  Description: leaf source-prefix updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_source_prefix_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

```
get:
```

```
  Tags:
    - data
```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_mask_range_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_mask-range'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_mask_range_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

```

- \$ref: '#/parameters/policies-policy-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_mask_range_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/policies-policy-name'
- \$ref:

'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_mask-range'

Responses:

- '201':
 - Description: leaf mask-range created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch


```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_mask_range_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_mask-range'

Responses:
  '204':
    Description: leaf mask-range updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_mask_range_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_mask_range_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist_bgp_policies_policies-policy-name_interface'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/policies-policy-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

```

```

- $ref: '#/parameters/policies-policy-name'
- $ref:
  '#/parameters/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_interface'

```

Responses:

```

'201':
  Description: leaf interface created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_taulf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
  '#/parameters/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_interface'

```

Responses:

```

'204':
  Description: leaf interface updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_interface_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

```

get:

  Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_modifySourceIp_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_modifySourceIp'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_modifySourceIp_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

```

- \$ref: '#/parameters/policies-policy-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_modifySourceIp_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/policies-policy-name'
- \$ref:

'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_modifySourceIp'

Responses:

'201':
 Description: leaf modifySourceIp created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_modifySourceIp_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_modifySourceIp'

Responses:
  '204':
    Description: leaf modifySourceIp updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_modifySourceIp_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```



```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_modifySourceIp_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taillf-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_isStaticRoute_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_isStaticRoute'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_isStaticRoute_head

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_isStaticRoute_put

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'

```

```

- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_isStaticRoute'

Responses:
  '201':
    Description: leaf isStaticRoute created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist-bgp_policies_policies-policy_name_isStaticRoute_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/policies-policy-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_isStaticRoute'

Responses:
  '204':
    Description: leaf isStaticRoute updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_isStaticRoute_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_isStaticRoute_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/bgplist-bgp'
    - $ref: '#/parameters/policies-policy-name'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/policies={policies-policy-name}

get:

```

  Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_gateWay_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_gateWay'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_gateWay_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

```

- \$ref: '#/parameters/policies-policy-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_taulf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_gateWay_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/policies-policy-name'
- \$ref:

'#/parameters/data_taulf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_gateWay'

Responses:

- '201':
 - Description: leaf gateWay created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_gateWay_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_gateWay'

Responses:
  '204':
    Description: leaf gateWay updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_gateWay_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bgplist_bgplist_bgp_policies_policies_policy_name_gateWay_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/policies-policy-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:router/bgplist={bgplist-bgp}/bfd

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```



```
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd-post'

Responses:
'201':
  Description: container bfd created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd'

  Responses:
    '201':
      Description: container bfd created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_patch
  produces:
  - application/yang-data+json

  Parameters:

```

- \$ref: '#/parameters/bgplist-bgp'
- \$ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd'

Responses:

- '204':
 - Description:** container bfd updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_options**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/bgplist-bgp'

Responses:

- '200':
 - Reference:** '#/responses/200'

```

security:
- basicAuth: []

```

/data/taillf-mobile-infra:router/bgplist={bgplist-bgp}/bfd/interval

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID: data_taillf_mobile_infra_router_bgplist_bgplist_bgp_bfd_interval_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_taillf-mobile-infra_router_bgplist_bgplist-bgp_bfd_interval'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID: data_taillf_mobile_infra_router_bgplist_bgplist_bgp_bfd_interval_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_interval_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_interval'

Responses:
  '201':
    Description: leaf interval created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch

```

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_interval_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_interval'

Responses:
  '204':
    Description: leaf interval updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_interval_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_interval_options

```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taillf-mobile-infra:router/bgplist={bgplist-bgp}/bfd/min_rx

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taillf_mobile_infra_router_bgplist_bgplist_bgp_bfd_min_rx_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_taillf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_min_rx_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_min_rx_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx'

    Responses:
      '201':
        Description: leaf min_rx created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'

```



```
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_min_rx_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'
      - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx'

    Responses:
      '204':
        Description: leaf min_rx updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_min_rx_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/bgplist-bgp'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:
```

Tags:

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_min_rx_options**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/taillf-mobile-infra:router/bgplist={bgplist-bgp}/bfd/multiplier

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_multiplier_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/bgplist-bgp'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_multiplier'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':**

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_multiplier_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_multiplier_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/bgplist-bgp'
  - $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_multiplier'

  Responses:
  '201':
    Description: leaf multiplier created or replaced
  '204':
    Reference: '#/responses/204'
  '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_multiplier_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'
- $ref: '#/parameters/data_tailf-mobile-infra_router_bgplist_bgplist_bgp_bfd_multiplier'

Responses:
  '204':
    Description: leaf multiplier updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bgplist_bgplist_bgp_bfd_multiplier_delete

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_router_bgplist_bgplist_bgp_bfd_multiplier_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/bgplist-bgp'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taulf-mobile-infra:router/bfd

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_router_bfd_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```

```

    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_router_bfd'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bfd_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_bfd_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_router_bfd-post'

  Responses:

```

```
'201':
  Description: container bfd created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_bfd'

Responses:
'201':
  Description: container bfd created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
```

```

Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_bfd'

Responses:
  '204':
    Description: container bfd updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':

```



```
    Reference: '#/responses/200'  
security:  
- basicAuth: []
```

/data/taillf-mobile-infra:router/bfd/instance

get:

```
Tags:  
- data  
- get  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_router_bfd_instance_get  
produces:  
- application/yang-data+json  
  
Parameters:  
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'  
  
Responses:  
  '200':  
    Description: OK  
    Schema:  
      Reference: '#/definitions/data_tailf-mobile-infra_router_bfd_instance'  
  '204':  
    Reference: '#/responses/204'  
  '400':  
    Reference: '#/responses/400'  
  '401':  
    Reference: '#/responses/401'  
  '404':  
    Reference: '#/responses/404'  
  '405':  
    Reference: '#/responses/405'  
  '409':  
    Reference: '#/responses/409'  
security:  
- basicAuth: []
```

head:

```
Tags:  
- data  
- head  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_router_bfd_instance_head  
produces:
```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_router_bfd_instance_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_router_bfd_instance-post'

Responses:

'201':

Description: container instance created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_router_bfd_instance_put

produces:

```
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_bfd_instance'

Responses:
'201':
  Description: container instance created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_instance_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_bfd_instance'

Responses:
'204':
  Description: container instance updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:
```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_instance_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_instance_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taillf-mobile-infra:router/bfd/instance/instance-id

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_bfd_instance_instance_id_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:router/bfd/instance/instance-id={instance-id-id}

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference:
'#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_head
  produces:
  - application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref:

'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description: list instance-id created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data

```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id'

Responses:
'204':
  Description: list instance-id updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```

Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_options
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/instance-id-id'

Responses:
'200':
Reference: '#/responses/200'

security:
- **basicAuth:** []

/data/taillf-mobile-infra:router/bfd/instance/instance-id={instance-id}/id

get:

Tags:
- data
- get

Summary: ''
Description: ''

Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_id_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
Description: OK
Schema:
Reference:
'#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_id'
'204':
Reference: '#/responses/204'
'400':
Reference: '#/responses/400'
'401':
Reference: '#/responses/401'
'404':
Reference: '#/responses/404'
'405':
Reference: '#/responses/405'


```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
      head:

      Tags:
        - data
        - head
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_id_head
      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
        put:

        Tags:
          - data
          - put
        Summary: ''
        Description: ''
        Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_id_put
        produces:
          - application/yang-data+json

        Parameters:
          - $ref: '#/parameters/instance-id-id'
          - $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_id'

      Responses:
        '201':
          Description: leaf id created or replaced
        '204':
          Reference: '#/responses/204'
        '400':
          Reference: '#/responses/400'
        '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_id'

Responses:
  '204':
    Description: leaf id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_id_delete
produces:
- application/yang-data+json

Parameters:

```

```

- $ref: '#/parameters/instance-id-id'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taillf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taillf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_taillf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

'201':

Description: list interface-list created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
  patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/interface-list-interface'
  - $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface'

  Responses:
    '204':
      Description: list interface-list updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
      security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/interface-list-interface'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []
?
/data/taif-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/interface
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```

Schema:**Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_interface_head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
```

```
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_interface_put
```



```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface'

Responses:
  '201':
    Description: leaf interface created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_interface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface'

Responses:
  '204':
    Description: leaf interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

delete:

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_interface_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'

```

```

Responses:
'204':
  Reference: '#/responses/204'

```

```

security:
- basicAuth: []

```

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_interface_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'

```

```

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/taillf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID:

data_taillf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_vrf_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_taillf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_vrf'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_vrf_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_vrf_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_vrf'

Responses:

'201':

Description: leaf vrf created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_vrf_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/interface-list-interface'
      - $ref:
'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_vrf'

    Responses:
      '204':
        Description: leaf vrf updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_vrf_delete

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-id-id'
      - $ref: '#/parameters/interface-list-interface'

    Responses:

```

/data/taillf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/vrf

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_vrf_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/interface-list-interface'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/taillf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/neighbors
: options:

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_options

      produces:
        - application/yang-data+json

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/interface-list-interface'

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []
?
/data/taillf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/neighbors={neighbors-neighbor}
: get:

      Tags:

```

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/neighbors-neighbor'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_head

produces:
- application/yang-data+json

Parameters:

```

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_taillf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-id-id'
- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/neighbors-neighbor'
- \$ref: '#/parameters/content'

'#/parameters/data_taillf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor'

- \$ref: '#/parameters/insert'

- \$ref: '#/parameters/point'

Responses:

- '201':
 - Description: list neighbors created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'
- **\$ref:**

#/parameters/data_taillf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor'

Responses:

'204':

Description: list neighbors updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'

Responses:

```

    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
      options:

```

```

      Tags:
        - data
        - options
      Summary: ''
      Description: ''
      Operation ID:

```

data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_options

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/interface-list-interface'
        - $ref: '#/parameters/neighbors-neighbor'

```

```

      Responses:
        '200':
          Reference: '#/responses/200'
          security:
            - basicAuth: []

```

?

~~/data/taillf-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/neighbors={neighbors-neighbor}/neighbor~~
: get:

```

      Tags:
        - data
        - get
      Summary: ''
      Description: ''
      Operation ID:

```

data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_neighbor_get

```

      produces:
        - application/yang-data+json

```

```

      Parameters:
        - $ref: '#/parameters/instance-id-id'
        - $ref: '#/parameters/interface-list-interface'
        - $ref: '#/parameters/neighbors-neighbor'
        - $ref: '#/parameters/content'
        - $ref: '#/parameters/depth'
        - $ref: '#/parameters/fields'
        - $ref: '#/parameters/filter'
        - $ref: '#/parameters/with-defaults'

```

```

      Responses:
        '200':
          Description: OK

```

Schema:**Reference:**

```
#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor_neighbor'
```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf-mobile-infra_router_bfd_instance_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor_neighbor_head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/neighbors-neighbor'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

data taillf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_neighbor_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'
- **\$ref:**

'#/parameters/data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_neighbor'

Responses:

- '201':
 - Description:** leaf neighbor created or replaced
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''

Description: ''

Operation ID:

data taillf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_neighbor_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-id-id'
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/neighbors-neighbor'
- **\$ref:**

'#/parameters/data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_neighbor'

Responses:

- '204':
 - Description:** leaf neighbor updated
- '400':

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

```

```

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:

```

data_taiif_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_neighbor_delete

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/neighbors-neighbor'

```

```

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:

```

data_taiif_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_neighbors_neighbors_neighbor_neighbor_options

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/neighbors-neighbor'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

    security:
      - basicAuth: []
  ?
/data/taif-mobile-infra:router/bfd/instance/instance-id={instance-id-id}/interface-list={interface-list-interface}/gateway-ip
: get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_taif_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_gateway_ip_get

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-id-id'
  - $ref: '#/parameters/interface-list-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
      Reference:
      '#/definitions/data_taif-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_gateway-ip'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''

```

Operation ID:

data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_gateway_ip_head

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/instance-id-id'
- **\$ref**: '#/parameters/interface-list-interface'
- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth**: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_gateway_ip_put

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/instance-id-id'
- **\$ref**: '#/parameters/interface-list-interface'
- **\$ref**:

'#/parameters/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_gateway-ip'

Responses:

'201':

Description: leaf gateway-ip created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_gateway_ip_patch

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/interface-list-interface'
    - $ref:
#/parameters/data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list-interface_gateway-ip'

  Responses:
    '204':
      Description: leaf gateway-ip updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_gateway_ip_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-id-id'
    - $ref: '#/parameters/interface-list-interface'

```



```

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_router_bfd_instance_instance_id_instance_id_id_interface_list_interface_list_interface_gateway_ip_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-id-id'
- $ref: '#/parameters/interface-list-interface'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taulf-mobile-infra:router/monitor-interface

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_router_monitor_interface_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_router_monitor-interface'

```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_monitor_interface_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_router_monitor_interface_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_router_monitor-interface-post'

  Responses:
    '201':
      Description: container monitor-interface created

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_monitor_interface_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_monitor-interface'

Responses:
'201':
  Description: container monitor-interface created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_monitor_interface_patch
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_router_monitor-interface'

Responses:
  '204':
    Description: container monitor-interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_monitor_interface_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_monitor_interface_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

/data/taif-mobile-infra:router/monitor-interface/interface-list

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_router_monitor_interface_interface_list_options

produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:router/monitor-interface/interface-list={interface-list-inter

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:

```

Reference:

```
'#/definitions/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

```
security:
```

```
- basicAuth: []
```

```
head:
```

```
Tags:
```

```
- data
```

```
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_head
```

```
produces:
```

```
- application/yang-data+json
```

```
Parameters:
```

```
- $ref: '#/parameters/interface-list-interface'
```

```
- $ref: '#/parameters/content'
```

```
- $ref: '#/parameters/depth'
```

```
- $ref: '#/parameters/fields'
```

```
- $ref: '#/parameters/filter'
```

```
- $ref: '#/parameters/with-defaults'
```

```
Responses:
```

```
'200':
```

```
  Reference: '#/responses/200'
```

```
security:
```

```
- basicAuth: []
```

```
put:
```

```
Tags:
```

```
- data
```

```
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_put
```

```
produces:
```

```
- application/yang-data+json
```

```

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list interface-list created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface'

Responses:
'204':
  Description: list interface-list updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-list-interface'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-list-interface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:router/monitor-interface/interface-list={interface-list-interfa

```
get:
```



```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'

```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-list-interface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface'

Responses:

- '201':
 - Description: leaf interface created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''

Operation ID:

data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_patch

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/interface-list-interface'- **\$ref:**

'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface'

Responses:

'204':

Description: leaf interface updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**- **basicAuth:** []**delete:****Tags:**- data
- delete**Summary:** ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_delete

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/interface-list-interface'**Responses:**

'204':

Reference: '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Summary:** ''**Description:** ''

Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_options

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/interface-list-interface'

Responses:
'200':
Reference: '#/responses/200'

security:
- **basicAuth:** []

/data/taif-mobile-infra:router/monitor-interface/interface-list={interface-list-interfa

get:

Tags:
- data
- get

Summary: ''

Description: ''

Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_linked_interface_get

produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/interface-list-interface'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:
'200':
Description: OK
Schema:
Reference:
'#/definitions/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_linked-interface'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_linked_interface_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-list-interface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_linked_interface_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-list-interface'
  - $ref: '#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_linked-interface'

  Responses:
    '201':
      Description: leaf linked-interface created or replaced
    '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_linked_interface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_linked-interface'

Responses:
  '204':
    Description: leaf linked-interface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```

Operation ID:

data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_linked_interface_delete

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/interface-list-interface'**Responses:**

'204':

Reference: '#/responses/204'**security:**- **basicAuth:** []**options:****Tags:**- data
- options**Summary:** ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_linked_interface_options

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/interface-list-interface'**Responses:**

'200':

Reference: '#/responses/200'**security:**- **basicAuth:** []**/data/tailf-mobile-infra:router/monitor-interface/interface-list={interface-list-inter****get:****Tags:**- data
- get**Summary:** ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_type_get

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/interface-list-interface'- **\$ref:** '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:
Reference:

'#/definitions/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface-type'

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_type_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/interface-list-interface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:


```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_type_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface-type'

Responses:
'201':
  Description: leaf interface-type created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_type_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/interface-list-interface'
- $ref:
'#/parameters/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface-type'

Responses:
'204':

```

```

    Description: leaf interface-type updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_type_delete

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-list-interface'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_router_monitor_interface_interface_list_interface_list_interface_interface_type_options

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/interface-list-interface'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:deployment

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_deployment_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_deployment'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_deployment_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_deployment_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_deployment-post'

Responses:

'201':
 Description: container deployment created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_deployment_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_deployment'

```
Responses:
  '201':
    Description: container deployment created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_deployment'

Responses:
  '204':
    Description: container deployment updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

```

Operation ID: data_tailf_mobile_infra_deployment_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:deployment/app-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_app_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_deployment_app-name'

```

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_app_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_app_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_deployment_app-name'

  Responses:
  '201':
    Description: leaf app-name created or replaced
```

```

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_app_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_deployment_app-name'

Responses:
  '204':
    Description: leaf app-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_app_name_delete
produces:
- application/yang-data+json

```



```

Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_app_name_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/tailf-mobile-infra:deployment/cluster-name

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_cluster_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_deployment_cluster-name'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_cluster_name_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_cluster_name_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_deployment_cluster-name'

  Responses:
    '201':
      Description: leaf cluster-name created or replaced
    '204':
      Reference: '#/responses/204'

```

```
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_cluster_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_deployment_cluster-name'

Responses:
'204':
  Description: leaf cluster-name updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_cluster_name_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
```

```

    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_cluster_name_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra:deployment/dc-name

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_dc_name_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_deployment_dc-name'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_dc_name_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_dc_name_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_deployment_dc-name'
  Responses:
  '201':
    Description: leaf dc-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
```

```

        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_dc_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_deployment_dc-name'

Responses:
    '204':
        Description: leaf dc-name updated
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_dc_name_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
    '204':
        Reference: '#/responses/204'
    security:

```

```
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_dc_name_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/tailf-mobile-infra:deployment/model

```
get:

Tags:
- data
- get
Summary: Deployment Model default large
Description: Deployment Model default large
Operation ID: data_tailf_mobile_infra_deployment_model_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: Deployment Model default large
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_deployment_model'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: Deployment Model default large
  Description: Deployment Model default large
  Operation ID: data_tailf_mobile_infra_deployment_model_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: Deployment Model default large
  Description: Deployment Model default large
  Operation ID: data_tailf_mobile_infra_deployment_model_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_deployment_model'

  Responses:
    '201':
      Description: leaf model created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'

```



```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: Deployment Model default large
  Description: Deployment Model default large
  Operation ID: data_tailf_mobile_infra_deployment_model_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_deployment_model'

  Responses:
    '204':
      Description: leaf model updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: Deployment Model default large
  Description: Deployment Model default large
  Operation ID: data_tailf_mobile_infra_deployment_model_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:
```

Tags:

- data
- options

Summary: Deployment Model default large

Description: Deployment Model default large

Operation ID: data_tailf_mobile_infra_deployment_model_options

produces:

- application/yang-data+json

Parameters: []

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:deployment/resource

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_deployment_resource_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_deployment_resource'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

```
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_deployment_resource_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_deployment_resource_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_deployment_resource-post'

    Responses:
      '201':
        Description: container resource created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
```

```

        Reference: '#/responses/409'
    security:
    - basicAuth: []
put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_deployment_resource_put
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_deployment_resource'

    Responses:
    '201':
        Description: container resource created or replaced
    '204':
        Reference: '#/responses/204'
    '400':
        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_deployment_resource_patch
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_deployment_resource'

    Responses:
    '204':
        Description: container resource updated
    '400':
        Reference: '#/responses/400'
    '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_resource_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_resource_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/taif-mobile-infra:deployment/resource/cpu

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
```

Operation ID: data_tailf_mobile_infra_deployment_resource_cpu_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_deployment_resource_cpu'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_deployment_resource_cpu_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_deployment_resource_cpu_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_deployment_resource_cpu'

Responses:**'201':****Description:** leaf cpu created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_deployment_resource_cpu_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_deployment_resource_cpu'

Responses:**'204':****Description:** leaf cpu updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_resource_cpu_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_resource_cpu_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:deployment/logical-nf-instance-id

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_logical_nf_instance_id_get
  produces:
  - application/yang-data+json

```



```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_deployment_logical-nf-instance-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_deployment_logical_nf_instance_id_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

```

Tags:

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_deployment_logical_nf_instance_id_put**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_deployment_logical-nf-instance-id'

Responses:**'201':****Description:** leaf logical-nf-instance-id created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_deployment_logical_nf_instance_id_patch**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_deployment_logical-nf-instance-id'

Responses:**'204':****Description:** leaf logical-nf-instance-id updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_logical_nf_instance_id_delete
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_deployment_logical_nf_instance_id_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
```

/data/taillf-mobile-infra:k8

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_k8_get
  produces:
    - application/yang-data+json

  Parameters:
```

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description:** OK
 - Schema:**
 - Reference:** '#/definitions/data_tailf-mobile-infra_k8'
- '204':
 - Reference:** '#/responses/204'
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_k8_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference:** '#/responses/200'

security:

- **basicAuth:** []

Method: Post**Tags:**

- data
- post

```
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_k8-post'

Responses:
'201':
  Description: container k8 created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_k8'

Responses:
'201':
  Description: container k8 created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_k8_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_k8'

  Responses:
    '204':
      Description: container k8 updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_k8_delete
    produces:
      - application/yang-data+json
    Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

    Tags:
      - data

```

```
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taillf-mobile-infra:k8/label

get:

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_k8_label'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
```

```

- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_k8_label-post'

Responses:
  '201':
    Description: container label created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:

```



```
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_k8_label'

Responses:
'201':
  Description: container label created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_k8_label'

Responses:
'204':
  Description: container label updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

```

        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
    Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_options
produces:
- application/yang-data+json
Parameters: []

Responses:
'200':
    Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/taif-mobile-infra:k8/label/pod-group-config

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_k8_label_pod_group_config_options
produces:

```

```

- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
?
/data/taif-mobile-infra:k8/label/pod-group-config={pod-group-config-pod-group},{pod-group-config-key},{pod-group-config-value}
: get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []

```

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-group-config-pod-group'
- **\$ref:** '#/parameters/pod-group-config-key'
- **\$ref:** '#/parameters/pod-group-config-value'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-group-config-pod-group'
- **\$ref:** '#/parameters/pod-group-config-key'
- **\$ref:** '#/parameters/pod-group-config-value'
- **\$ref:**

'#/parameters/data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value'

- **\$ref:** '#/parameters/insert'

- **\$ref:** '#/parameters/point'

Responses:

'201':

Description: list pod-group-config created or replaced

'204':

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'
- $ref:
'#/parameters/data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config-pod-group_pod-group-config-key_pod-group-config-value'

Responses:
  '204':
    Description: list pod-group-config updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
?
/data/tailf-mobile-infra:k8/label/pod-group-config={pod-group-config-pod-group},{pod-group-config-key},{pod-group-config-value}/pod-group
: get:

Tags:
- data
- get
Summary: Group for the VMs
Description: Group for the VMs
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_pod_group_get

produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: Group for the VMs**Schema:****Reference:**

'#/definitions/data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_pod_group'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- basicAuth: []

head:**Tags:**

- data
- head

Summary: Group for the VMs**Description:** Group for the VMs**Operation ID:**

data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_pod_group_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:**'200':****Reference:** '#/responses/200'**security:**- **basicAuth:** []**put:****Tags:**- data
- put**Summary:** Group for the VMs**Description:** Group for the VMs**Operation ID:**

data_taillf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_pod_group_put

produces:

- application/yang-data+json

Parameters:- **\$ref:** '#/parameters/pod-group-config-pod-group'
- **\$ref:** '#/parameters/pod-group-config-key'
- **\$ref:** '#/parameters/pod-group-config-value'
- **\$ref:**

'#/parameters/data_taillf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_pod_group'

Responses:**'201':****Description:** leaf pod-group created or replaced**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**- **basicAuth:** []**patch:****Tags:**- data
- patch**Summary:** Group for the VMs**Description:** Group for the VMs**Operation ID:**

data_taillf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_pod_group_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref:

'#/parameters/data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config-pod-group_pod-group-config-key_pod-group-config-value_pod-group'

Responses:

- '204':
 - Description:** leaf pod-group updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
- delete

Summary: Group for the VMs

Description: Group for the VMs

Operation ID:

data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config-pod-group_pod-group-config-key_pod-group-config-value_pod-group_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: Group for the VMs

Description: Group for the VMs

Operation ID:

data_taillf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_pod_group_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

?

/data/taillf-mobile-infra:k8/label/pod-group-config=(pod-group-config-pod-group),(pod-group-config-key),(pod-group-config-value)/key

: get:

Tags:

- data
- get

Summary: Key for the label

Description: Key for the label

Operation ID:

data_taillf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: Key for the label

Schema:

Reference:

'#/definitions/data_taillf-mobile-infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: Key for the label
  Description: Key for the label
  Operation ID:
data_taillf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key_head

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-group-config-pod-group'
  - $ref: '#/parameters/pod-group-config-key'
  - $ref: '#/parameters/pod-group-config-value'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: Key for the label
  Description: Key for the label
  Operation ID:
data_taillf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key_put

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-group-config-pod-group'
  - $ref: '#/parameters/pod-group-config-key'
  - $ref: '#/parameters/pod-group-config-value'
  - $ref:
'#/parameters/data_taillf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key'
```

Responses:

'201':
Description: leaf key created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

Summary: Key for the label

Description: Key for the label

Operation ID:

data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-group-config-pod-group'

- **\$ref:** '#/parameters/pod-group-config-key'

- **\$ref:** '#/parameters/pod-group-config-value'

- **\$ref:**

'#/parameters/data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key'

Responses:

'204':
Description: leaf key updated

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

```

    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: Key for the label
    Description: Key for the label
    Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key_delete

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/pod-group-config-pod-group'
    - $ref: '#/parameters/pod-group-config-key'
    - $ref: '#/parameters/pod-group-config-value'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: Key for the label
    Description: Key for the label
    Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_key_options

    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/pod-group-config-pod-group'
    - $ref: '#/parameters/pod-group-config-key'
    - $ref: '#/parameters/pod-group-config-value'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []
?
/data/taif-mobile-infra:k8/label/pod-group-config={pod-group-config-pod-group},{pod-group-config-key},{pod-group-config-value}/value
: get:

    Tags:
    - data
    - get
    Summary: Value for the label

```

Description: Value for the label

Operation ID:

data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: Value for the label

Schema:

Reference:

'#/definitions/data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: Value for the label

Description: Value for the label

Operation ID:

data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'

- \$ref: '#/parameters/pod-group-config-value'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: Value for the label

Description: Value for the label

Operation ID:

data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-group-config-pod-group'
- \$ref: '#/parameters/pod-group-config-key'
- \$ref: '#/parameters/pod-group-config-value'
- \$ref:

'#/parameters/data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value'

Responses:

'201':
 Description: leaf value created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data

```

- patch
Summary: Value for the label
Description: Value for the label
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'
- $ref:
'#/parameters/data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value'

Responses:
  '204':
    Description: leaf value updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: Value for the label
Description: Value for the label
Operation ID:
data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-group-config-pod-group'
- $ref: '#/parameters/pod-group-config-key'
- $ref: '#/parameters/pod-group-config-value'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []

```


options:**Tags:**

- data
- options

Summary: Value for the label

Description: Value for the label

Operation ID:

data_tailf_mobile_infra_k8_label_pod_group_config_pod_group_config_pod_group_pod_group_config_key_pod_group_config_value_value_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-group-config-pod-group'
- **\$ref:** '#/parameters/pod-group-config-key'
- **\$ref:** '#/parameters/pod-group-config-value'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/tailf-mobile-infra:geo

get:**Tags:**

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_geo_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference: '#/definitions/data_tailf-mobile-infra_geo'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geo_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/tailf-mobile-infra:show

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_show_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'

```

```
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_show'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:

Tags:

```
- data
- head
```

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_show_head

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

/data/taif-mobile-infra:clear

get:

Tags:

```
- data
- get
```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_clear_get
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_clear'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - basicAuth: []

head:

Tags:
 - data
 - head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_clear_head
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'

```
security:  
- basicAuth: []
```

/data/taif-mobile-infra:dump

get:

```
Tags:  
- data  
- get  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_dump_get  
produces:  
- application/yang-data+json
```

```
Parameters:  
- $ref: '#/parameters/content'  
- $ref: '#/parameters/depth'  
- $ref: '#/parameters/fields'  
- $ref: '#/parameters/filter'  
- $ref: '#/parameters/with-defaults'
```

```
Responses:  
'200':  
  Description: OK  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_dump'  
'204':  
  Reference: '#/responses/204'  
'400':  
  Reference: '#/responses/400'  
'401':  
  Reference: '#/responses/401'  
'404':  
  Reference: '#/responses/404'  
'405':  
  Reference: '#/responses/405'  
'409':  
  Reference: '#/responses/409'
```

```
security:  
- basicAuth: []
```

head:

```
Tags:  
- data  
- head  
Summary: ''  
Description: ''  
Operation ID: data_tailf_mobile_infra_dump_head  
produces:  
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_dump_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_dump-post'

Responses:

- '201':
 - Description: container dump created
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_dump_put**produces:**

- application/yang-data+json

```
Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_dump'

Responses:
  '201':
    Description: container dump created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_dump_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_dump'

Responses:
  '204':
    Description: container dump updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
```

```

- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_dump_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_dump_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:config-error

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_config_error_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```



```
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_config-error'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_config_error_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_config_error_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_config-error-post'
```

```
Responses:
  '201':
    Description: container config-error created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_config_error_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_config-error'

Responses:
  '201':
    Description: container config-error created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
```

```
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_config_error_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_config-error'

Responses:
  '204':
    Description: container config-error updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_config_error_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_config_error_options
produces:
- application/yang-data+json
Parameters: []
```

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:config-error/info

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_config_error_info_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_config-error_info'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:
 - data
 - head
Summary: ''
Description: ''

Operation ID: data_tailf_mobile_infra_config_error_info_head
produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/taillf-mobile-infra:config-error/info={info-errorComponent}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_config_error_info_info_errorComponent_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/info-errorComponent'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_config-error_info_info-errorComponent'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_config_error_info_info_errorComponent_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-errorComponent'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:config-error/info={info-errorComponent}/errorComponent

```

get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_config_error_info_info_errorComponent_errorComponent_get
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-errorComponent'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_config-error_info_info-errorComponent_errorComponent'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_tailf_mobile_infra_config_error_info_info_errorComponent_errorComponent_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/info-errorComponent'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:config-error/info={info-errorComponent}/errorDescription

get:

Tags:

```

- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_config_error_info_info_errorComponent_errorDescription_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-errorComponent'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_config-error_info_info-errorComponent_errorDescription'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_config_error_info_info_errorComponent_errorDescription_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/info-errorComponent'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```


- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

/data/taif-mobile-infra:resource

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_resource_get**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_resource'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_head
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

Method: Post

```

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_post
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resource-post'

```

```

Responses:
  '201':
    Description: container resource created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

put:

```

Tags:

```

```
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resource'

Responses:
  '201':
    Description: container resource created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_resource'

Responses:
  '204':
    Description: container resource updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
```

```

      Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
  options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []

```

/data/taif-mobile-infra:resource/pod

```

options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:

```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:resource/pod={pod-podtype}

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pod-podtype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''

```

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype'
- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':

Description: list pod created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

```
Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype'

Responses:
'204':
  Description: list pod updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
```

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

/data/tailf-mobile-infra:resource/pod={pod-podtype}/podtype

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_podtype_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_podtype'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'


```
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_podtype_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pod-podtype'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_podtype_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pod-podtype'
      - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_podtype'

    Responses:
      '201':
        Description: leaf podtype created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
```

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_podtype_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pod-podtype'
      - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_podtype'

    Responses:
      '204':
        Description: leaf podtype updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_podtype_delete
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pod-podtype'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

```

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_podtype_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:resource/pod={pod-podtype}/cpu

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod_podtype_cpu-post'

  Responses:
  '201':
    Description: container cpu created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu'

  Responses:
    '201':
      Description: container cpu created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
```

- \$ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu'

Responses:

'204':
 Description: container cpu updated
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'
 '409':
 Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
 - delete

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'

Responses:

'204':
 Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
 - options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'

Responses:

'200':
 Reference: '#/responses/200'

```

security:
- basicAuth: []

```

/data/taif-mobile-infra:resource/pod={pod-podtype}/cpu/request

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_request_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_request'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_request_head

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/pod-podtype'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'

security:
 - **basicAuth:** []

put:

Tags:

- data
 - put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_request_put

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/pod-podtype'
 - **\$ref:** '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_request'

Responses:
 '201':
 Description: leaf request created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

patch:

Tags:

- data
 - patch

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_request_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_request'

Responses:

'204':

- Description:** leaf request updated

'400':

- Reference:** '#/responses/400'

'401':

- Reference:** '#/responses/401'

'404':

- Reference:** '#/responses/404'

'405':

- Reference:** '#/responses/405'

'409':

- Reference:** '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_request_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'

Responses:

'204':

- Reference:** '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_request_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:resource/pod={pod-podtype}/cpu/limit

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_limit_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_limit'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

```
Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_limit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_limit_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_limit'

Responses:
  '201':
    Description: leaf limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
```

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_limit_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_limit'

Responses:**'204':****Description:** leaf limit updated**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_limit_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'

Responses:**'204':****Reference:** '#/responses/204'**security:**

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_cpu_limit_options
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/pod-podtype'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/tailf-mobile-infra:resource/pod={pod-podtype}/memory

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/pod-podtype'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_memory'

 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pod-podtype'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/pod-podtype'
      - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod_podtype_memory-post'

    Responses:
      '201':
        Description: container memory created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'

```

```
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_memory'

  Responses:
    '201':
      Description: container memory created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_memory'

  Responses:
```

```

    '204':
      Description: container memory updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```


/data/taif-mobile-infra:resource/pod={pod-podtype}/memory/request

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_request_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_resource_pod_pod_podtype_memory_request'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_request_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:** data_tailf_mobile_infra_resource_pod_pod_podtype_memory_request_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod_podtype_memory_request'

Responses:

- '201':
 - Description: leaf request created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description: ''****Operation ID:** data_tailf_mobile_infra_resource_pod_pod_podtype_memory_request_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_memory_request'

Responses:

- '204':
 - Description:** leaf request updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data
- delete

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_request_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:

Tags:

- data
- options

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_request_options

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

/data/tailf-mobile-infra:resource/pod={pod-podtype}/memory/limit

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_limit_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_memory_limit'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

```

- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_limit_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_limit_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_memory_limit'

Responses:
  '201':
    Description: leaf limit created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

```

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_resource_pod_pod_podtype_memory_limit_patch**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'
- \$ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_memory_limit'

Responses:

- '204':
 - Description:** leaf limit updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_resource_pod_pod_podtype_memory_limit_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''

Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_memory_limit_options
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/pod-podtype'

Responses:
 '200':
 Reference: '#/responses/200'

security:
 - **basicAuth:** []

/data/taif-mobile-infra:resource/pod={pod-podtype}/gomaxproc

get:

Tags:
 - data
 - get

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_gomaxproc_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/pod-podtype'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_gomaxproc'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':

```

    Reference: '#/responses/409'
security:
  - basicAuth: []
head:

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_gomaxproc_head
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
  - basicAuth: []
put:

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_gomaxproc_put
produces:
  - application/yang-data+json

Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod_podtype_gomaxproc'

Responses:
  '201':
    Description: leaf gomaxproc created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```



```
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_gomaxproc_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_gomaxproc'

Responses:
  '204':
    Description: leaf gomaxproc updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_gomaxproc_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
```

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_resource_pod_pod_podtype_gomaxproc_options**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/tailf-mobile-infra:resource/pod={pod-podtype}/labels

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_resource_pod_pod_podtype_labels_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_head
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/pod-podtype'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'
  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post
  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_post
  produces:
    - application/yang-data+json
  Parameters:
    - $ref: '#/parameters/pod-podtype'
    - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod_podtype_labels-post'
  Responses:
    '201':
      Description: container labels created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pod-podtype'
  - $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_labels'

  Responses:
    '201':
      Description: container labels created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_patch
  produces:
  - application/yang-data+json

  Parameters:

```

- **\$ref**: '#/parameters/pod-podtype'
- **\$ref**: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_labels'

Responses:

- '204':
 - Description**: container labels updated
- '400':
 - Reference**: '#/responses/400'
- '401':
 - Reference**: '#/responses/401'
- '404':
 - Reference**: '#/responses/404'
- '405':
 - Reference**: '#/responses/405'
- '409':
 - Reference**: '#/responses/409'

security:

- **basicAuth**: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_resource_pod_pod_podtype_labels_delete**produces:**

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/pod-podtype'

Responses:

- '204':
 - Reference**: '#/responses/204'

security:

- **basicAuth**: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_resource_pod_pod_podtype_labels_options**produces:**

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/pod-podtype'

Responses:

- '200':
 - Reference**: '#/responses/200'

```

security:
- basicAuth: []

```

/data/taif-mobile-infra:resource/pod={pod-podtype}/labels/key

get:

Tags:

```

- data
- get

```

Summary: Key for the label

Description: Key for the label

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_key_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: Key for the label

Schema:

Reference:

```

'#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_key'

```

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: Key for the label

Description: Key for the label

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_key_head

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: Key for the label
Description: Key for the label
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_key_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pod-podtype'
- $ref: '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_key'

Responses:
  '201':
    Description: leaf key created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: Key for the label

```

Description: Key for the label

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_key_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'

- **\$ref:** '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_key'

Responses:

'204':

Description: leaf key updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:

Tags:

- data

- delete

Summary: Key for the label

Description: Key for the label

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_key_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:

Tags:

- data

- options

Summary: Key for the label

Description: Key for the label

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_key_options

produces:

- application/yang-data+json

Parameters:
 - \$ref: '#/parameters/pod-podtype'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/tailf-mobile-infra:resource/pod={pod-podtype}/labels/value

get:

Tags:

- data
 - get

Summary: Value for the label

Description: Value for the label

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_value_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pod-podtype'
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Description: Value for the label
 Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_value'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:

- data
- head

Summary: Value for the label

Description: Value for the label

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_value_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: Value for the label

Description: Value for the label

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_value_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_value'

Responses:

'201':

Description: leaf value created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
- patch

Summary: Value for the label

Description: Value for the label

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_value_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'
- **\$ref:** '#/parameters/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_value'

Responses:

'204':

Description: leaf value updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: Value for the label

Description: Value for the label

Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_value_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pod-podtype'

Responses:

'204':

Reference: '#/responses/204'

security:

- **basicAuth:** []

options:**Tags:**

- data
- options

Summary: Value for the label
Description: Value for the label
Operation ID: data_tailf_mobile_infra_resource_pod_pod_podtype_labels_value_options
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/pod-podtype'

Responses:
 '200':
 Reference: '#/responses/200'

security:
 - **basicAuth:** []

/data/tailf-mobile-infra:geomonitor

get:

Tags:
 - data
 - get

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_geomonitor'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

```
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []
  Method: Post

  Tags:
    - data
    - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_post
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor-post'

  Responses:
    '201':
      Description: container geomonitor created
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
```

```

    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor'

    Responses:
      '201':
        Description: container geomonitor created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_patch
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor'

    Responses:
      '204':
        Description: container geomonitor updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'

```

```
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
```

/data/taif-mobile-infra:geomonitor/podmonitor

```
get:

  Tags:
  - data
  - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_get
```

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:

- '200':

- Description**: OK

- Schema**:

- Reference**: '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor'

- '204':

- Reference**: '#/responses/204'

- '400':

- Reference**: '#/responses/400'

- '401':

- Reference**: '#/responses/401'

- '404':

- Reference**: '#/responses/404'

- '405':

- Reference**: '#/responses/405'

- '409':

- Reference**: '#/responses/409'

security:

- **basicAuth**: []

head:**Tags:**

- data
- head

- Summary**: ''

- Description**: ''

- Operation ID**: data_tailf_mobile_infra_geomonitor_podmonitor_head

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/content'
- **\$ref**: '#/parameters/depth'
- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:

- '200':

- Reference**: '#/responses/200'

security:

- **basicAuth**: []

Method: Post


```
Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor-post'

Responses:
  '201':
    Description: container podmonitor created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor'

Responses:
  '201':
    Description: container podmonitor created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
```

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor'

Responses:
  '204':
    Description: container podmonitor updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_options
produces:
- application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
- **basicAuth:** []

/data/taif-mobile-infra:geomonitor/podmonitor/pods

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_options
produces:
- application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
- **basicAuth:** []

/data/taif-mobile-infra:geomonitor/podmonitor/pods={pods-name}

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_get
produces:
- application/yang-data+json

Parameters:
- **\$ref:** '#/parameters/pods-name'

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/pods-name'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

```
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
'201':
  Description: list pods created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name'

Responses:
'204':
  Description: list pods updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
```

/data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}/name

```

    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pods-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pods-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}/name

get:

```

  Tags:
  - data
  - get

```

```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_name'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/data_taulf-mobile-infra_geomonitor_podmonitor_pods_pods-name_name'

Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/data_taulf-mobile-infra_geomonitor_podmonitor_pods_pods-name_name'

```



```
Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_name_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'

Responses:
  '200':
    Reference: '#/responses/200'
```

```

security:
- basicAuth: []

```

/data/taif-mobile-infra:geomonitor/podmonitor/pods={pods-name}/retryCount

get:

Tags:

```

- data
- get

```

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryCount_get

produces:

```

- application/yang-data+json

```

Parameters:

```

- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryCount'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

```

- basicAuth: []

```

head:

Tags:

```

- data
- head

```

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryCount_head

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pods-name'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'**security:**

- **basicAuth:** []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryCount_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/pods-name'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods_name_retryCount'

Responses:

'201':

Description: leaf retryCount created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

patch:

```

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryCount_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryCount'

Responses:
  '204':
    Description: leaf retryCount updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryCount_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryCount_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}/retryInterval

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryInterval_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryInterval'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryInterval_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pods-name'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryInterval_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/pods-name'
    - $ref:
      '#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryInterval'

  Responses:
    '201':
      Description: leaf retryInterval created or replaced
    '204':
      Reference: '#/responses/204'
    '400':

```

```

    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryInterval_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pods-name'
  - $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryInterval'

  Responses:
  '204':
    Description: leaf retryInterval updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryInterval_delete
  produces:
  - application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/pods-name'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryInterval_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/tailf-mobile-infra:geomonitor/podmonitor/pods={pods-name}/retryFailOverInte

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryFailOverInterval_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:

```



```

    '200':
      Description: OK
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryFailOverInterval'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryFailOverInterval_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pods-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
  put:

  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryFailOverInterval_put

```

produces:
- application/yang-data+json

Parameters:
- \$ref: '#/parameters/pods-name'
- \$ref:

'#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryFailOverInterval'

Responses:
'201':
 Description: leaf retryFailOverInterval created or replaced
'204':
 Reference: '#/responses/204'
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':
 Reference: '#/responses/405'
'409':
 Reference: '#/responses/409'

security:
- basicAuth: []

patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:

data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryFailOverInterval_patch

produces:
- application/yang-data+json

Parameters:
- \$ref: '#/parameters/pods-name'
- \$ref:

'#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryFailOverInterval'

Responses:
'204':
 Description: leaf retryFailOverInterval updated
'400':
 Reference: '#/responses/400'
'401':
 Reference: '#/responses/401'
'404':
 Reference: '#/responses/404'
'405':

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryFailOverInterval_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pods-name'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_retryFailOverInterval_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/pods-name'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:geomonitor/podmonitor/pods={pods-name}/failedReplicaP

```

get:

  Tags:
  - data
  - get

```

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/pods-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent'

Responses:
  '201':
    Description: leaf failedReplicaPercent created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_patch
produces:
- application/yang-data+json

Parameters:

```

```

- $ref: '#/parameters/pods-name'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent'

```

Responses:

```

'204':
  Description: leaf failedReplicaPercent updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

delete:**Tags:**

```
- data
- delete
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_delete
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/pods-name'
```

Responses:

```

'204':
  Reference: '#/responses/204'

```

security:

```
- basicAuth: []
```

options:**Tags:**

```
- data
- options
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_tailf_mobile_infra_geomonitor_podmonitor_pods_pods_name_failedReplicaPercent_options
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/pods-name'
```

```
Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:geomonitor/remotecclustermonitor

get:

```
Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecclustermonitor_get
produces:
- application/yang-data+json
```

```
Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```
Responses:
  '200':
    Description: OK
    Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_remotecclustermonitor'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
```

head:

```
Tags:
- data
- head
Summary: ''
```

Description: ''

Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_post

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_geomonitor_remotecustermonitor-post'

Responses:

'201':

Description: container remotecustermonitor created

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

put:

Tags:

- data
- put

Summary: ''


```
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_remotecustermonitor'

Responses:
'201':
  Description: container remotecustermonitor created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_remotecustermonitor'

Responses:
'204':
  Description: container remotecustermonitor updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
```

```

- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:geomonitor/remotecustermonitor/retryCount

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_retryCount_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'

```

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_geomonitor_remotecustermonitor_retryCount'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_geomonitor_remotecustermonitor_retryCount_head**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_retryCount_put

produces:

- application/yang-data+json

Parameters:

- \$ref:

'#/parameters/data_tailf-mobile-infra_geomonitor_remotecustermonitor_retryCount'

Responses:

'201':

Description: leaf retryCount created or replaced

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

patch:

Tags:

- data

- patch

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_retryCount_patch

produces:

- application/yang-data+json

Parameters:

- \$ref:

'#/parameters/data_tailf-mobile-infra_geomonitor_remotecustermonitor_retryCount'

Responses:

'204':

Description: leaf retryCount updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

```
    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_retryCount_delete

  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
      security:
        - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_remotecustermonitor_retryCount_options
  produces:
    - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
      security:
        - basicAuth: []
```

/data/taif-mobile-infra:geomonitor/remotecustermonitor/retryInterval

```
get:

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_remotecustermonitor_retryInterval_get

  produces:
```

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_geomonitor_remotemonitor_retryInterval'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_geomonitor_remotemonitor_retryInterval_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Reference: '#/responses/200'

security:

- basicAuth: []

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_remotecclustermonitor_retryInterval_put

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_remotecclustermonitor_retryInterval'

Responses:
'201':
  Description: leaf retryInterval created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_remotecclustermonitor_retryInterval_patch
produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_remotecclustermonitor_retryInterval'

Responses:
'204':
  Description: leaf retryInterval updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'

```

```

    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_remoteclustermonitor_retryInterval_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_remoteclustermonitor_retryInterval_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:geomonitor/vipmonitor

```

get:

  Tags:
  - data
  - get
  Summary: ''

```



```
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
```

```

- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor-post'

Responses:
  '201':
    Description: container vipmonitor created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor'

Responses:
  '201':
    Description: container vipmonitor created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':

```

```
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor'

  Responses:
  '204':
    Description: container vipmonitor updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_vipmonitor_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
```

```

- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_geomonitor_vipmonitor_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taulf-mobile-infra:geomonitor/vipmonitor/instance

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_taulf_mobile_infra_geomonitor_vipmonitor_instance_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taulf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_geomonitor_vipmonitor_instance_instance_id_get
produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:

```

```

    - basicAuth: []
  put:

    Tags:
    - data
    - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id'
  - $ref: '#/parameters/insert'
  - $ref: '#/parameters/point'

  Responses:
    '201':
      Description: list instance created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
  patch:

    Tags:
    - data
    - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id'

  Responses:

```

```
'204':
  Description: list instance updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/inst

get:**Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_instance_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_instance-id'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_instance_id_head

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/instance-instance-id'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Reference: '#/responses/200'

security:
 - **basicAuth:** []

put:

Tags:
 - data
 - put

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_instance_id_put

produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/instance-instance-id'
 - **\$ref:**

'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_instance-id'

Responses:
 '201':
 Description: leaf instance-id created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

patch:

Tags:

- data
- patch

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_instance_id_patch

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:**

'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_instance-id'

Responses:

'204':

Description: leaf instance-id updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'**security:**

- **basicAuth:** []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_instance_id_delete

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-instance-id'

Responses:

'204':

Reference: '#/responses/204'**security:**

- **basicAuth:** []

options:

```

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_instance_id_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vip

```

options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vip

```

get:

Tags:
- data
- get
Summary: ''

```

Description: ''

Operation ID:

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface'

- \$ref: '#/parameters/insert'
- \$ref: '#/parameters/point'

Responses:

'201':
 Description: list vips created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance_instance-id_vips_vips-vipInterface'

Responses:
  '204':
    Description: list vips updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vipInterface

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipInterface_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipInterface'
  '204':
    Reference: '#/responses/204'

```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'

```

```

security:
  - basicAuth: []

```

head:

```

Tags:
  - data
  - head
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipInterface_head

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/vips-vipInterface'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

```

```

Responses:
  '200':
    Reference: '#/responses/200'

```

```

security:
  - basicAuth: []

```

put:

```

Tags:
  - data
  - put
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipInterface_put

```

produces:
  - application/yang-data+json

```

```

Parameters:
  - $ref: '#/parameters/instance-instance-id'

```



```

- $ref: '#/parameters/vips-vipInterface'
- $ref:
'/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipInterface'

Responses:
  '201':
    Description: leaf vipInterface created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipInterface_patch

  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/vips-vipInterface'
  - $ref:
'/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipInterface'

Responses:
  '204':
    Description: leaf vipInterface updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipInterface_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipInterface_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips

```
get:
```

```
  Tags:
    - data
```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipIp_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipIp'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipIp_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

```

- \$ref: '#/parameters/vips-vipInterface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_taif_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipIp_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref:

'#/parameters/data_taif-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipIp'

Responses:

- '201':
 - Description: leaf vipIp created or replaced
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':
 - Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

```

Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipIp_patch

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips-vipInterface_vipIp'

Responses:
  '204':
    Description: leaf vipIp updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipIp_delete

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:

```

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipIp_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipPort_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipPort'
  '204':
    Reference: '#/responses/204'

```

```

'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipPort_head

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipPort_put

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'

```

```

- $ref: '#/parameters/vips-vipInterface'
- $ref:
'/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipPort'

```

Responses:

```

'201':
  Description: leaf vipPort created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

Operation ID:

```
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_id_vips_vips_vipInterface_vipPort_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref:
'/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipPort'

```

Responses:

```

'204':
  Description: leaf vipPort updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```



```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipPort_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_vipPort_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/retryCount

```

get:

  Tags:
    - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryCount_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryCount'

  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryCount_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

```

- \$ref: '#/parameters/vips-vipInterface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description: ''****Operation ID:**

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryCount_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryCount'

Responses:

'201':
 Description: leaf retryCount created or replaced

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryCount_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'

- \$ref: '#/parameters/vips-vipInterface'

- \$ref:

'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryCount'

Responses:

'204':

Description: leaf retryCount updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:

Tags:

- data

- delete

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryCount_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'

- \$ref: '#/parameters/vips-vipInterface'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:

Tags:

```

- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryCount_options

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/retryInterval

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryInterval_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryInterval'
  '204':
    Reference: '#/responses/204'

```

```

'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

```

security:
- basicAuth: []

```

head:

```

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:

```

data_taillf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryInterval_head

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

```

```

Responses:
'200':
  Reference: '#/responses/200'

```

```

security:
- basicAuth: []

```

put:

```

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:

```

data_taillf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryInterval_put

```

produces:
- application/yang-data+json

```

```

Parameters:
- $ref: '#/parameters/instance-instance-id'

```

```

- $ref: '#/parameters/vips-vipInterface'
- $ref:
'/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_retryInterval'

```

Responses:

```

'201':
  Description: leaf retryInterval created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'

```

security:

```
- basicAuth: []
```

patch:**Tags:**

```
- data
- patch
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_retryInterval_patch
```

produces:

```
- application/yang-data+json
```

Parameters:

```

- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/vips-vipInterface'
- $ref:
'/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_retryInterval'

```

Responses:

```

'204':
  Description: leaf retryInterval updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':

```

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryInterval_delete

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '204':
      Reference: '#/responses/204'
    security:
      - basicAuth: []
  options:

  Tags:
    - data
    - options
  Summary: ''
  Description: ''
  Operation ID:
data_taillf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryInterval_options

  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/vips-vipInterface'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
?
/data/taillf-mobile-infra:geomonitor/vipmonitor/instance={instance-instance-id}/vips={vips-vipInterface}/retryFailOverInterval
: get:

  Tags:
    - data
    - get
  Summary: ''

```


Description: ''

Operation ID:

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryFailOverInterval_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryFailOverInterval'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryFailOverInterval_head

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref: '#/parameters/content'

- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
Reference: '#/responses/200'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:**

data_taillf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryFailOverInterval_put

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref:

#/parameters/data_taillf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryFailOverInterval'

Responses:

'201':
Description: leaf retryFailOverInterval created or replaced

'204':
Reference: '#/responses/204'

'400':
Reference: '#/responses/400'

'401':
Reference: '#/responses/401'

'404':
Reference: '#/responses/404'

'405':
Reference: '#/responses/405'

'409':
Reference: '#/responses/409'

security:

- basicAuth: []

patch:**Tags:**

- data
- patch

Summary: ''**Description:** ''

Operation ID:

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryFailOverInterval_patch

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'
- \$ref:

'#/parameters/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryFailOverInterval'

Responses:

'204':

Description: leaf retryFailOverInterval updated

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryFailOverInterval_delete

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/vips-vipInterface'

Responses:

'204':

Reference: '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''
Description: ''
Operation ID:
 data_tailf_mobile_infra_geomonitor_vipmonitor_instance_instance_instance_id_vips_vips_vipInterface_retryFailOverInterval_options

produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/instance-instance-id'
 - \$ref: '#/parameters/vips-vipInterface'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - basicAuth: []

/data/taif-mobile-infra:geomonitor/trafficMonitor

get:

Tags:
 - data
 - get

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_get

produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':

```
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
    security:
      - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_head
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
      security:
        - basicAuth: []
  Method: Post

    Tags:
      - data
      - post
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_post
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor-post'

    Responses:
      '201':
        Description: container trafficMonitor created
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor'

Responses:
  '201':
    Description: container trafficMonitor created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor'

Responses:
  '204':
    Description: container trafficMonitor updated
  '400':

```

```
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_delete
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_options
  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []
```

/data/taif-mobile-infra:geomonitor/trafficMonitor/thresholdCount

```
get:

  Tags:
  - data
  - get
```

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdCount_get
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':
Description: OK
Schema:

Reference:
 '#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdCount'

'204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:
 - basicAuth: []

head:**Tags:**

- data
 - head

Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdCount_head
produces:
 - application/yang-data+json

Parameters:
 - \$ref: '#/parameters/content'
 - \$ref: '#/parameters/depth'
 - \$ref: '#/parameters/fields'
 - \$ref: '#/parameters/filter'
 - \$ref: '#/parameters/with-defaults'

Responses:

'200':


```
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdCount_put
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdCount'

  Responses:
    '201':
      Description: leaf thresholdCount created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdCount_patch

    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdCount'

  Responses:
    '204':
      Description: leaf thresholdCount updated
```

```

    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdCount_delete

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdCount_options

  produces:
  - application/yang-data+json
  Parameters: []

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:geomonitor/trafficMonitor/thresholdInterval

```
get:
```

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_get

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_head

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_put

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval'

Responses:
  '201':
    Description: leaf thresholdInterval created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_patch

produces:
- application/yang-data+json

Parameters:
- $ref:
'#/parameters/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval'

```

```
Responses:
  '204':
    Description: leaf thresholdInterval updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_geomonitor_trafficMonitor_thresholdInterval_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:instances

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_instances_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_instances'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_instances_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- **\$ref**: '#/parameters/fields'
- **\$ref**: '#/parameters/filter'
- **\$ref**: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- **basicAuth**: []

Method: Post

Tags:

- data
- post

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_instances_post

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_tailf-mobile-infra_instances-post'

Responses:

'201':
 Description: container instances created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- **basicAuth**: []

put:

Tags:

- data
- put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_instances_put

produces:

- application/yang-data+json

Parameters:

- **\$ref**: '#/parameters/data_tailf-mobile-infra_instances'

```

Responses:
  '201':
    Description: container instances created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instances_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_instances'

Responses:
  '204':
    Description: container instances updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''

```


Operation ID: data_tailf_mobile_infra_instances_delete
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '204':
 Reference: '#/responses/204'
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instances_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:instances/instance

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instances_instance_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:instances/instance={instance-instance-id}

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_instances_instance_instance_id_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_instances_instance_instance-id'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:**Tags:**

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_instances_instance_instance_id_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'

```
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instances_instance_instance_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/data_tailf-mobile-infra_instances_instance_instance-id'

- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list instance created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_instances_instance_instance_id_patch
produces:
- application/yang-data+json
```

Parameters:

- \$ref: '#/parameters/instance-instance-id'
- \$ref: '#/parameters/data_tailf-mobile-infra_instances_instance_instance-id'

Responses:

- '204':
 - Description:** list instance updated
- '400':
 - Reference:** '#/responses/400'
- '401':
 - Reference:** '#/responses/401'
- '404':
 - Reference:** '#/responses/404'
- '405':
 - Reference:** '#/responses/405'
- '409':
 - Reference:** '#/responses/409'

security:

- basicAuth: []

delete:**Tags:**

- data
- delete

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_instances_instance_instance_id_delete**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'

Responses:

- '204':
 - Reference:** '#/responses/204'

security:

- basicAuth: []

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_instances_instance_instance_id_options**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/instance-instance-id'

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taif-mobile-infra:instances/instance={instance-instance-id}/instance-id

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID:
 data_tailf_mobile_infra_instances_instance_instance_instance_id_instance_id_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/instance-instance-id'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_instances_instance_instance-instance-id_instance-id'

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:
 - **basicAuth:** []

head:

Tags:

```

- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_instance_id_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_instance_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-id_instance-id'

Responses:
  '201':
    Description: leaf instance-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'

```

```

    security:
      - basicAuth: []
  patch:

    Tags:
      - data
      - patch
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_instance_id_patch
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-instance-id'
      - $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-id_instance-id'

    Responses:
      '204':
        Description: leaf instance-id updated
      '400':
        Reference: '#/responses/400'
      '401':
        Reference: '#/responses/401'
      '404':
        Reference: '#/responses/404'
      '405':
        Reference: '#/responses/405'
      '409':
        Reference: '#/responses/409'
    security:
      - basicAuth: []
  delete:

    Tags:
      - data
      - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_instance_id_delete
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/instance-instance-id'

    Responses:
      '204':
        Reference: '#/responses/204'
    security:
      - basicAuth: []

```

options:**Tags:**

- data
- options

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instances_instance_instance_instance_id_instance_id_options

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-instance-id'

Responses:**'200':****Reference:** '#/responses/200'**security:**

- **basicAuth:** []

/data/tailf-mobile-infra:instances/instance={instance-instance-id}/system-id**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_tailf_mobile_infra_instances_instance_instance_instance_id_system_id_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/instance-instance-id'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:**

'#/definitions/data_tailf-mobile-infra_instances_instance_instance-instance-id_system-id'

'204':**Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'


```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:
  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_system_id_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []
put:
  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_system_id_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/instance-instance-id'
    - $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-id_system-id'

  Responses:
    '201':

```

```

    Description: leaf system-id created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_system_id_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-id_system-id'

  Responses:
  '204':
    Description: leaf system-id updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''

```

```

Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_system_id_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_system_id_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra:instances/instance={instance-instance-id}/cluster-id

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_cluster_id_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_cluster-id'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID:
    data_tailf_mobile_infra_instances_instance_instance_instance-id_cluster-id_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

  Tags:
  - data
  - put
  Summary: ''

```

```

Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_cluster_id_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-instance-id_cluster-id'

Responses:
'201':
  Description: leaf cluster-id created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_cluster_id_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-instance-id_cluster-id'

Responses:
'204':
  Description: leaf cluster-id updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'

```

```

    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_instances_instance_instance_id_cluster_id_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_taulf_mobile_infra_instances_instance_instance_id_cluster_id_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taulf-mobile-infra:instances/instance={instance-instance-id}/slice-name

get:

```

  Tags:
  - data

```

```

- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_slice_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_slice-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_instances_instance_instance_id_slice_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instances_instance_instance_instance_id_slice_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_taulf-mobile-infra_instances_instance_instance-instance-id_slice-name'

Responses:
  '201':
    Description: leaf slice-name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_taulf_mobile_infra_instances_instance_instance_instance_id_slice_name_patch
produces:
- application/yang-data+json

Parameters:

```



```

- $ref: '#/parameters/instance-instance-id'
- $ref:
'#/parameters/data_tailf-mobile-infra_instances_instance_instance-id_slice-name'

Responses:
  '204':
    Description: leaf slice-name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_slice_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:
  '204':
    Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_instances_instance_instance_instance_id_slice_name_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/instance-instance-id'

  Responses:

```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra:local-instance

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_local_instance_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_local-instance'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []

```

head:

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_local_instance_head

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_local-instance-post'

Responses:
  '201':
    Description: container local-instance created
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_put
```

```

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_local-instance'

Responses:
  '201':
    Description: container local-instance created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_local-instance'

Responses:
  '204':
    Description: container local-instance updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

```

```
Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:local-instance/instance

```
get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

```

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_local-instance_instance'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_put
produces:
- application/yang-data+json

```

```
Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_local-instance_instance'

Responses:
  '201':
    Description: leaf instance created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_local-instance_instance'

Responses:
  '204':
    Description: leaf instance updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
```

```

- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_local_instance_instance_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/tailf-mobile-infra: datastore

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':

```



```
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_datastore'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
Method: Post

  Tags:
  - data
  - post
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_post
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_datastore-post'
```

Responses:

'201':
Description: container datastore created
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

put:**Tags:**

- data
 - put

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_datastore_put

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/data_tailf-mobile-infra_datastore'

Responses:

'201':
Description: container datastore created or replaced
 '204':
Reference: '#/responses/204'
 '400':
Reference: '#/responses/400'
 '401':
Reference: '#/responses/401'
 '404':
Reference: '#/responses/404'
 '405':
Reference: '#/responses/405'
 '409':
Reference: '#/responses/409'

security:

- **basicAuth:** []

patch:**Tags:**

- data
 - patch

```
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_datstore'

Responses:
'204':
  Description: container datstore updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
'204':
  Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_options
produces:
- application/yang-data+json
Parameters: []

Responses:
```

```

    '200':
      Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra: datastore/session-db

get:

```

  Tags:
    - data
    - get
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_session_db_get
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Description: OK
      Schema:
        Reference: '#/definitions/data_tailf-mobile-infra_datastore_session-db'
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []

```

head:

```

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_session_db_head

```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Reference: '#/responses/200'
security:
- basicAuth: []
Method: Post

Tags:
- data
- post
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_session_db_post
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_datstore_session-db-post'

Responses:
'201':
  Description: container session-db created
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_session_db_put
```

```
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_datastore_session-db'

Responses:
  '201':
    Description: container session-db created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_session_db_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_datastore_session-db'

Responses:
  '204':
    Description: container session-db updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:
```

```
Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_session_db_delete
produces:
- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_session_db_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra:datastore/session-db/endpoints

```
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_session_db_endpoints_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []
```

/data/taif-mobile-infra: datastore/session-db/endpoints={endpoints-host}

get:

Tags:

- data
- get

Summary: ''

Description: ''

Operation ID: data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_get

produces:

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/endpoints-host'
- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:

'200':

Description: OK

Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host'

'204':

Reference: '#/responses/204'

'400':

Reference: '#/responses/400'

'401':

Reference: '#/responses/401'

'404':

Reference: '#/responses/404'

'405':

Reference: '#/responses/405'

'409':

Reference: '#/responses/409'

security:

- basicAuth: []

head:

Tags:

- data
- head

Summary: ''

Description: ''

Operation ID:

data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_head

produces:

- application/yang-data+json


```
Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_put

produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list endpoints created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
    - basicAuth: []
patch:

Tags:
- data
```

```

- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host'

Responses:
  '204':
    Description: list endpoints updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''

```

Operation ID:
 data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_options
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/endpoints-host'

Responses:
 '200':
 Reference: '#/responses/200'

security:
 - **basicAuth:** []

/data/taif-mobile-infra: datastore/session-db/endpoints={endpoints-host}/host

get:

Tags:
 - data
 - get

Summary: ''
Description: ''

Operation ID:
 data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_host_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/endpoints-host'
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference:
 '#/definitions/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_host'
 '204':
 Reference: '#/responses/204'
 '400':
 Reference: '#/responses/400'
 '401':
 Reference: '#/responses/401'
 '404':
 Reference: '#/responses/404'
 '405':
 Reference: '#/responses/405'

```

    '409':
      Reference: '#/responses/409'
      security:
        - basicAuth: []
  head:

    Tags:
      - data
      - head
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_host_head
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/endpoints-host'
      - $ref: '#/parameters/content'
      - $ref: '#/parameters/depth'
      - $ref: '#/parameters/fields'
      - $ref: '#/parameters/filter'
      - $ref: '#/parameters/with-defaults'

    Responses:
      '200':
        Reference: '#/responses/200'
        security:
          - basicAuth: []
  put:

    Tags:
      - data
      - put
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_host_put
  produces:
    - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/endpoints-host'
      - $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_host'

    Responses:
      '201':
        Description: leaf host created or replaced
      '204':
        Reference: '#/responses/204'
      '400':
        Reference: '#/responses/400'
      '401':

```

```

    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_host_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/endpoints-host'
  - $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_host'

  Responses:
  '204':
    Description: leaf host updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_host_delete
  produces:
  - application/yang-data+json

  Parameters:

```

```

- $ref: '#/parameters/endpoints-host'

Responses:
  '204':
    Reference: '#/responses/204'
    security:
      - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_host_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'

Responses:
  '200':
    Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/tailf-mobile-infra: datastore/session-db/endpoints={endpoints-host}/port

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK

```

Schema:**Reference:**

```
'#/definitions/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_port'
```

```
'204':
```

```
  Reference: '#/responses/204'
```

```
'400':
```

```
  Reference: '#/responses/400'
```

```
'401':
```

```
  Reference: '#/responses/401'
```

```
'404':
```

```
  Reference: '#/responses/404'
```

```
'405':
```

```
  Reference: '#/responses/405'
```

```
'409':
```

```
  Reference: '#/responses/409'
```

security:

```
- basicAuth: []
```

head:**Tags:**

```
- data
- head
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_head
```

produces:

```
- application/yang-data+json
```

Parameters:

```
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'
```

Responses:

```
'200':
```

```
  Reference: '#/responses/200'
```

security:

```
- basicAuth: []
```

put:**Tags:**

```
- data
- put
```

```
Summary: ''
```

```
Description: ''
```

```
Operation ID:
```

```
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_put
```

produces:

```
- application/yang-data+json
```

```

Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_port'

Responses:
'201':
  Description: leaf port created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_port'

Responses:
'204':
  Description: leaf port updated
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:

```



```

    - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/endpoints-host'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_session_db_endpoints_endpoints_host_port_options
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/endpoints-host'

  Responses:
    '200':
      Reference: '#/responses/200'
  security:
  - basicAuth: []

```

/data/taif-mobile-infra: datastore/dbs

```

options:

  Tags:
  - data
  - options
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_dbs_options
  produces:
  - application/yang-data+json

```

```

Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra: datastore/dbs={dbs-name}

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data

```

```
- head
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_dbs_dbs_name_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_dbs_dbs_name_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/data_tailf-mobile-infra_datstore_dbs_dbs-name'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list dbs created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
```

```

    - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dbs-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name'

  Responses:
    '204':
      Description: list dbs updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_delete
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dbs-name'

  Responses:
    '204':
      Reference: '#/responses/204'
  security:
  - basicAuth: []
options:

  Tags:
  - data

```

```

- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'

Responses:
  '200':
    Reference: '#/responses/200'
security:
- basicAuth: []

```

/data/taif-mobile-infra: datastore/dbs={dbs-name}/name

get:

```

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_name_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_name'
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':

```

```

    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_name_head
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dbs-name'
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'

  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_name_put
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/dbs-name'
  - $ref: '#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_name'

  Responses:
  '201':
    Description: leaf name created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':

```

```
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_name_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_name'

Responses:
  '204':
    Description: leaf name updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_name_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'

Responses:
  '204':
    Reference: '#/responses/204'
```

```

    security:
      - basicAuth: []
  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_name_options
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dbs-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra: datastore/dbs={dbs-name}/endpoints

```

  options:

    Tags:
      - data
      - options
    Summary: ''
    Description: ''
    Operation ID: data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_options
    produces:
      - application/yang-data+json

    Parameters:
      - $ref: '#/parameters/dbs-name'

    Responses:
      '200':
        Reference: '#/responses/200'
    security:
      - basicAuth: []

```

/data/taif-mobile-infra: datastore/dbs={dbs-name}/endpoints={endpoints-host}

```

  get:

    Tags:
      - data
      - get
    Summary: ''

```



```

Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
'200':
  Description: OK
  Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host'
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'

```

```

- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:

Tags:
- data
- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host'
- $ref: '#/parameters/insert'
- $ref: '#/parameters/point'

Responses:
  '201':
    Description: list endpoints created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_patch
produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host'

Responses:
  '204':
    Description: list endpoints updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_delete
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'

Responses:
  '204':
    Reference: '#/responses/204'
security:
- basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_options
produces:
- application/yang-data+json

```

Parameters:

- \$ref: '#/parameters/dbs-name'
- \$ref: '#/parameters/endpoints-host'

Responses:

- '200':
 - Reference: '#/responses/200'
- security:
 - basicAuth: []

/data/taif-mobile-infra: datastore/dbs={dbs-name}/endpoints={endpoints-host}/host**get:****Tags:**

- data
- get

Summary: ''**Description:** ''**Operation ID:**

data_taif_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_get

produces:

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/dbs-name'
- \$ref: '#/parameters/endpoints-host'
- \$ref: '#/parameters/content'
- \$ref: '#/parameters/depth'
- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

- '200':
 - Description: OK
 - Schema:
 - Reference: '#/definitions/data_taif-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host'
- '204':
 - Reference: '#/responses/204'
- '400':
 - Reference: '#/responses/400'
- '401':
 - Reference: '#/responses/401'
- '404':
 - Reference: '#/responses/404'
- '405':
 - Reference: '#/responses/405'
- '409':

```

    Reference: '#/responses/409'
  security:
    - basicAuth: []
  head:

  Tags:
    - data
    - head
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_head
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dbs-name'
    - $ref: '#/parameters/endpoints-host'
    - $ref: '#/parameters/content'
    - $ref: '#/parameters/depth'
    - $ref: '#/parameters/fields'
    - $ref: '#/parameters/filter'
    - $ref: '#/parameters/with-defaults'

  Responses:
    '200':
      Reference: '#/responses/200'
    security:
      - basicAuth: []
  put:

  Tags:
    - data
    - put
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_put
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dbs-name'
    - $ref: '#/parameters/endpoints-host'
    - $ref:
'#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host'

  Responses:
    '201':
      Description: leaf host created or replaced
    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'

```

```

    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  patch:

  Tags:
    - data
    - patch
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_patch
  produces:
    - application/yang-data+json

  Parameters:
    - $ref: '#/parameters/dbs-name'
    - $ref: '#/parameters/endpoints-host'
    - $ref:
'#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host'

  Responses:
    '204':
      Description: leaf host updated
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
  delete:

  Tags:
    - data
    - delete
  Summary: ''
  Description: ''
  Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_delete
  produces:

```

```

- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_host_options
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra: datastore/dbs={dbs-name}/endpoints={endpoints-host}/port

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'

```

```

- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port'

    '204':
      Reference: '#/responses/204'
    '400':
      Reference: '#/responses/400'
    '401':
      Reference: '#/responses/401'
    '404':
      Reference: '#/responses/404'
    '405':
      Reference: '#/responses/405'
    '409':
      Reference: '#/responses/409'
  security:
    - basicAuth: []
head:

Tags:
- data
- head
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_head
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []
put:

Tags:
- data

```



```

- put
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_put
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port'

Responses:
'201':
  Description: leaf port created or replaced
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/dbs-name'
- $ref: '#/parameters/endpoints-host'
- $ref:
'#/parameters/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port'

Responses:
'204':
  Description: leaf port updated
'400':

```

```

        Reference: '#/responses/400'
    '401':
        Reference: '#/responses/401'
    '404':
        Reference: '#/responses/404'
    '405':
        Reference: '#/responses/405'
    '409':
        Reference: '#/responses/409'
    security:
    - basicAuth: []
delete:

    Tags:
    - data
    - delete
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_delete
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/dbs-name'
    - $ref: '#/parameters/endpoints-host'

    Responses:
    '204':
        Reference: '#/responses/204'
    security:
    - basicAuth: []
options:

    Tags:
    - data
    - options
    Summary: ''
    Description: ''
    Operation ID:
data_tailf_mobile_infra_datastore_dbs_dbs_name_endpoints_endpoints_host_port_options
    produces:
    - application/yang-data+json

    Parameters:
    - $ref: '#/parameters/dbs-name'
    - $ref: '#/parameters/endpoints-host'

    Responses:
    '200':
        Reference: '#/responses/200'
    security:
    - basicAuth: []

```

/data/taif-mobile-infra: datastore/notification-ep

get:

Tags:

- data
- get

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_datastore_notification_ep_get**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'
- **\$ref:** '#/parameters/fields'
- **\$ref:** '#/parameters/filter'
- **\$ref:** '#/parameters/with-defaults'

Responses:**'200':****Description:** OK**Schema:****Reference:** '#/definitions/data_tailf-mobile-infra_datastore_notification-ep'**'204':****Reference:** '#/responses/204'**'400':****Reference:** '#/responses/400'**'401':****Reference:** '#/responses/401'**'404':****Reference:** '#/responses/404'**'405':****Reference:** '#/responses/405'**'409':****Reference:** '#/responses/409'**security:**

- **basicAuth:** []

head:

Tags:

- data
- head

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_datastore_notification_ep_head**produces:**

- application/yang-data+json

Parameters:

- **\$ref:** '#/parameters/content'
- **\$ref:** '#/parameters/depth'

- \$ref: '#/parameters/fields'
- \$ref: '#/parameters/filter'
- \$ref: '#/parameters/with-defaults'

Responses:

'200':
 Reference: '#/responses/200'

security:

- basicAuth: []

Method: Post**Tags:**

- data
- post

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_datastore_notification_ep_post**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_datastore_notification-ep-post'

Responses:

'201':
 Description: container notification-ep created

'204':
 Reference: '#/responses/204'

'400':
 Reference: '#/responses/400'

'401':
 Reference: '#/responses/401'

'404':
 Reference: '#/responses/404'

'405':
 Reference: '#/responses/405'

'409':
 Reference: '#/responses/409'

security:

- basicAuth: []

put:**Tags:**

- data
- put

Summary: ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_datastore_notification_ep_put**produces:**

- application/yang-data+json

Parameters:

- \$ref: '#/parameters/data_tailf-mobile-infra_datastore_notification-ep'

```
Responses:
  '201':
    Description: container notification-ep created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_notification_ep_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_datstore_notification-ep'

Responses:
  '204':
    Description: container notification-ep updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
security:
- basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
```

Operation ID: data_tailf_mobile_infra_datastore_notification_ep_delete
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '204':
 Reference: '#/responses/204'
security:
 - **basicAuth:** []

options:

Tags:
 - data
 - options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_notification_ep_options
produces:
 - application/yang-data+json
Parameters: []

Responses:
 '200':
 Reference: '#/responses/200'
security:
 - **basicAuth:** []

/data/taillf-mobile-infra: datastore/notification-ep/host

get:

Tags:
 - data
 - get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_notification_ep_host_get
produces:
 - application/yang-data+json

Parameters:
 - **\$ref:** '#/parameters/content'
 - **\$ref:** '#/parameters/depth'
 - **\$ref:** '#/parameters/fields'
 - **\$ref:** '#/parameters/filter'
 - **\$ref:** '#/parameters/with-defaults'

Responses:
 '200':
 Description: OK
 Schema:
 Reference: '#/definitions/data_tailf-mobile-infra_datastore_notification-ep_host'

```
'204':
  Reference: '#/responses/204'
'400':
  Reference: '#/responses/400'
'401':
  Reference: '#/responses/401'
'404':
  Reference: '#/responses/404'
'405':
  Reference: '#/responses/405'
'409':
  Reference: '#/responses/409'
security:
- basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_notification_ep_host_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_notification_ep_host_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_datastore_notification-ep_host'
  Responses:
  '201':
```

```

    Description: leaf host created or replaced
  '204':
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

  Tags:
  - data
  - patch
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_notification_ep_host_patch
  produces:
  - application/yang-data+json

  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_datastore_notification-ep_host'

  Responses:
  '204':
    Description: leaf host updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

  Tags:
  - data
  - delete
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_notification_ep_host_delete
  produces:

```



```

- application/yang-data+json
Parameters: []

Responses:
  '204':
    Reference: '#/responses/204'
  security:
    - basicAuth: []
options:

Tags:
- data
- options
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_notification_ep_host_options
produces:
- application/yang-data+json
Parameters: []

Responses:
  '200':
    Reference: '#/responses/200'
  security:
    - basicAuth: []

```

/data/taif-mobile-infra: datastore/notification-ep/port

```

get:

Tags:
- data
- get
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datastore_notification_ep_port_get
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/content'
- $ref: '#/parameters/depth'
- $ref: '#/parameters/fields'
- $ref: '#/parameters/filter'
- $ref: '#/parameters/with-defaults'

Responses:
  '200':
    Description: OK
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_datastore_notification-ep_port'
  '204':

```

```

    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
head:
  Tags:
  - data
  - head
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_notification_ep_port_head
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/content'
  - $ref: '#/parameters/depth'
  - $ref: '#/parameters/fields'
  - $ref: '#/parameters/filter'
  - $ref: '#/parameters/with-defaults'
  Responses:
  '200':
    Reference: '#/responses/200'
  security:
  - basicAuth: []
put:
  Tags:
  - data
  - put
  Summary: ''
  Description: ''
  Operation ID: data_tailf_mobile_infra_datastore_notification_ep_port_put
  produces:
  - application/yang-data+json
  Parameters:
  - $ref: '#/parameters/data_tailf-mobile-infra_datastore_notification-ep_port'
  Responses:
  '201':
    Description: leaf port created or replaced
  '204':

```

```
    Reference: '#/responses/204'
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
patch:

Tags:
- data
- patch
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_notification_ep_port_patch
produces:
- application/yang-data+json

Parameters:
- $ref: '#/parameters/data_tailf-mobile-infra_datstore_notification-ep_port'

Responses:
  '204':
    Description: leaf port updated
  '400':
    Reference: '#/responses/400'
  '401':
    Reference: '#/responses/401'
  '404':
    Reference: '#/responses/404'
  '405':
    Reference: '#/responses/405'
  '409':
    Reference: '#/responses/409'
  security:
  - basicAuth: []
delete:

Tags:
- data
- delete
Summary: ''
Description: ''
Operation ID: data_tailf_mobile_infra_datstore_notification_ep_port_delete
produces:
- application/yang-data+json
Parameters: []
```

Responses:**'204':****Reference:** '#/responses/204'**security:****- basicAuth:** []**options:****Tags:**- data
- options**Summary:** ''**Description:** ''**Operation ID:** data_tailf_mobile_infra_datastore_notification_ep_port_options**produces:**

- application/yang-data+json

Parameters: []**Responses:****'200':****Reference:** '#/responses/200'**security:****- basicAuth:** []**Parameters:****Content:****name:** content**In:** query**Description:** controlling descendant nodes in response**Required/Optional:** false**Type:** string**Format:** enumeration**Default:** config**enum:**- config
- nonconfig
- all**depth:****name:** depth**In:** query**Description:** limit the depth of nodes in response**Required/Optional:** false**Type:** integer**Format:** uint16**fields:****name:** fields**In:** query**Description:** optionally identify specific data nodes in response**Required/Optional:** false**Type:** string**Format:** string**filter:****name:** filter**In:** query

Description: xpath expression to filter data nodes in response
Required/Optional: false
Type: string
Format: string

with-defaults:
name: with-defaults
In: query
Description: controlling default values in response
Required/Optional: false
Type: string
Format: enumeration
Default: report-all
enum:
- report-all
- trim
- explicit
- report-all-tagged

insert:
name: insert
In: query
Description: controlling the order when adding new list elements
Required/Optional: false
Type: string
Format: enumeration
Default: first
enum:
- first
- last
- before
- after

point:
name: point
In: query
Description: used to specify the insertion point
Required/Optional: false
Type: string
Format: string

affinity-podInstance:
name: affinity-podInstance
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

all-address:
name: all-address
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

all-endpoint:
name: all-endpoint

```
In: path
Description: ''
Required/Optional: true
Type: string
Format: string
all-grInstance:
  name: all-grInstance
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
all-localAddress:
  name: all-localAddress
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
all-name:
  name: all-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
all-peerAddress:
  name: all-peerAddress
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
all-podInstance:
  name: all-podInstance
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
all-remoteAddress:
  name: all-remoteAddress
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
bgplist-bgp:
  name: bgplist-bgp
  In: path
  Description: ''
```

```
    Required/Optional: true
    Type: integer
    Format: uint32
bondingInterfaces-bondingInterface:
  name: bondingInterfaces-bondingInterface
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
category-name:
  name: category-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: identityref
codes-id:
  name: codes-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
commit-pending-grInstance:
  name: commit-pending-grInstance
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
commit-pending-podInstance:
  name: commit-pending-podInstance
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
data-post:
  name: data
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data-post'
data-put-patch:
  name: data
  In: body
  Description: ''
  Required/Optional: true
  Schema:
```

```

    Reference: '#/definitions/data-put-patch'
data_tailf-mobile-infra_client:
  name: client
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client'
data_tailf-mobile-infra_client-post:
  name: client
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client-post'
data_tailf-mobile-infra_client_http:
  name: http
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_http'
data_tailf-mobile-infra_client_http-post:
  name: http
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_http-post'
data_tailf-mobile-infra_client_http_header:
  name: header
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_http_header'
data_tailf-mobile-infra_client_http_header-post:
  name: header
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_http_header-post'
data_tailf-mobile-infra_client_http_header_user-agent:
  name: user-agent
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_http_header_user-agent'
data_tailf-mobile-infra_client_http_ping:

```



```

    name: ping
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_http_ping'
data_tailf-mobile-infra_client_http_ping-post:
    name: ping
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_http_ping-post'
data_tailf-mobile-infra_client_http_ping_interval:
    name: interval
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_http_ping_interval'
data_tailf-mobile-infra_client_http_ping_timeout:
    name: timeout
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_http_ping_timeout'
data_tailf-mobile-infra_client_inbound:
    name: inbound
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_inbound'
data_tailf-mobile-infra_client_inbound-post:
    name: inbound
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_inbound-post'
data_tailf-mobile-infra_client_inbound_interface_interface-interface:
    name: interface
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface'
data_tailf-mobile-infra_client_inbound_interface_interface-interface_interface:
    name: interface

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_interface'
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit:

  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit'
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit-post:

    name: limit
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit-post'
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload:

      name: overload
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload'
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload-post:

        name: overload
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload-post'
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload_reject-code:

          name: reject-code
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload_reject-code'
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending:

            name: pending

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending'
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending-post:

  name: pending
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending-post'
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending_request:

  name: request
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending_request'
data_tailf-mobile-infra_client_inbound_limit:
  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_inbound_limit'
data_tailf-mobile-infra_client_inbound_limit-post:
  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_inbound_limit-post'
data_tailf-mobile-infra_client_inbound_limit_overload:
  name: overload
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_inbound_limit_overload'
data_tailf-mobile-infra_client_inbound_limit_overload-post:
  name: overload
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_inbound_limit_overload-post'

```

```

data_tailf-mobile-infra_client_inbound_limit_overload_reject-code:
  name: reject-code
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_client_inbound_limit_overload_reject-code'
data_tailf-mobile-infra_client_inbound_limit_pending:
  name: pending
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_inbound_limit_pending'
data_tailf-mobile-infra_client_inbound_limit_pending-post:
  name: pending
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_inbound_limit_pending-post'
data_tailf-mobile-infra_client_inbound_limit_pending_request:
  name: request
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_inbound_limit_pending_request'
data_tailf-mobile-infra_client_outbound:
  name: outbound
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_outbound'
data_tailf-mobile-infra_client_outbound-post:
  name: outbound
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_outbound-post'
data_tailf-mobile-infra_client_outbound_host:
  name: host
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_host'
data_tailf-mobile-infra_client_outbound_host-post:
  name: host

```

```

    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_host-post'
data_tailf-mobile-infra_client_outbound_host_ping:
  name: ping
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_host_ping'
data_tailf-mobile-infra_client_outbound_host_ping-post:
  name: ping
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_host_ping-post'
data_tailf-mobile-infra_client_outbound_host_ping_backoff:
  name: backoff
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_host_ping_backoff'
data_tailf-mobile-infra_client_outbound_host_ping_interval:
  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_host_ping_interval'
data_tailf-mobile-infra_client_outbound_host_ping_timeout:
  name: timeout
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_host_ping_timeout'
data_tailf-mobile-infra_client_outbound_interface_interface-interface:
  name: interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host:

  name: host
  In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host-post:

  name: host
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host-post'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping:

  name: ping
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping-post:

  name: ping
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping-post'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_backoff:

  name: backoff
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_backoff'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_interval:

  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_interval'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_timeout:

  name: timeout
  In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_timeout'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface:

  name: interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface_limit'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface_limit:

  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface_limit'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface_limit-post:

  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface_limit-post'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface_limit_consecutive:

  name: consecutive
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface_limit_consecutive'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface_limit_consecutive-post:

  name: consecutive
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface_limit_consecutive-post'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface_limit_consecutive_failure:

  name: failure
  In: body
```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure-post:

  name: failure
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure-post'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_codes_codes-id:

    name: codes
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_codes_codes-id'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count:

      name: count
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending:

        name: pending
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending-post:

          name: pending
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending-post'
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending_response:

            name: response
            In: body

```



```

    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending_response'
  data_tailf-mobile-infra_client_outbound_limit:
    name: limit
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_limit'
  data_tailf-mobile-infra_client_outbound_limit-post:
    name: limit
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_limit-post'
  data_tailf-mobile-infra_client_outbound_limit_consecutive:
    name: consecutive
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive'
  data_tailf-mobile-infra_client_outbound_limit_consecutive-post:
    name: consecutive
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive-post'
  data_tailf-mobile-infra_client_outbound_limit_consecutive_failure:
    name: failure
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure'
  data_tailf-mobile-infra_client_outbound_limit_consecutive_failure-post:
    name: failure
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure-post'
  data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id:

```

```

name: codes
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id'
data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_count:
name: count
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_count'
data_tailf-mobile-infra_client_outbound_limit_pending:
name: pending
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_limit_pending'
data_tailf-mobile-infra_client_outbound_limit_pending-post:
name: pending
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_client_outbound_limit_pending-post'
data_tailf-mobile-infra_client_outbound_limit_pending_response:
name: response
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_client_outbound_limit_pending_response'
data_tailf-mobile-infra_config-error:
name: config-error
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_config-error'
data_tailf-mobile-infra_config-error-post:
name: config-error
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_config-error-post'
data_tailf-mobile-infra_datastore:

```

```

    name: datastore
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_datastore'
data_tailf-mobile-infra_datastore-post:
    name: datastore
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_datastore-post'
data_tailf-mobile-infra_datastore_dbs_dbs-name:
    name: dbs
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name'
data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host:
    name: endpoints
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host'
data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host:
    name: host
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host'
data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port:
    name: port
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port'
data_tailf-mobile-infra_datastore_dbs_dbs-name_name:
    name: name
    In: body
    Description: ''
    Required/Optional: true
    Schema:

```

```

    Reference: '#/definitions/data_tailf-mobile-infra_datastore_dbs_dbs-name_name'
data_tailf-mobile-infra_datastore_notification-ep:
  name: notification-ep
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_datastore_notification-ep'
data_tailf-mobile-infra_datastore_notification-ep-post:
  name: notification-ep
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_datastore_notification-ep-post'
data_tailf-mobile-infra_datastore_notification-ep_host:
  name: host
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_datastore_notification-ep_host'
data_tailf-mobile-infra_datastore_notification-ep_port:
  name: port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_datastore_notification-ep_port'
data_tailf-mobile-infra_datastore_session-db:
  name: session-db
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_datastore_session-db'
data_tailf-mobile-infra_datastore_session-db-post:
  name: session-db
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_datastore_session-db-post'
data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host:
  name: endpoints
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host'
data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_host:

```

```

name: host
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_host'
data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_port:

name: port
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_port'
data_tailf-mobile-infra_deployment:
name: deployment
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_deployment'
data_tailf-mobile-infra_deployment-post:
name: deployment
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_deployment-post'
data_tailf-mobile-infra_deployment_app-name:
name: app-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_deployment_app-name'
data_tailf-mobile-infra_deployment_cluster-name:
name: cluster-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_deployment_cluster-name'
data_tailf-mobile-infra_deployment_dc-name:
name: dc-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_deployment_dc-name'

```

```

data_taulf-mobile-infra_deployment_logical-nf-instance-id:
  name: logical-nf-instance-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_deployment_logical-nf-instance-id'
data_taulf-mobile-infra_deployment_model:
  name: model
  In: body
  Description: Deployment Model default large
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_deployment_model'
data_taulf-mobile-infra_deployment_resource:
  name: resource
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_deployment_resource'
data_taulf-mobile-infra_deployment_resource-post:
  name: resource
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_deployment_resource-post'
data_taulf-mobile-infra_deployment_resource_cpu:
  name: cpu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_deployment_resource_cpu'
data_taulf-mobile-infra_diagnostics:
  name: diagnostics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_diagnostics'
data_taulf-mobile-infra_diagnostics-post:
  name: diagnostics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_diagnostics-post'
data_taulf-mobile-infra_dump:
  name: dump

```

```
In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_dump'
data_tailf-mobile-infra_dump-post:
  name: dump
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_dump-post'
data_tailf-mobile-infra_edr:
  name: edr
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr'
data_tailf-mobile-infra_edr-post:
  name: edr
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr-post'
data_tailf-mobile-infra_edr_all:
  name: all
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr_all'
data_tailf-mobile-infra_edr_all-post:
  name: all
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr_all-post'
data_tailf-mobile-infra_edr_all_subscribers:
  name: subscribers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_edr_all_subscribers'
data_tailf-mobile-infra_edr_edrsubscribers:
  name: edrsubscribers
  In: body
  Description: ''
```

```

    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_taulf-mobile-infra_edr_edrsubscribers'
data_taulf-mobile-infra_edr_edrsubscribers-post:
  name: edrsubscribers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_edrsubscribers-post'
data_taulf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id:
  name: subscribers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taulf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id'
data_taulf-mobile-infra_edr_file:
  name: file
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file'
data_taulf-mobile-infra_edr_file-post:
  name: file
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file-post'
data_taulf-mobile-infra_edr_file_files_files-name:
  name: files
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name'
data_taulf-mobile-infra_edr_file_files_files-name_flush:
  name: flush
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_flush'
data_taulf-mobile-infra_edr_file_files_files-name_flush-post:
  name: flush
  In: body
  Description: ''
  Required/Optional: true
  Schema:

```


Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_flush-post'

data_taulf-mobile-infra_edr_file_files_files-name_flush_interval:

- name:** interval
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

Reference:

'#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_flush_interval'

data_taulf-mobile-infra_edr_file_files_files-name_limit:

- name:** limit
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_limit'

data_taulf-mobile-infra_edr_file_files_files-name_limit-post:

- name:** limit
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_limit-post'

data_taulf-mobile-infra_edr_file_files_files-name_limit_count:

- name:** count
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_limit_count'

data_taulf-mobile-infra_edr_file_files_files-name_limit_size:

- name:** size
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_limit_size'

data_taulf-mobile-infra_edr_file_files_files-name_name:

- name:** name
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_name'

data_taulf-mobile-infra_edr_file_files_files-name_procedure:

- name:** procedure
- In:** body
- Description:** ''
- Required/Optional:** true
- Schema:**

Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_procedure'

data_taulf-mobile-infra_edr_file_files_files-name_procedure-post:

```

    name: procedure
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure-post'
data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure:

    name: enable-event-id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure'
data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner:

    name: enable-inner
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner'
data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner-post:

    name: enable-inner
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner-post'
data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event:

    name: event
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event'
?
data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event-post
: name: event
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
'#/definitions/data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event-post'
?
data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event

```

```

: name: enable-field-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taill-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-inr_event_enable-field-id_enable-field-id-event'
      ?
data_taill-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-inr_event_enable-field-id_enable-field-id-event_enable
: name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taill-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-inr_event_enable-field-id_enable-field-id-event_enable'
      ?
data_taill-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-inr_event_enable-field-id_enable-field-id-event_enablepost
: name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taill-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-inr_event_enable-field-id_enable-field-id-event_enablepost'
      ?
data_taill-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-inr_event_enable-field-id_enable-field-id-event_enable_field-field-id
: name: field
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taill-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-inr_event_enable-field-id_enable-field-id-event_enable_field-field-id'
      ?
data_taill-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-inr_event_enable-field-id_enable-field-id-event_event
: name: event
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taill-mobile-infra_edr_file_files_files-rate_procedure_enable-event-id_enable-event-id-procedure_enable-inr_event_enable-field-id_enable-field-id-event_event'
      ?
data_taill-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_procedure
  name: procedure
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_taill-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_procedure'
data_taill-mobile-infra_edr_file_files_files-name_rate:
  name: rate

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_rate'
data_taulf-mobile-infra_edr_file_files_files-name_reporting:
  name: reporting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_reporting'
data_taulf-mobile-infra_edr_file_files_files-name_verbose:
  name: verbose
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_file_files_files-name_verbose'
data_taulf-mobile-infra_edr_reporting:
  name: reporting
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_edr_reporting'
data_taulf-mobile-infra_endpoint:
  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_endpoint'
data_taulf-mobile-infra_endpoint-post:
  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_endpoint-post'
data_taulf-mobile-infra_geomonitor:
  name: geomonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_geomonitor'
data_taulf-mobile-infra_geomonitor-post:
  name: geomonitor
  In: body
  Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_geomonitor-post'
  data_tailf-mobile-infra_geomonitor_podmonitor:
    name: podmonitor
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor'
  data_tailf-mobile-infra_geomonitor_podmonitor-post:
    name: podmonitor
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor-post'
  data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name:
    name: pods
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name'
  data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent:
    name: failedReplicaPercent
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent'
  data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_name:
    name: name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_name'
  data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryCount:
    name: retryCount
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryCount'
  data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryFailOverInterval:
    name: retryFailOverInterval

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryFailOverInterval'
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryInterval:
  name: retryInterval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryInterval'
data_tailf-mobile-infra_geomonitor_remoteclustermonitor:
  name: remotecclustermonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_remoteclustermonitor'
data_tailf-mobile-infra_geomonitor_remoteclustermonitor-post:
  name: remotecclustermonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_remoteclustermonitor-post'
data_tailf-mobile-infra_geomonitor_remoteclustermonitor_retryCount:
  name: retryCount
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_geomonitor_remoteclustermonitor_retryCount'
data_tailf-mobile-infra_geomonitor_remoteclustermonitor_retryInterval:
  name: retryInterval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_geomonitor_remoteclustermonitor_retryInterval'
data_tailf-mobile-infra_geomonitor_trafficMonitor:
  name: trafficMonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor'

```

```
data_tailf-mobile-infra_geomonitor_trafficMonitor-post:
  name: trafficMonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor-post'
data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdCount:
  name: thresholdCount
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdCount'
data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval:
  name: thresholdInterval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval'
data_tailf-mobile-infra_geomonitor_vipmonitor:
  name: vipmonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor'
data_tailf-mobile-infra_geomonitor_vipmonitor-post:
  name: vipmonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor-post'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id:
  name: instance
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_instance-id:
  name: instance-id
  In: body
  Description: ''
  Required/Optional: true
```

Schema:**Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_instance-id'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface:
```

name: vips**In:** body**Description:** ''**Required/Optional:** true**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryCount:
```

name: retryCount**In:** body**Description:** ''**Required/Optional:** true**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryCount'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryFailOverInterval:
```

name: retryFailOverInterval**In:** body**Description:** ''**Required/Optional:** true**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryFailOverInterval'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryInterval:
```

name: retryInterval**In:** body**Description:** ''**Required/Optional:** true**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_retryInterval'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipInterface:
```

name: vipInterface**In:** body**Description:** ''**Required/Optional:** true**Schema:****Reference:**

```
'#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipInterface'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-instance-id_vips_vips-vipInterface_vipIp:
```

name: vipIp**In:** body**Description:** ''**Required/Optional:** true


```

Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipIp'
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipPort:
  name: vipPort
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipPort'
data_tailf-mobile-infra_infra:
  name: infra
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra'
data_tailf-mobile-infra_infra-post:
  name: infra
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra-post'
data_tailf-mobile-infra_infra_metrics:
  name: metrics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_metrics'
data_tailf-mobile-infra_infra_metrics-post:
  name: metrics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_metrics-post'
data_tailf-mobile-infra_infra_metrics_experimental:
  name: experimental
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_metrics_experimental'
data_tailf-mobile-infra_infra_metrics_experimental-post:
  name: experimental
  In: body
  Description: ''
  Required/Optional: true

```

```

Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_infra_metrics_experimental-post'
data_tailf-mobile-infra_infra_metrics_experimental_version:
  name: version
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_metrics_experimental_version'
data_tailf-mobile-infra_infra_metrics_verbose:
  name: verbose
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose'
data_tailf-mobile-infra_infra_metrics_verbose-post:
  name: verbose
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose-post'
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType:
  name: verboseLevels
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType'
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_level:
  name: level
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_level'
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics:
  name: metrics
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics'
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics-post:
  name: metrics

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics-post'
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name:

  name: metricsList
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name'
    ?
    data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_granular-labels_granular-labels-id
  : name: granular-labels
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_granular-labels_granular-labels-id'
      ?
      data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level
    : name: level
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level'
        ?
        data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_name
      : name: name
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_name'
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType:

  name: podType
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType'
data_tailf-mobile-infra_infra_transaction:
  name: transaction
  In: body

```

```

    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction'
data_tailf-mobile-infra_infra_transaction-post:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction-post'
data_tailf-mobile-infra_infra_transaction_limit:
  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_limit'
data_tailf-mobile-infra_infra_transaction_limit-post:
  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_limit-post'
data_tailf-mobile-infra_infra_transaction_limit_consecutive:
  name: consecutive
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_consecutive'
data_tailf-mobile-infra_infra_transaction_limit_consecutive-post:
  name: consecutive
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_consecutive-post'
data_tailf-mobile-infra_infra_transaction_limit_consecutive_same:
  name: same
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same'
data_tailf-mobile-infra_infra_transaction_limit_consecutive_same-post:
  name: same
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same-post'
data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage:
  name: stage
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage'
data_tailf-mobile-infra_infra_transaction_limit_stage:
  name: stage
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_limit_stage'
data_tailf-mobile-infra_infra_transaction_loop:
  name: loop
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_loop'
data_tailf-mobile-infra_infra_transaction_loop-post:
  name: loop
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_loop-post'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name:
  name: category
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_name'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold:
  name: threshold

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold-post:

  name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold-post'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_interval:

  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_interval'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name:

  name: thresholds
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_action:

  name: action
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_action'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_count:

  name: count
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_count'
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_name:

  name: name

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_name'
data_tailf-mobile-infra_infra_transaction_loop_detection:
  name: detection
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_infra_transaction_loop_detection'
data_tailf-mobile-infra_instance:
  name: instance
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_instance'
data_tailf-mobile-infra_instance-post:
  name: instance
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_instance-post'
data_tailf-mobile-infra_instance_instance-id_instance-id-id:
  name: instance-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint:
  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint-post:
  name: endpoint
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint-post'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype:

```

```

name: ep
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_certificate-name:

name: certificate-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_certificate-name'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_eptype:

name: eptype
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_eptype'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_instancetype:

name: instancetype
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_instancetype'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type:

name: interface
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_certificate-name
: name: certificate-name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_certificate-name'
?

```



```

data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher
: name: dispatcher
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher'
    ?
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher-post
: name: dispatcher
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher-post'
    ?
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_cache
: name: cache
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_cache'
    ?
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_capacity
: name: capacity
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_capacity'
    ?
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_count
: name: count
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_count'
    ?
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_expiry
: name: expiry
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_expiry'
    ?
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-gap_flowctrl-gap-rate

```

```

: name: flowctrl-group
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate_capacity
: name: capacity
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate_capacity'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate_rate
: name: name
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate_rate'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate_rate-limit
: name: rate-limit
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate_rate-limit'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate_rate-limit
: name: nonresponsive
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate_rate-limit'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate_rate-limit
: name: outbound
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate_rate-limit'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group/rate_rate-limit
: name: rate-limit

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_rate-limit'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_threshold
  : name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_threshold'
    ?
    data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_instancetype
    : name: instancetype
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_instancetype'
      ?
      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_interface-type
      : name: interface-type
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_interface-type'
        ?
        data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal
        : name: internal
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal'
          ?
          data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal-post
          : name: internal
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal-post'
            ?
            data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port
            : name: base-port
            In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port-post
  : name: base-port
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port-post'
      ?
      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port_start
      : name: start
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal_base-port_start'
          ?
          data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_loopbackEth
          : name: loopbackEth
            In: body
            Description: ''
            Required/Optional: true
            Schema:
              Reference:
              '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_loopbackEth'
              ?
              data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_loopbackPort
              : name: loopbackPort
                In: body
                Description: ''
                Required/Optional: true
                Schema:
                  Reference:
                  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_loopbackPort'
                  ?
                  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla
                  : name: sla
                    In: body
                    Description: ''
                    Required/Optional: true
                    Schema:
                      Reference:
                      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla'
                      ?
                      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla-post
                      : name: sla
                        In: body
                        Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla-post'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_procedure
  : name: procedure
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_procedure'
      ?
      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_response
      : name: response
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_response'
          ?
          data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_uri-scheme
          : name: uri-scheme
            In: body
            Description: ''
            Required/Optional: true
            Schema:
              Reference:
              '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_uri-scheme'
              ?
              data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6
              : name: vip6
                In: body
                Description: ''
                Required/Optional: true
                Schema:
                  Reference:
                  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6'
                  ?
                  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_offline
                  : name: offline
                    In: body
                    Description: ''
                    Required/Optional: true
                    Schema:
                      Reference:
                      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_offline'
                      ?
                      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6
                      : name: vip-ip6
                        In: body
                        Description: ''
                        Required/Optional: true

```

Schema:**Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6-port
: name: vip-ipv6-port
```

In: body

Description: ''

Required/Optional: true

Schema:**Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6-port'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf
: name: vrf
```

In: body

Description: ''

Required/Optional: true

Schema:**Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf
: name: vip
```

In: body

Description: ''

Required/Optional: true

Schema:**Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf
: name: offline
```

In: body

Description: ''

Required/Optional: true

Schema:**Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf
: name: vip-interface
```

In: body

Description: ''

Required/Optional: true

Schema:**Reference:**

```
'#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf'
?
```

```
data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf
: name: vip-ip
```

In: body

Description: ''

Required/Optional: true

Schema:

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-ip'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-port
```

```
: name: vip-port
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vip-port'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vrf
```

```
: name: vrf
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip_vip-vip-ip_vrf'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vrf
```

```
name: vrf
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vrf'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackEth:
```

```
name: loopbackEth
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackEth'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackPort:
```

```
name: loopbackPort
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackPort'
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes:
```

```
name: nodes
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_replicas:
```

```
name: replicas
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_replicas'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name:
```

```
name: service
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name'
?
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type
: name: interface
```

```
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type'
?
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_certificate-name
: name: certificate-name
```

```
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_certificate-name'
?
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_dispatcher
: name: dispatcher
```

```
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:

```
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_dispatcher'
?
```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_dispatcher-post
: name: dispatcher
```

```
In: body
Description: ''
Required/Optional: true
Schema:
```

Reference:


```

#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher-post'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_cache
: name: cache
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_cache'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_capacity
: name: capacity
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_capacity'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_count
: name: count
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_count'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_expiry
: name: expiry
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_expiry'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate
: name: flowctrl-group
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_capacity
: name: capacity
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_capacity'
?

```

```

?
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-gop_flowctrl-gop-prae-rae
: name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      #/definitions/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-gop_flowctrl-gop-prae-rae/
      ?
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-gop_flowctrl-gop-prae-rate-limit
: name: rate-limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      #/definitions/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_flowctrl-gop_flowctrl-gop-prae-rate-limit/
      ?
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_nonresponsive
: name: nonresponsive
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      #/definitions/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_nonresponsive/
      ?
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_outbound
: name: outbound
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      #/definitions/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_outbound/
      ?
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_rate-limit
: name: rate-limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      #/definitions/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_rate-limit/
      ?
data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_threshold
: name: threshold
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      #/definitions/data_tailf_mobile_infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_dispatcher_threshold/
      ?

```

```

data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_instancetype
: name: instancetype
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_instancetype'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_interface-type
: name: interface-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_interface-type'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal
: name: internal
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal-post
: name: internal
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal-post'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal_base-port
: name: base-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal_base-port'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal_base-port-post
: name: base-port
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal_base-port-post'
    ?
data taill-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_internal_base-port_start

```

```

: name: start
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_interface_baseport_start'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_loopbackEth
: name: loopbackEth
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_loopbackEth'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_loopbackPort
: name: loopbackPort
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_loopbackPort'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla
: name: sla
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla-post
: name: sla
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla-post'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla_procedure
: name: procedure
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla_procedure'
      ?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type_sla_response
: name: response

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_sla_response'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_uri-scheme
  : name: uri-scheme
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_uri-scheme'
    ?
    data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6
    : name: vip6
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6'
      ?
      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_offline
      : name: offline
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_offline'
        ?
        data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6
        : name: vip-ip6
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6'
          ?
          data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6-port
          : name: vip-ip6-port
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6-port'
            ?
            data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-name_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf
            : name: vrf
            In: body

```

Description: ''

Required/Optional: true

Schema:

Reference:

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip6/vip-ip6/vrf?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip
```

: name: vip

In: body

Description: ''

Required/Optional: true

Schema:

Reference:

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/offline?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/offline
```

: name: offline

In: body

Description: ''

Required/Optional: true

Schema:

Reference:

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/offline?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-interface
```

: name: vip-interface

In: body

Description: ''

Required/Optional: true

Schema:

Reference:

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-interface?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-ip
```

: name: vip-ip

In: body

Description: ''

Required/Optional: true

Schema:

Reference:

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-ip/port?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-port
```

: name: vip-port

In: body

Description: ''

Required/Optional: true

Schema:

Reference:

```
#!/definitions/data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vip-port/vrf?
```

```
data/tailf-mobile-infra/instance/instance-id/instance-id/id/endpoint/ep/ep-etype/service/service-service-rate/interface/interface-interface-type/vip/vip/vip-ip/vrf
```

: name: vrf

In: body

Description: ''

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_vip_vip-vip-ip_vrf'
  ?
  data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_vrf
  : name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_interface_interface-interface-type_vrf'
    ?
    data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_service-name
    : name: service-name
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name_service-name'
      data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level:

      name: system-health-level
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level'
        data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level-post:

        name: system-health-level
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level-post'
          data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash:

          name: crash
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash'
            data_taillf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash-post:

            name: crash
            In: body
            Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash-post'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent:

  name: cpu-percent
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_memory-in-mbs:

  name: memory-in-mbs
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_memory-in-mbs'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_num-of-goroutine
: name: num-of-goroutine
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_num-of-goroutine'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical:

  name: critical
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical-post:

  name: critical
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical-post'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_cpu-percent:

  name: cpu-percent
  In: body
  Description: ''

```



```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_cpu-percent'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_memory-in-mbs
  : name: memory-in-mbs
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_memory-in-mbs'
      ?
      data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_num-of-goroutine
      : name: num-of-goroutine
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_num-of-goroutine'
          data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn:

          name: warn
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn'
            data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn-post:

            name: warn
            In: body
            Description: ''
            Required/Optional: true
            Schema:
              Reference:
              '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn-post'
              data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent:

              name: cpu-percent
              In: body
              Description: ''
              Required/Optional: true
              Schema:
                Reference:
                '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent'
                data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_memory-in-mbs:

                name: memory-in-mbs
                In: body
                Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_wam_memory-in-rits'
  ?
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_wam_num-of-goroutine
  : name: num-of-goroutine
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_wam_num-of-goroutine'
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_uri-scheme:

  name: uri-scheme
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_uri-scheme'
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6:

  name: vip6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6'
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_offline:

  name: offline
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_offline'
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6:

  name: vip-ipv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6'
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6-port:

  name: vip-ipv6-port
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6-port'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vrf:

  name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vrf'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip:

    name: vip
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_offline:

      name: offline
      In: body
      Description: ''
      Required/Optional: true
      Schema:
        Reference:
        '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_offline'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-interface:

        name: vip-interface
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-interface'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-ip:

          name: vip-ip
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-ip'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-port:

            name: vip-port
            In: body
            Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-port'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vrf:

  name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vrf'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_id:
  name: id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instance_instance-id_instance-id-id_id'
data_tailf-mobile-infra_instances:
  name: instances
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_instances'
data_tailf-mobile-infra_instances-post:
  name: instances
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_instances-post'
data_tailf-mobile-infra_instances_instance_instance-id:
  name: instance
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id'
data_tailf-mobile-infra_instances_instance_instance-id_cluster-id:

  name: cluster-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_cluster-id'
data_tailf-mobile-infra_instances_instance_instance-id_instance-id:

```

```

name: instance-id
In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_instance-id'
data_tailf-mobile-infra_instances_instance_instance-id_slice-name:

  name: slice-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_slice-name'
data_tailf-mobile-infra_instances_instance_instance-id_system-id:

  name: system-id
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_instances_instance_instance-id_system-id'
data_tailf-mobile-infra_k8:
  name: k8
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_k8'
data_tailf-mobile-infra_k8-post:
  name: k8
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_k8-post'
data_tailf-mobile-infra_k8_label:
  name: label
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_k8_label'
data_tailf-mobile-infra_k8_label-post:
  name: label
  In: body
  Description: ''
  Required/Optional: true
  Schema:

```

```

Reference: '#/definitions/data_tailf-mobile-infra_k8_label-post'
data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value:
  name: pod-group-config
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value'
    ?
    data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_key
    : name: key
      In: body
      Description: Key for the label
      Required/Optional: true
      Schema:
        Reference:
          '#/definitions/data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_key'
        ?
        data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_pod-group
        : name: pod-group
          In: body
          Description: Group for the VMs
          Required/Optional: true
          Schema:
            Reference:
              '#/definitions/data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_pod-group'
            ?
            data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_value
            : name: value
              In: body
              Description: Value for the label
              Required/Optional: true
              Schema:
                Reference:
                  '#/definitions/data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value_value'
                ?
                data_tailf-mobile-infra_local-instance:
                  name: local-instance
                  In: body
                  Description: ''
                  Required/Optional: true
                  Schema:
                    Reference: '#/definitions/data_tailf-mobile-infra_local-instance'
                    ?
                    data_tailf-mobile-infra_local-instance-post:
                      name: local-instance
                      In: body
                      Description: ''
                      Required/Optional: true
                      Schema:
                        Reference: '#/definitions/data_tailf-mobile-infra_local-instance-post'
                        ?
                        data_tailf-mobile-infra_local-instance_instance:
                          name: instance
                          In: body

```

```

  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_local-instance_instance'
data_tailf-mobile-infra_logging:
  name: logging
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging'
data_tailf-mobile-infra_logging-post:
  name: logging
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging-post'
data_tailf-mobile-infra_logging_async:
  name: async
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async'
data_tailf-mobile-infra_logging_async-post:
  name: async
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async-post'
data_tailf-mobile-infra_logging_async_application:
  name: application
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_application'
data_tailf-mobile-infra_logging_async_application-post:
  name: application
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_application-post'
data_tailf-mobile-infra_logging_async_application_disable:
  name: disable
  In: body
  Description: ''
  Required/Optional: true
```

```

Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_logging_async_application_disable'
data_tailf-mobile-infra_logging_async_application_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_application_enable'
data_tailf-mobile-infra_logging_async_application_enable-post:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_application_enable-post'
data_tailf-mobile-infra_logging_async_application_enable_buffer-size:
  name: buffer-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_logging_async_application_enable_buffer-size'
data_tailf-mobile-infra_logging_async_monitor-subscriber:
  name: monitor-subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber'
data_tailf-mobile-infra_logging_async_monitor-subscriber-post:
  name: monitor-subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber-post'
data_tailf-mobile-infra_logging_async_monitor-subscriber_disable:
  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_disable'
data_tailf-mobile-infra_logging_async_monitor-subscriber_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:

```



```

Reference:
'#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable'
data_tailf-mobile-infra_logging_async_monitor-subscriber_enable-post:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable-post'
data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size:

  name: buffer-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
'#/definitions/data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size'
data_tailf-mobile-infra_logging_async_tracing:
  name: tracing
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing'
data_tailf-mobile-infra_logging_async_tracing-post:
  name: tracing
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing-post'
data_tailf-mobile-infra_logging_async_tracing_disable:
  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing_disable'
data_tailf-mobile-infra_logging_async_tracing_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing_enable'
data_tailf-mobile-infra_logging_async_tracing_enable-post:
  name: enable
  In: body
  Description: ''
  Required/Optional: true

```

```

Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_logging_async_tracing_enable-post'
data_tailf-mobile-infra_logging_async_tracing_enable_buffer-size:
  name: buffer-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_logging_async_tracing_enable_buffer-size'
data_tailf-mobile-infra_logging_async_transaction:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_transaction'
data_tailf-mobile-infra_logging_async_transaction-post:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_transaction-post'
data_tailf-mobile-infra_logging_async_transaction_disable:
  name: disable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_transaction_disable'
data_tailf-mobile-infra_logging_async_transaction_enable:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_transaction_enable'
data_tailf-mobile-infra_logging_async_transaction_enable-post:
  name: enable
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_async_transaction_enable-post'
data_tailf-mobile-infra_logging_async_transaction_enable_buffer-size:
  name: buffer-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:

```

```
'#/definitions/data_tailf-mobile-infra_logging_async_transaction_enable_buffer-size'  
data_tailf-mobile-infra_logging_error:  
  name: error  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_error'  
data_tailf-mobile-infra_logging_error-post:  
  name: error  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_error-post'  
data_tailf-mobile-infra_logging_error_stack:  
  name: stack  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_error_stack'  
data_tailf-mobile-infra_logging_level:  
  name: level  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_level'  
data_tailf-mobile-infra_logging_level-post:  
  name: level  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_level-post'  
data_tailf-mobile-infra_logging_level_application:  
  name: application  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_level_application'  
data_tailf-mobile-infra_logging_level_monitor-subscriber:  
  name: monitor-subscriber  
  In: body  
  Description: ''  
  Required/Optional: true  
  Schema:  
    Reference: '#/definitions/data_tailf-mobile-infra_logging_level_monitor-subscriber'  
data_tailf-mobile-infra_logging_level_tracing:  
  name: tracing
```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_logging_level_tracing'
data_tailf-mobile-infra_logging_level_transaction:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_level_transaction'
data_tailf-mobile-infra_logging_logger_logger-name:
  name: logger
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name'
data_tailf-mobile-infra_logging_logger_logger-name_level:
  name: level
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level'
data_tailf-mobile-infra_logging_logger_logger-name_level-post:
  name: level
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level-post'
data_tailf-mobile-infra_logging_logger_logger-name_level_application:
  name: application
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level_application'
data_tailf-mobile-infra_logging_logger_logger-name_level_monitor-subscriber:
  name: monitor-subscriber
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level_monitor-subscriber'
data_tailf-mobile-infra_logging_logger_logger-name_level_tracing:
  name: tracing

```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level_tracing'
data_tailf-mobile-infra_logging_logger_logger-name_level_transaction:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_level_transaction'
data_tailf-mobile-infra_logging_logger_logger-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_logger_logger-name_name'
data_tailf-mobile-infra_logging_transaction:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction'
data_tailf-mobile-infra_logging_transaction-post:
  name: transaction
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction-post'
data_tailf-mobile-infra_logging_transaction_duplicate:
  name: duplicate
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_duplicate'
data_tailf-mobile-infra_logging_transaction_max-file-size:
  name: max-file-size
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_max-file-size'
data_tailf-mobile-infra_logging_transaction_max-rotation:
  name: max-rotation
  In: body

```

```

    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_max-rotation'
data_tailf-mobile-infra_logging_transaction_message:
  name: message
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_message'
data_tailf-mobile-infra_logging_transaction_persist:
  name: persist
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_logging_transaction_persist'
data_tailf-mobile-infra_nodemonitor:
  name: nodemonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor'
data_tailf-mobile-infra_nodemonitor-post:
  name: nodemonitor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor-post'
data_tailf-mobile-infra_nodemonitor_interval:
  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor_interval'
data_tailf-mobile-infra_nodemonitor_mode:
  name: mode
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_nodemonitor_mode'
data_tailf-mobile-infra_peers:
  name: peers
  In: body
  Description: ''
  Required/Optional: true

```

```
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_peers'
data_tailf-mobile-infra_peers-post:
  name: peers
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_peers-post'
data_tailf-mobile-infra_resource:
  name: resource
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource'
data_tailf-mobile-infra_resource-post:
  name: resource
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource-post'
data_tailf-mobile-infra_resource_pod_pod-podtype:
  name: pod
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype'
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu:
  name: cpu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu'
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu-post:
  name: cpu
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu-post'
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_limit:
  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_limit'
```

```

data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_request:
  name: request
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_request'
data_tailf-mobile-infra_resource_pod_pod-podtype_gomaxproc:
  name: gomaxproc
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_gomaxproc'
data_tailf-mobile-infra_resource_pod_pod-podtype_labels:
  name: labels
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels'
data_tailf-mobile-infra_resource_pod_pod-podtype_labels-post:
  name: labels
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels-post'
data_tailf-mobile-infra_resource_pod_pod-podtype_labels_key:
  name: key
  In: body
  Description: Key for the label
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_key'
data_tailf-mobile-infra_resource_pod_pod-podtype_labels_value:
  name: value
  In: body
  Description: Value for the label
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_labels_value'
data_tailf-mobile-infra_resource_pod_pod-podtype_memory:
  name: memory
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_memory'
data_tailf-mobile-infra_resource_pod_pod-podtype_memory-post:
  name: memory

```



```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_memory-post'
data_tailf-mobile-infra_resource_pod_pod-podtype_memory_limit:
  name: limit
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_memory_limit'
data_tailf-mobile-infra_resource_pod_pod-podtype_memory_request:
  name: request
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_memory_request'
data_tailf-mobile-infra_resource_pod_pod-podtype_podtype:
  name: podtype
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resource_pod_pod-podtype_podtype'
data_tailf-mobile-infra_resources:
  name: resources
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resources'
data_tailf-mobile-infra_resources-post:
  name: resources
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_resources-post'
data_tailf-mobile-infra_router:
  name: router
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router'
data_tailf-mobile-infra_router-post:
  name: router
  In: body
  Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_router-post'
  data_tailf-mobile-infra_router_bfd:
    name: bfd
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_router_bfd'
  data_tailf-mobile-infra_router_bfd-post:
    name: bfd
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_router_bfd-post'
  data_tailf-mobile-infra_router_bfd_instance:
    name: instance
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_router_bfd_instance'
  data_tailf-mobile-infra_router_bfd_instance-post:
    name: instance
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_router_bfd_instance-post'
  data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id:
    name: instance-id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id'
  data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_id:
    name: id
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
        '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_id'
  data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface:
    name: interface-list
    In: body

```

```

Description: ''
Required/Optional: true
Schema:
  Reference:
    '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface'
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_gateway-ip

  name: gateway-ip
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_gateway-ip'
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface

  name: interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface'
?
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor
: name: neighbors
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor'
?
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor_neighbor
: name: neighbor
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor_neighbor'
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_vrf:

  name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_vrf'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp:

  name: bgplist
  In: body
  Description: ''

```

```

    Required/Optional: true
    Schema:
      Reference: '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd:
  name: bfd
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd-post:
  name: bfd
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd-post'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_interval:
  name: interval
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_interval'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx:
  name: min_rx
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_multiplier:
  name: multiplier
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
      '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_multiplier'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bgp:
  name: bgp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bgp'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface:
  name: interfaceList
  In: body
  Description: ''

```

```

Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface'
  ?
  data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface
  : name: bondingInterfaces
    In: body
    Description: ''
    Required/Optional: true
    Schema:
      Reference:
      '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface'
      ?
      data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface_bondingInterface
      : name: bondingInterface
        In: body
        Description: ''
        Required/Optional: true
        Schema:
          Reference:
          '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface_bondingInterface'
          data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_interface_interface:

          name: interface
          In: body
          Description: ''
          Required/Optional: true
          Schema:
            Reference:
            '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_interface_interface'
            data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor:

            name: neighbors
            In: body
            Description: ''
            Required/Optional: true
            Schema:
              Reference:
              '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor'
              ?
              data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_fail-over
              : name: fail-over
                In: body
                Description: ''
                Required/Optional: true
                Schema:
                  Reference:
                  '#/definitions/data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_fail-over'
                  ?
                  data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_neighbor
                  : name: neighbor
                    In: body
                    Description: ''
                    Required/Optional: true

```

Schema:**Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_neighbor'
```

```
?
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_remote-as
```

```
: name: remote-as
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

Schema:**Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_remote-as'
```

```
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_vrf:
```

```
name: vrf
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

Schema:**Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_vrf'
```

```
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute:
```

```
name: learnDefaultRoute
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

Schema:**Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute'
```

```
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackBFDPort:
```

```
name: loopbackBFDPort
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

Schema:**Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackBFDPort'
```

```
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackPort:
```

```
name: loopbackPort
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

Schema:**Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackPort'
```

```
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name:
```

```
name: policies
```

```
In: body
```

```
Description: ''
```

```
Required/Optional: true
```

Schema:**Reference:**

```
'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name'
```

data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_as-path-set:

name: as-path-set
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_as-path-set'

data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_gateWay:

name: gateWay
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_gateWay'

data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_interface:

name: interface
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_interface'

data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_ip-prefix:

name: ip-prefix
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_ip-prefix'

data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_isStaticRoute:

name: isStaticRoute
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_isStaticRoute'

data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_mask-range:

name: mask-range
In: body
Description: ''
Required/Optional: true
Schema:

Reference:

'#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_mask-range'

```

data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_modifySourceIp:

  name: modifySourceIp
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_modifySourceIp'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_policy-name:

  name: policy-name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_policy-name'
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_source-prefix:

  name: source-prefix
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_source-prefix'
data_tailf-mobile-infra_router_monitor-interface:

  name: monitor-interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router_monitor-interface'
data_tailf-mobile-infra_router_monitor-interface-post:

  name: monitor-interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_router_monitor-interface-post'
data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface:

  name: interface-list
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface'
data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface:

  name: interface

```



```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference:
  '#/definitions/data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface'
data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface-type:
  name: interface-type
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface-type'
data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_linked-interface:
  name: linked-interface
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference:
    '#/definitions/data_taulf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_linked-interface'
data_taulf-mobile-infra_rpc:
  name: rpc
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_rpc'
data_taulf-mobile-infra_rpc-post:
  name: rpc
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_rpc-post'
data_taulf-mobile-infra_running-status:
  name: running-status
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_running-status'
data_taulf-mobile-infra_running-status-post:
  name: running-status
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_taulf-mobile-infra_running-status-post'

```

```
data_tailf-mobile-infra_sessions:
  name: sessions
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_sessions'
data_tailf-mobile-infra_sessions-post:
  name: sessions
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_sessions-post'
data_tailf-mobile-infra_vrf:
  name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf'
data_tailf-mobile-infra_vrf-info:
  name: vrf-info
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf-info'
data_tailf-mobile-infra_vrf-info-post:
  name: vrf-info
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf-info-post'
data_tailf-mobile-infra_vrf-post:
  name: vrf
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf-post'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name:
  name: vrflist
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_device:
  name: device
```

```

In: body
Description: ''
Required/Optional: true
Schema:
  Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_device'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gateway:
  name: gateway
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gateway'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6:
  name: gatewayIpv6
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_linkDevice:
  name: linkDevice
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_linkDevice'
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_name:
  name: name
  In: body
  Description: ''
  Required/Optional: true
  Schema:
    Reference: '#/definitions/data_tailf-mobile-infra_vrf_vrflist_vrflist-name_name'
dbns-name:
  name: dbns-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
enable-event-id-procedure:
  name: enable-event-id-procedure
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
enable-field-id-event:
  name: enable-field-id-event
  In: path
  Description: ''

```

```
    Required/Optional: true
    Type: string
    Format: string
endpoints-host:
  name: endpoints-host
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
ep-eptype:
  name: ep-eptype
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: identityref
field-id:
  name: field-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
files-name:
  name: files-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: identityref
flowctrl-group-name:
  name: flowctrl-group-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
granular-labels-id:
  name: granular-labels-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
info-address:
  name: info-address
  In: path
  Description: ''
  Required/Optional: true
  Type: string
```

```
Format: string
info-diagnostic:
  name: info-diagnostic
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
info-endpoint:
  name: info-endpoint
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
info-errorComponent:
  name: info-errorComponent
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
info-podInstance:
  name: info-podInstance
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
instance-id-id:
  name: instance-id-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: leafref
instance-instance-id:
  name: instance-instance-id
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: int32
interface-interface:
  name: interface-interface
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: identityref
interface-interface-type:
```

```
  name: interface-interface-type
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: identityref
interface-list-interface:
  name: interface-list-interface
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
interfaceList-interface:
  name: interfaceList-interface
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
logger-name:
  name: logger-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
metricsList-name:
  name: metricsList-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
neighbors-neighbor:
  name: neighbors-neighbor
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
pod-group-config-key:
  name: pod-group-config-key
  In: path
  Description: Key for the label
  Required/Optional: true
  Type: string
  Format: string
pod-group-config-pod-group:
  name: pod-group-config-pod-group
  In: path
```

Description: Group for the VMs
Required/Optional: true
Type: string
Format: enumeration
Default: protocol-layer
enum:
- protocol-layer
- service-layer
- cdl-layer
- oam-layer

pod-group-config-value:
name: pod-group-config-value
In: path
Description: Value for the label
Required/Optional: true
Type: string
Format: string

pod-podtype:
name: pod-podtype
In: path
Description: ''
Required/Optional: true
Type: string
Format: identityref

pods-name:
name: pods-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

policies-policy-name:
name: policies-policy-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

service-service-name:
name: service-service-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

subscribers-id:
name: subscribers-id
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

```
thresholds-name:
  name: thresholds-name
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: enumeration
  Default: low
  enum:
  - low
  - high
verboseLevels-podType:
  name: verboseLevels-podType
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: enumeration
  Default: protocol
  enum:
  - protocol
  - load-balancer
  - service
  - application
vip-vip-ip:
  name: vip-vip-ip
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
vip6-vip-ip6:
  name: vip6-vip-ip6
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
vip6-vip-ipv6:
  name: vip6-vip-ipv6
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
vips-vipInterface:
  name: vips-vipInterface
  In: path
  Description: ''
  Required/Optional: true
  Type: string
  Format: string
vrflist-name:
```


name: vrflist-name
In: path
Description: ''
Required/Optional: true
Type: string
Format: string

Responses:

'200':
Description: OK
'201':
Description: Created
'204':
Description: No Content
'400':
Description: Bad Request
'401':
Description: Unauthorized
'404':
Description: Not Found
'405':
Description: Method Not Allowed
'409':
Description: Conflict

securityDefinitions:

basicAuth:

Type: basic

definitions:

data:

Type: object

Properties:

ietf-restconf:data:

Type: object

Description: This resource represents the combined configuration and state data resources that can be accessed by a client and cannot be created or deleted by the client. See RESTCONF RFC 8040 for further information.

x-yang:

Type: datastore

Properties: {}

data-post:

Type: object

Properties:

taif-mobile-infra:sessions:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

commit-pending:

Type: array

Description: (list)

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    pendingCommit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    dbBinarySize:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    lastDbSyncTime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
affinity:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      podInstance:
        Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:peers:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        grInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        endpoint:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        localAddress:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        peerAddress:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        direction:
          Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: string
  podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  Type:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  connectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  rpc:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  additionalDetails:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
tailf-mobile-infra:rpc:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container

```

```
is_presence: 'false'
Properties:
  all:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        remoteAddress:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        remoteHost:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
      Type:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      setName:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      status:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
```

```

    Format: string
  connectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disconnectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  monitorRPCHost:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  processingInstanceInfo:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  version:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:resources:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object

```

```
Properties:
  podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  cpuUsage:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  totalNodeMemoryInMB:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  usedPodMemoryInMB:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  diskUsageInKbps:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  goRoutinesCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  gcCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  gcPauseInNS:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:running-status:
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  info:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        runningStatus:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        systemHealth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        startTime:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
tailf-mobile-infra:diagnostics:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object

```



```
Properties:
  podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  diagnostic:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  component:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:infra:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
```

```

experimental:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    version:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
verbose:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    verboseLevels:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        podType:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: protocol
          enum:
            - protocol
            - load-balancer
            - service
            - application
        level:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: production
          enum:
            - production
            - debug
            - trace
            - 'off'
    metrics:

```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  metricsList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: production
            enum:
              - production
              - debug
              - trace
              - 'off'
          granular-labels:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string

transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container

```

```

    is_presence: 'false'
  Properties:
    stage:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        same:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            stage:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
loop:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
    category:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object

```

```
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    thresholds:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: low
          enum:
            - low
            - high
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        action:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: noop
          enum:
```

- noop
- log-event
- kill-session

tailf-mobile-infra:client:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
http:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
header:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
user-agent:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: cluster-name
enum:

- cluster-name
- app-name
- disable

ping:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
timeout:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32
interval:
Description: (leaf)
x-yang:
Type: leaf
Type: string

```
    Format: int32
outbound:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: identityref
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pending:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            response:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
        consecutive:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            failure:
              Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      codes:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
  host:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ping:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          timeout:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          interval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32

```



```
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        failure:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
  host:
    Description: (non-presence)
    Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    backoff:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
inbound:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
  interface:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
    limit:

```

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      overload:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          reject-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```

        Format: int32
    overload:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            reject-code:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
tailf-mobile-infra:edr:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        reporting:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: enable
            enum:
                - enable
                - disable
        edrsubscribers:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                subscribers:
                    Type: array
                    x-yang:
                        Type: leaf-list
                Items:
                    Description: (leaf-list)
                    Type: string
                    Format: string
    all:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'

```

```
Properties:
  subscribers:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
file:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  files:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: identityref
      reporting:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
        enum:
          - enable
          - disable
      verbose:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
        enum:
          - enable
          - disable
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
```

```

    Type: container
    is_presence: 'false'
  Properties:
    size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  rate:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  flush:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
  procedure:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable-event-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          procedure:
            Description: (leaf)

```

```

x-yang:
  Type: leaf
Type: string
Format: string
enable-inner:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    event:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable-field-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              event:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              enable:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
                Properties:
                  field:
                    Type: array
                    x-yang:
                      Type: leaf-list
                    Items:
                      Description: (leaf-list)
                      Type: string
                      Format: string

taif-mobile-infra:instance:
  Description: (non-presence)
  Type: object
  x-yang:

```

```

Type: container
is_presence: 'false'
Properties:
instance-id:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      id:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: leafref
      endpoint:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          ep:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                eptype:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: identityref
                replicas:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: int32
                nodes:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: int32
          loopbackEth:

```



```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      vip-interface:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    warn:
      Description: (non-presence)
      Type: object
      x-yang:

```

```
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  critical:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  crash:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
```

```

    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  uri-scheme:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: http
    enum:
      - http
      - https
  certificate-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  service:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        service-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        interface:
          Type: array

```

```
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  interface-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
  loopbackEth:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  loopbackPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  uri-scheme:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: http
    enum:
      - http
      - https
  instancetype:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: IPv4
    enum:
      - IPv4
      - IPv6
      - Dual
  certificate-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  sla:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  response:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        vip-port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          vip-interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
            offline:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
          vrf:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    count:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
```



```

    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      rate-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          start:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
interface:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      interface-type:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
loopbackEth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: http
    enum:
      - http
      - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
    enum:
      - IPv4
      - IPv6
      - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  procedure:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    capacity:
      Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: string
  Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    capacity:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    rate-limit:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    internal:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
    Properties:
        base-port:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                start:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
tailf-mobile-infra:endpoint:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        info:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    endpoint:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
address:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
internal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
startTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
stoppedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
grInstance:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```

    Type: string
    Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
all:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    endpoint:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    address:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    Type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    status:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    Interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string

```



```
    Format: string
  internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:vrf:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    vrflist:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        gateway:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```

    Format: string
  gatewayIpv6:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  device:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  linkDevice:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:vrf-info:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gateway:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gatewayIpv6:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```

```
    Format: string
device:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
linkDevice:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
tableId:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
state:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
podName:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
tailf-mobile-infra:logging:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    transaction:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      persist:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
```

```

    Default: enable
    enum:
    - enable
    - disable
max-file-size:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
max-rotation:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: integer
    Format: uint32
message:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
    - enable
    - disable
duplicate:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
    - enable
    - disable
level:
    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
Properties:
application:
    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: trace
    enum:
    - trace
    - debug

```

- info
- warn
- error
- 'off'

transaction:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

tracing:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

monitor-subscriber:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

logger:**Type:** array**Description:** (list)**x-yang:****Type:** list**Items:****Type:** object**Properties:****name:****Description:** (leaf)

```
x-yang:
  Type: leaf
Type: string
Format: string
level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    application:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: trace
      enum:
        - trace
        - debug
        - info
        - warn
        - error
        - 'off'
    transaction:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: trace
      enum:
        - trace
        - debug
        - info
        - warn
        - error
        - 'off'
    tracing:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: trace
      enum:
        - trace
        - debug
        - info
        - warn
        - error
        - 'off'
  monitor-subscriber:
    Description: (leaf)
```

```
x-yang:  
  Type: leaf  
Type: string  
Format: enumeration  
Default: trace  
enum:  
  - trace  
  - debug  
  - info  
  - warn  
  - error  
  - 'off'
```

async:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:**application:**

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:**enable:**

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:**buffer-size:**

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

disable:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: '[null]'

transaction:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:**enable:**

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
tracing:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
monitor-subscriber:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:

```



```

    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
  error:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      stack:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: enable
      enum:
        - enable
        - disable
  tailf-mobile-infra:nodemonitor:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      mode:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: '0'
      enum:
        - '0'

```

```

- '1'
- '2'
- '3'
interval:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:router:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    bgplist:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          bgp:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
            loopbackPort:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            loopbackBFDPort:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            learnDefaultRoute:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: boolean
          interfaceList:
            Type: array
            Description: (list)
            x-yang:

```

```
Type: list
Items:
  Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    bondingInterfaces:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          bondingInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
    neighbors:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          neighbor:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          remote-as:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer
            Format: uint32
          fail-over:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: bfd
          enum:
            - bfd
    policies:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          policy-name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          as-path-set:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          ip-prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          source-prefix:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          mask-range:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string

```

```
    modifySourceIp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    isStaticRoute:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
    gateWay:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
bfd:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    min_rx:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    multiplier:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
bfd:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  instance-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
        interface-list:
          Type: array
          Description: (list)
          x-yang:
            Type: list
        Items:
          Type: object
          Properties:
            interface:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            vrf:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: leafref
            neighbors:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                neighbor:
                  Description: (leaf)
                  x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
    gateway-ip:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
monitor-interface:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        interface-list:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    interface:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
                    linked-interface:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
                    interface-type:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: string
tailf-mobile-infra:deployment:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        app-name:
            Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  cluster-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dc-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  model:
    Description: Deployment Model default large (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: small
    enum:
      - small
  resource:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  logical-nf-instance-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  taif-mobile-infra:k8:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      label:

```



```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pod-group-config:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        pod-group:
          Description: Group for the VMs (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: protocol-layer
            enum:
              - protocol-layer
              - service-layer
              - cdl-layer
              - oam-layer
          key:
            Description: Key for the label (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          value:
            Description: Value for the label (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        tailf-mobile-infra:geo:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties: {}
        tailf-mobile-infra:show:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties: {}

```

```

tailf-mobile-infra:clear:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:dump:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:config-error:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          errorComponent:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          errorDescription:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
tailf-mobile-infra:resource:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pod:
      Type: array
      Description: (list)

```

```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    podtype:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
    cpu:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    memory:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    gomaxproc:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: int32
  labels:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      key:
        Description: Key for the label (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        value:
          Description: Value for the label (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
tailf-mobile-infra:geomonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    podmonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      pods:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string

```

```
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    failedReplicaPercent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
remoteclustermonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vipmonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    vips:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vipInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vipIp:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vipPort:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          retryCount:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          retryInterval:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
```

```
        retryFailOverInterval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    trafficMonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        thresholdCount:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        thresholdInterval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    taillf-mobile-infra:instances:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance:
          Type: array
          Description: (list)
          x-yang:
            Type: list
        Items:
          Type: object
          Properties:
            instance-id:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            system-id:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
```

```

    Format: string
  cluster-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  slice-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:local-instance:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
tailf-mobile-infra:datastore:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    session-db:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    endpoints:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:

```



```

        Type: leaf
        Type: string
        Format: string
    port:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
dbs:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: string
            endpoints:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                    Properties:
                        host:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: string
                        port:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: int32
notification-ep:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        host:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data-put-patch:
  Type: object
  Properties:
    ietf-restconf:data:
      Description: ''
      Type: object
      x-yang:
        Type: datastore
      Properties:
        tailf-mobile-infra:sessions:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            commit-pending:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                podInstance:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                grInstance:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
            count:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```
    Type: string
    Format: int32
pendingCommit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
dbBinarySize:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
lastDbSyncTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
affinity:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
tailf-mobile-infra:peers:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    all:
      Type: array
      Description: (list)
      x-yang:
```

```
Type: list
Items:
Type: object
Properties:
  grInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  endpoint:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  localAddress:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  peerAddress:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  direction:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  connectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
```

```
    Format: string
  rpc:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  additionalDetails:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:rpc:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
```

```
    Format: string
remoteAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
remoteHost:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
setName:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
connectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disconnectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
monitorRPCHost:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
processingInstanceInfo:
  Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  version:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:resources:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        cpuUsage:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        totalNodeMemoryInMB:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        usedPodMemoryInMB:
          Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  diskUsageInKbps:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  goRoutinesCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  gcCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  gcPauseInNS:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:running-status:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
    Properties:
      podInstance:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      runningStatus:
        Description: (leaf)

```



```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  systemHealth:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:diagnostics:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        diagnostic:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        component:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
      startTime:
        Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:infra:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        experimental:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            version:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
    verbose:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        verboseLevels:

```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    podType:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: protocol
        enum:
        - protocol
        - load-balancer
        - service
        - application
      level:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: production
          enum:
          - production
          - debug
          - trace
          - 'off'
        metrics:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            metricsList:
              Type: array
              Description: (list)
              x-yang:
                Type: list
              Items:
                Type: object
                Properties:
                  name:
                    Description: (leaf)
                    x-yang:
                      Type: leaf
                      Type: string
                      Format: string
                    level:
```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: production
enum:
- production
- debug
- trace
- 'off'
granular-labels:
Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string

transaction:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      stage:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      consecutive:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        same:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'

```

```
Properties:
  stage:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
loop:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
    category:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
          threshold:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              interval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              thresholds:
```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: low
        enum:
        - low
        - high
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
        action:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: noop
            enum:
            - noop
            - log-event
            - kill-session

```

```

tailf-mobile-infra:client:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  http:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    header:
      Description: (non-presence)
      Type: object
      x-yang:

```

```
    Type: container
    is_presence: 'false'
  Properties:
    user-agent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: cluster-name
      enum:
        - cluster-name
        - app-name
        - disable
  ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  outbound:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          interface:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```

    Type: string
    Format: identityref
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          response:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      consecutive:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          failure:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              count:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              codes:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
  host:

```



```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      limit:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          pending:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              response:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
```

```

consecutive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    failure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
host:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:

```

```

    Type: leaf
    Type: string
    Format: int32
backoff:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
inbound:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pending:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            request:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
    overload:
```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          request:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      overload:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          reject-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
  tailf-mobile-infra:edr:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'

```

```
Properties:
  reporting:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: enable
    enum:
      - enable
      - disable
  edrsubscribers:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      subscribers:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
  all:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      subscribers:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
  file:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      files:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
```

```
Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: identityref
  reporting:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
  verbose:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      size:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
  rate:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
```

```
Format: int32
flush:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
procedure:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable-event-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          procedure:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          enable-inner:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              event:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
            Properties:
              enable-field-id:
                Type: array
```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  event:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      field:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string

```

```

tailf-mobile-infra:instance:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        endpoint:
          Description: (non-presence)
          Type: object

```



```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  ep:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        eptype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        replicas:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        nodes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        instancetype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: IPv4
          enum:
            - IPv4
            - IPv6
```

```

- Dual
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```
    Format: string
vip-ipv6-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
warn:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
```

```

critical:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
crash:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
uri-scheme:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: http
enum:
- http
- https
certificate-name:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
service:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
Type: object
Properties:
  service-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  interface:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
```

```

    Type: leaf
  Type: string
  Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
  - http
  - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)

```

```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf

```



```
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      rate-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
```

```

        Format: int32
    internal:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            base-port:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    start:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: int32
interface:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            interface-type:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: identityref
            loopbackEth:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
            loopbackPort:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: int32
            uri-scheme:
                Description: (leaf)
                x-yang:
                    Type: leaf

```

```
Type: string
Format: enumeration
Default: http
enum:
- http
- https
instancetype:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual
certificate-name:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
sla:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  response:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vip:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ip:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
vip-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:

```

```

    Type: leaf
    Type: string
    Format: '[null]'
```

vrf:

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: leafref
```

vrf:

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: leafref
```

dispatcher:

```

    Description: (non-presence)
    Type: object
    x-yang:
    Type: container
    is_presence: 'false'
```

Properties:

count:

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
```

capacity:

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
```

outbound:

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: boolean
```

rate-limit:

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
    Format: int32
```

cache:

```

    Description: (leaf)
    x-yang:
    Type: leaf
    Type: string
```

```

    Format: boolean
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      rate-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'

```

```
Properties:
  base-port:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      start:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32

tailf-mobile-infra:endpoint:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        endpoint:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        address:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        status:
          Description: (leaf)
          x-yang:
            Type: leaf
```

```

    Type: string
    Format: string
  Interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  grInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
all:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```



```
    Format: string
  endpoint:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  address:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:vrf:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    vrflist:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gateway:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gatewayIpv6:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          device:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          linkDevice:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
tailf-mobile-infra:vrf-info:
  Description: (non-presence)
```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  all:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        gateway:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        gatewayIpv6:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        device:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        linkDevice:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        tableId:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        state:
          Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  podName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:logging:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    transaction:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      persist:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
        enum:
          - enable
          - disable
      max-file-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      max-rotation:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      message:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration

```

```
    Default: enable
    enum:
    - enable
    - disable
duplicate:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: enable
  enum:
  - enable
  - disable
level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
  application:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: trace
    enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
  transaction:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: trace
    enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
  tracing:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
```

```

Default: trace
enum:
- trace
- debug
- info
- warn
- error
- 'off'
monitor-subscriber:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: trace
enum:
- trace
- debug
- info
- warn
- error
- 'off'
logger:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
level:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
application:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: trace
enum:
- trace
- debug
- info
- warn

```

```
- error
- 'off'
transaction:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
tracing:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
monitor-subscriber:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
async:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    application:
      Description: (non-presence)
      Type: object
      x-yang:
```

```

Type: container
is_presence: 'false'
Properties:
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
        Properties:
          buffer-size:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          disable:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
tracing:
  Description: (non-presence)
  Type: object

```



```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
monitor-subscriber:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
error:
  Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      stack:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
          enum:
            - enable
            - disable
tailf-mobile-infra:nodemonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    mode:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: '0'
        enum:
          - '0'
          - '1'
          - '2'
          - '3'
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
tailf-mobile-infra:router:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    bgplist:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:

```

```
Type: object
Properties:
  bgp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  loopbackPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  loopbackBFDPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  learnDefaultRoute:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  interfaceList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        bondingInterfaces:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              bondingInterface:
                Description: (leaf)
                x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
neighbors:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    neighbor:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    remote-as:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    fail-over:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: bfd
      enum:
        - bfd
policies:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    policy-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string

```

```
as-path-set:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ip-prefix:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
source-prefix:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
mask-range:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
modifySourceIp:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
isStaticRoute:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
gateWay:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
bfd:
  Description: (non-presence)
  Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  min_rx:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  multiplier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
bfd:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: leafref
              interface-list:

```

```

    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        neighbors:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              neighbor:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
            gateway-ip:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
monitor-interface:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interface-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
```

```

    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        linked-interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
tailf-mobile-infra:deployment:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    app-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cluster-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    dc-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    model:
      Description: Deployment Model default large (leaf)
      x-yang:
        Type: leaf
        Type: string

```



```
    Format: enumeration
    Default: small
    enum:
    - small
resource:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    logical-nf-instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
tailf-mobile-infra:k8:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    label:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pod-group-config:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              pod-group:
                Description: Group for the VMs (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: enumeration
                  Default: protocol-layer
```

```

    enum:
      - protocol-layer
      - service-layer
      - cdl-layer
      - oam-layer
    key:
      Description: Key for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    value:
      Description: Value for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:geo:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:show:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:clear:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:dump:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties: {}
tailf-mobile-infra:config-error:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:

```

```
info:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      errorComponent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      errorDescription:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
tailf-mobile-infra:resource:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pod:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podtype:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
          cpu:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              request:
                Description: (leaf)
                x-yang:
```

```

    Type: leaf
    Type: string
    Format: int32
  limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
memory:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
gomaxproc:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
labels:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    key:
      Description: Key for the label (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    value:
      Description: Value for the label (leaf)
      x-yang:
        Type: leaf

```

```

        Type: string
        Format: string
tailf-mobile-infra:geomonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    podmonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pods:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              retryCount:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryFailOverInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              failedReplicaPercent:
                Description: (leaf)
                x-yang:

```

```

        Type: leaf
        Type: string
        Format: int32
remoteclustermonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vipmonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          instance-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
    vips:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:

```

```
    vipInterface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vipIp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vipPort:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  trafficMonitor:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      thresholdCount:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      thresholdInterval:
        Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:instances:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
      Properties:
        instance-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        system-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        cluster-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        slice-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
tailf-mobile-infra:local-instance:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:

```



```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
tailf-mobile-infra: datastore:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  session-db:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    endpoints:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
        dns:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
```

```

    Type: string
    Format: string
  endpoints:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
  notification-ep:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      host:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  data_taulf-mobile-infra_clear:
    Type: object
    Properties:
      taulf-mobile-infra:clear:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties: {}

```

```
data_tailf-mobile-infra_client:
  Type: object
  Properties:
    tailf-mobile-infra:client:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        http:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            header:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                user-agent:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: enumeration
                  Default: cluster-name
                  enum:
                    - cluster-name
                    - app-name
                    - disable
            ping:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                timeout:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: int32
                interval:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
```

```

        Type: string
        Format: int32
outbound:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: identityref
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pending:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            response:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
        consecutive:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            failure:

```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  codes:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
host:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        backoff:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string

```

```

        Format: int32
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        failure:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            count:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
            codes:
              Type: array
              x-yang:
                Type: leaf-list
              Items:
                Description: (leaf-list)
                Type: string
                Format: string
host:
  Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      inbound:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          interface:
            Type: array
            Description: (list)
            x-yang:
              Type: list
          Items:
            Type: object
            Properties:
              interface:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: identityref
```

```

limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    overload:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        reject-code:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf

```



```

        Type: string
        Format: int32
    overload:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            reject-code:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: int32
data_taulf-mobile-infra_client-post:
    Type: object
    Properties:
        taulf-mobile-infra:http:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                header:
                    Description: (non-presence)
                    Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    user-agent:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: enumeration
                        Default: cluster-name
                    enum:
                        - cluster-name
                        - app-name
                        - disable
        ping:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                timeout:
                    Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:outbound:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        limit:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            pending:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            response:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32

```

```
consecutive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    failure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
host:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
```

```

        Type: leaf
        Type: string
        Format: int32
    backoff:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
limit:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        pending:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                response:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
        consecutive:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                failure:
                    Description: (non-presence)
                    Type: object
                    x-yang:
                        Type: container
                        is_presence: 'false'
            Properties:
                count:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
        codes:
            Type: array

```

```
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
  host:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ping:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          timeout:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          interval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
  tailf-mobile-infra:inbound:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
```

```

Type: object
Properties:
  interface:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: identityref
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          request:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          overload:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              reject-code:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: int32
          limit:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
        Properties:
          pending:
            Description: (non-presence)
            Type: object

```

```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  overload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_http:
  Type: object
  Properties:
    tailf-mobile-infra:http:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        header:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            user-agent:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: cluster-name
            enum:
              - cluster-name
              - app-name
              - disable
  ping:

```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
data_tailf-mobile-infra_client_http-post:
Type: object
Properties:
  tailf-mobile-infra:header:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      user-agent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: cluster-name
          enum:
            - cluster-name
            - app-name
            - disable
      tailf-mobile-infra:ping:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          timeout:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32

```



```
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_http_header:
  Type: object
  Properties:
    tailf-mobile-infra:header:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        user-agent:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: cluster-name
          enum:
            - cluster-name
            - app-name
            - disable
data_tailf-mobile-infra_client_http_header-post:
  Type: object
  Properties:
    tailf-mobile-infra:user-agent:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: cluster-name
      enum:
        - cluster-name
        - app-name
        - disable
data_tailf-mobile-infra_client_http_header_user-agent:
  Type: object
  Properties:
    tailf-mobile-infra:user-agent:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: cluster-name
      enum:
        - cluster-name
```

```

    - app-name
    - disable
data_tailf-mobile-infra_client_http_ping:
  Type: object
  Properties:
    tailf-mobile-infra:ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
data_tailf-mobile-infra_client_http_ping-post:
  Type: object
  Properties:
    tailf-mobile-infra:timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_http_ping_interval:
  Type: object
  Properties:
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_http_ping_timeout:
  Type: object
  Properties:
    tailf-mobile-infra:timeout:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_inbound:
  Type: object
  Properties:
    tailf-mobile-infra:inbound:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        interface:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              interface:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: identityref
            limit:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:
              pending:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
            Properties:
              request:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
            overload:
              Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
  limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          request:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
      overload:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          reject-code:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
  data_tailf-mobile-infra_client_inbound-post:
    Type: object
    Properties:
      tailf-mobile-infra:interface:
        Type: array
        Description: (list)
        x-yang:

```

```
  Type: list
Items:
  Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: identityref
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pending:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            request:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
        overload:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            reject-code:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
tailf-mobile-infra:limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  overload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_inbound_interface_interface-interface:
Type: object
Properties:
  tailf-mobile-infra:interface:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        limit:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            pending:
              Description: (non-presence)

```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      overload:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          reject-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_client_inbound_interface_interface-interface_interface:
  Type: object
  Properties:
    tailf-mobile-infra:interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit:
  Type: object
  Properties:
    tailf-mobile-infra:limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pending:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:

```

```

    request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  overload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit-post:
Type: object
Properties:
  taif-mobile-infra:pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  taif-mobile-infra:overload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload:
Type: object

```


Properties:**tailf-mobile-infra:overload:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****reject-code:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32**data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload-post:****Type:** object**Properties:****tailf-mobile-infra:reject-code:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32**data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_overload_reject-code:****Type:** object**Properties:****tailf-mobile-infra:reject-code:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32**data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending:****Type:** object**Properties:****tailf-mobile-infra:pending:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****request:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32**data_tailf-mobile-infra_client_inbound_interface_interface-interface_limit_pending-post:**

```

Type: object
Properties:
  taif-mobile-infra:request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_taif-mobile-infra_client_inbound_interface_interface-interface_limit_pending_request:

Type: object
Properties:
  taif-mobile-infra:request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_taif-mobile-infra_client_inbound_limit:
Type: object
Properties:
  taif-mobile-infra:limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          request:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          overload:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              reject-code:
                Description: (leaf)
                x-yang:

```

```

        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_inbound_limit-post:
Type: object
Properties:
  tailf-mobile-infra:pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      tailf-mobile-infra:overload:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          reject-code:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_client_inbound_limit_overload:
Type: object
Properties:
  tailf-mobile-infra:overload:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reject-code:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_inbound_limit_overload-post:
Type: object
Properties:
```

```

    tailf-mobile-infra:reject-code:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_inbound_limit_overload_reject-code:
  Type: object
  Properties:
    tailf-mobile-infra:reject-code:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_inbound_limit_pending:
  Type: object
  Properties:
    tailf-mobile-infra:pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        request:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_inbound_limit_pending-post:
  Type: object
  Properties:
    tailf-mobile-infra:request:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_inbound_limit_pending_request:
  Type: object
  Properties:
    tailf-mobile-infra:request:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound:
  Type: object

```

```
Properties:
  tailf-mobile-infra:outbound:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            interface:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: identityref
      limit:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          pending:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              response:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: int32
          consecutive:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              failure:
                Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      codes:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
  host:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      ping:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          timeout:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          interval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32

```

```
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        failure:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            count:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            codes:
              Type: array
              x-yang:
                Type: leaf-list
              Items:
                Description: (leaf-list)
                Type: string
                Format: string
host:
  Description: (non-presence)
  Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          backoff:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      data_taulf-mobile-infra_client_outbound-post:
        Type: object
        Properties:
          taulf-mobile-infra:interface:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                interface:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: identityref
                limit:
                  Description: (non-presence)
                  Type: object
                  x-yang:
                    Type: container

```



```
is_presence: 'false'
Properties:
  pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  consecutive:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      failure:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
host:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ping:
```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
      backoff:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
tailf-mobile-infra:limit:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:

```

```
failure:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    codes:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
tailf-mobile-infra:host:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      backoff:
        Description: (leaf)
        x-yang:
          Type: leaf
```

```

        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound_host:
  Type: object
  Properties:
    tailf-mobile-infra:host:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        ping:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            timeout:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            interval:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            backoff:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
data_tailf-mobile-infra_client_outbound_host-post:
  Type: object
  Properties:
    tailf-mobile-infra:ping:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        timeout:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```

        Type: string
        Format: int32
    interval:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: int32
    backoff:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound_host_ping:
Type: object
Properties:
    tailf-mobile-infra:ping:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            timeout:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: int32
            interval:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: int32
            backoff:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: int32
data_tailf-mobile-infra_client_outbound_host_ping-post:
Type: object
Properties:
    tailf-mobile-infra:timeout:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: int32

```

```

tailf-mobile-infra:interval:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:backoff:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_client_outbound_host_ping_backoff:
  Type: object
  Properties:
    tailf-mobile-infra:backoff:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound_host_ping_interval:
  Type: object
  Properties:
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound_host_ping_timeout:
  Type: object
  Properties:
    tailf-mobile-infra:timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface:
  Type: object
  Properties:
    tailf-mobile-infra:interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: identityref
limit:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      consecutive:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        failure:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
        Properties:
          count:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          codes:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)

```

```

        Type: string
        Format: string
    host:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            ping:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    timeout:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: int32
                    interval:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: int32
                    backoff:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: string
                        Format: int32
    data_tailf-mobile-infra_client_outbound_interface_interface-interface_host:
        Type: object
        Properties:
            tailf-mobile-infra:host:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    ping:
                        Description: (non-presence)
                        Type: object
                        x-yang:
                            Type: container
                            is_presence: 'false'
                Properties:

```



```

    timeout:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    backoff:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host-post:
Type: object
Properties:
  tailf-mobile-infra:ping:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      timeout:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      backoff:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping:
Type: object
Properties:
  tailf-mobile-infra:ping:

```

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

timeout:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

interval:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

backoff:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping-post:

Type: object

Properties:

tailf-mobile-infra:timeout:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

tailf-mobile-infra:interval:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

tailf-mobile-infra:backoff:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_backoff:

Type: object

Properties:

tailf-mobile-infra:backoff:

Description: (leaf)

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_interval:

Type: object
Properties:
  tailf-mobile-infra:interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_host_ping_timeout:

Type: object
Properties:
  tailf-mobile-infra:timeout:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_interface:

Type: object
Properties:
  tailf-mobile-infra:interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit:

Type: object
Properties:
  tailf-mobile-infra:limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:

```

```

    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  consecutive:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      failure:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          count:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          codes:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit-post:
  Type: object
  Properties:
    tailf-mobile-infra:pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
    tailf-mobile-infra:consecutive:

```

Description: (non-presence)
Type: object
x-yang:
 Type: container
 is_presence: 'false'
Properties:
 failure:
 Description: (non-presence)
 Type: object
 x-yang:
 Type: container
 is_presence: 'false'
 Properties:
 count:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: int32
 codes:
 Type: array
 x-yang:
 Type: leaf-list
 Items:
 Description: (leaf-list)
 Type: string
 Format: string

data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive:

Type: object
Properties:
 tailf-mobile-infra:consecutive:
 Description: (non-presence)
 Type: object
 x-yang:
 Type: container
 is_presence: 'false'
 Properties:
 failure:
 Description: (non-presence)
 Type: object
 x-yang:
 Type: container
 is_presence: 'false'
 Properties:
 count:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: int32
 codes:

```

    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive-post:

```

```

Type: object
Properties:
  tailf-mobile-infra:failure:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      codes:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string

```

```

data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure:

```

```

Type: object
Properties:
  tailf-mobile-infra:failure:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      codes:
        Type: array
        x-yang:

```

```

        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure-post:
Type: object
Properties:
  tailf-mobile-infra:count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:codes:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_codes_codes-id:
Type: object
Properties:
  tailf-mobile-infra:codes:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_consecutive_failure_count:
Type: object
Properties:
  tailf-mobile-infra:count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending:
Type: object
Properties:
  tailf-mobile-infra:pending:
    Description: (non-presence)
    Type: object

```

```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending-post:

Type: object
Properties:
  tailf-mobile-infra:response:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_interface_interface-interface_limit_pending_response:

Type: object
Properties:
  tailf-mobile-infra:response:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_limit:

Type: object
Properties:
  tailf-mobile-infra:limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pending:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          response:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```



```

    Format: int32
consecutive:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    failure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
data_tailf-mobile-infra_client_outbound_limit-post:
  Type: object
  Properties:
    tailf-mobile-infra:pending:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        response:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
    tailf-mobile-infra:consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'

```

```

Properties:
  failure:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      codes:
        Type: array
        x-yang:
          Type: leaf-list
        Items:
          Description: (leaf-list)
          Type: string
          Format: string
data_tailf-mobile-infra_client_outbound_limit_consecutive:
Type: object
Properties:
  tailf-mobile-infra:consecutive:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      failure:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          count:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          codes:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)

```

```

        Type: string
        Format: string
data_taulf-mobile-infra_client_outbound_limit_consecutive-post:
  Type: object
  Properties:
    taulf-mobile-infra:failure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
data_taulf-mobile-infra_client_outbound_limit_consecutive_failure:
  Type: object
  Properties:
    taulf-mobile-infra:failure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        codes:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
data_taulf-mobile-infra_client_outbound_limit_consecutive_failure-post:
```

```

Type: object
Properties:
  tailf-mobile-infra:count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:codes:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_codes_codes-id:

Type: object
Properties:
  tailf-mobile-infra:codes:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_client_outbound_limit_consecutive_failure_count:

Type: object
Properties:
  tailf-mobile-infra:count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_limit_pending:

Type: object
Properties:
  tailf-mobile-infra:pending:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string

```

```
    Format: int32
data_tailf-mobile-infra_client_outbound_limit_pending-post:
  Type: object
  Properties:
    tailf-mobile-infra:response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_client_outbound_limit_pending_response:
  Type: object
  Properties:
    tailf-mobile-infra:response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_config-error:
  Type: object
  Properties:
    tailf-mobile-infra:config-error:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        info:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              errorComponent:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
              errorDescription:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_config-error-post:
  Type: object
```

```

Properties:
  tailf-mobile-infra:info:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        errorComponent:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        errorDescription:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_config-error_info:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          errorComponent:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          errorDescription:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
data_tailf-mobile-infra_config-error_info_info-errorComponent:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:

```

```

    Type: list
  Items:
    Type: object
    Properties:
      errorComponent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      errorDescription:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_tailf-mobile-infra_config-error_info_info-errorComponent_errorComponent:
  Type: object
  Properties:
    tailf-mobile-infra:errorComponent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_config-error_info_info-errorComponent_errorDescription:
  Type: object
  Properties:
    tailf-mobile-infra:errorDescription:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_datstore:
  Type: object
  Properties:
    tailf-mobile-infra:datstore:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      session-db:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'

```

```
Properties:
  endpoints:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
dbs:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      endpoints:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          host:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          port:
            Description: (leaf)
```



```

        x-yang:
            Type: leaf
            Type: string
            Format: int32
notification-ep:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        host:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        port:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
data_tailf-mobile-infra_datastore-post:
    Type: object
    Properties:
        tailf-mobile-infra:session-db:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                endpoints:
                    Type: array
                    Description: (list)
                    x-yang:
                        Type: list
                Items:
                    Type: object
                    Properties:
                        host:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
                                Type: string
                                Format: string
                        port:
                            Description: (leaf)
                            x-yang:
                                Type: leaf
```

```

        Type: string
        Format: int32
tailf-mobile-infra:dbs:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      endpoints:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            host:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            port:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
tailf-mobile-infra:notification-ep:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    host:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    port:
      Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_datastore_dbs_dbs-name:
  Type: object
  Properties:
    tailf-mobile-infra:dbs:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          endpoints:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                host:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                port:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
data_tailf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host:
  Type: object
  Properties:
    tailf-mobile-infra:endpoints:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
```

```

    Properties:
      host:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_taulf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_host:
Type: object
Properties:
  taulf-mobile-infra:host:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_datastore_dbs_dbs-name_endpoints_endpoints-host_port:
Type: object
Properties:
  taulf-mobile-infra:port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_taulf-mobile-infra_datastore_dbs_dbs-name_name:
Type: object
Properties:
  taulf-mobile-infra:name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_datastore_notification-ep:
Type: object
Properties:
  taulf-mobile-infra:notification-ep:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:

```

```
    host:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_datastore_notification-ep-post:
  Type: object
  Properties:
    tailf-mobile-infra:host:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    tailf-mobile-infra:port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_datastore_notification-ep_host:
  Type: object
  Properties:
    tailf-mobile-infra:host:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_datastore_notification-ep_port:
  Type: object
  Properties:
    tailf-mobile-infra:port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_datastore_session-db:
  Type: object
  Properties:
    tailf-mobile-infra:session-db:
      Description: (non-presence)
      Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  endpoints:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_datastore_session-db-post:
Type: object
Properties:
  tailf-mobile-infra:endpoints:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        host:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host:
Type: object
Properties:
  tailf-mobile-infra:endpoints:

```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    host:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32

```

data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_host:

```

Type: object
Properties:
  tailf-mobile-infra:host:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string

```

data_tailf-mobile-infra_datastore_session-db_endpoints_endpoints-host_port:

```

Type: object
Properties:
  tailf-mobile-infra:port:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32

```

data_tailf-mobile-infra_deployment:

```

Type: object
Properties:
  tailf-mobile-infra:deployment:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      app-name:
        Description: (leaf)
      x-yang:

```

```

    Type: leaf
    Type: string
    Format: string
  cluster-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  dc-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  model:
    Description: Deployment Model default large (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: small
    enum:
      - small
  resource:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  logical-nf-instance-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_deployment-post:
  Type: object
  Properties:
    taif-mobile-infra:app-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string

```



```
tailf-mobile-infra:cluster-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
tailf-mobile-infra:dc-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
tailf-mobile-infra:model:
  Description: Deployment Model default large (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: small
  enum:
    - small
tailf-mobile-infra:resource:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
tailf-mobile-infra:logical-nf-instance-id:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_deployment_app-name:
  Type: object
  Properties:
    tailf-mobile-infra:app-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_deployment_cluster-name:
  Type: object
  Properties:
```

```

    tailf-mobile-infra:cluster-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_deployment_dc-name:
  Type: object
  Properties:
    tailf-mobile-infra:dc-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_deployment_logical-nf-instance-id:
  Type: object
  Properties:
    tailf-mobile-infra:logical-nf-instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_deployment_model:
  Type: object
  Properties:
    tailf-mobile-infra:model:
      Description: Deployment Model default large (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: small
      enum:
        - small
data_tailf-mobile-infra_deployment_resource:
  Type: object
  Properties:
    tailf-mobile-infra:resource:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        cpu:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32

```

```
data_tailf-mobile-infra_deployment_resource-post:
  Type: object
  Properties:
    tailf-mobile-infra:cpu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_deployment_resource_cpu:
  Type: object
  Properties:
    tailf-mobile-infra:cpu:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_diagnostics:
  Type: object
  Properties:
    tailf-mobile-infra:diagnostics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        info:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              podInstance:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              diagnostic:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              component:
                Description: (leaf)
                x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    startTime:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: string
    status:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: string
    retries:
        Description: (leaf)
    x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_diagnostics-post:
    Type: object
    Properties:
        tailf-mobile-infra:info:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    podInstance:
                        Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                    diagnostic:
                        Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                    component:
                        Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                startTime:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_diagnostics_info:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          diagnostic:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          component:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          startTime:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
```

```

    Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  retries:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic:
Type: object
Properties:
  tailf-mobile-infra:info:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        diagnostic:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        component:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        startTime:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        status:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
    retries:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_component:
    Type: object
    Properties:
        tailf-mobile-infra:component:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_diagnostic:
    Type: object
    Properties:
        tailf-mobile-infra:diagnostic:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_podInstance:
    Type: object
    Properties:
        tailf-mobile-infra:podInstance:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_retries:
    Type: object
    Properties:
        tailf-mobile-infra:retries:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_startTime:
    Type: object

```

```

Properties:
  taillf-mobile-infra:startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_diagnostics_info_info-podInstance_info-diagnostic_status:
Type: object
Properties:
  taillf-mobile-infra:status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_dump:
Type: object
Properties:
  taillf-mobile-infra:dump:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties: {}
data_tailf-mobile-infra_dump-post:
Type: object
Properties: {}
data_tailf-mobile-infra_edr:
Type: object
Properties:
  taillf-mobile-infra:edr:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      reporting:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
        enum:
          - enable
          - disable
      edrsubscribers:
        Description: (non-presence)

```



```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  subscribers:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
all:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    subscribers:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
file:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    files:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: identityref
        reporting:
          Description: (leaf)
          x-yang:
            Type: leaf
```

```

Type: string
Format: enumeration
Default: enable
enum:
- enable
- disable
verbose:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: enable
enum:
- enable
- disable
limit:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
size:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
rate:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: int32
flush:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
interval:
  Description: (leaf)
  x-yang:
    Type: leaf

```

```

    Type: string
    Format: int32
procedure:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable-event-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          procedure:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          enable-inner:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              event:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
                Properties:
                  enable-field-id:
                    Type: array
                    Description: (list)
                    x-yang:
                      Type: list
                    Items:
                      Type: object
                      Properties:
                        event:
                          Description: (leaf)
                          x-yang:
                            Type: leaf
                          Type: string
                          Format: string

```

```

enable:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    field:
      Type: array
      x-yang:
        Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string

data_tailf-mobile-infra_edr-post:
  Type: object
  Properties:
    tailf-mobile-infra:reporting:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
    tailf-mobile-infra:edrsubscribers:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        subscribers:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
    tailf-mobile-infra:all:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        subscribers:
          Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
tailf-mobile-infra:file:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    files:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
          reporting:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: enable
            enum:
              - enable
              - disable
          verbose:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: enable
            enum:
              - enable
              - disable
        limit:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
```

```

    size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  rate:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  flush:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
  procedure:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable-event-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            procedure:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string

```

```

    Format: string
enable-inner:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    event:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable-field-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              event:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
            enable:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                field:
                  Type: array
                  x-yang:
                    Type: leaf-list
                  Items:
                    Description: (leaf-list)
                    Type: string
                    Format: string

data_tailf-mobile-infra_edr_all:
  Type: object
  Properties:
    tailf-mobile-infra:all:
      Description: (non-presence)
      Type: object
      x-yang:

```

```

    Type: container
    is_presence: 'false'
  Properties:
    subscribers:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_taulf-mobile-infra_edr_all-post:
  Type: object
  Properties:
    taulf-mobile-infra:subscribers:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_taulf-mobile-infra_edr_all_subscribers:
  Type: object
  Properties:
    taulf-mobile-infra:subscribers:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_taulf-mobile-infra_edr_edrsubscribers:
  Type: object
  Properties:
    taulf-mobile-infra:edrsubscribers:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        subscribers:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
data_taulf-mobile-infra_edr_edrsubscribers-post:
  Type: object
  Properties:
    taulf-mobile-infra:subscribers:
      Type: array
      x-yang:

```



```
    Type: leaf-list
  Items:
    Description: (leaf-list)
    Type: string
    Format: string
data_tailf-mobile-infra_edr_edrsubscribers_subscribers_subscribers-id:
  Type: object
  Properties:
    tailf-mobile-infra:subscribers:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
data_tailf-mobile-infra_edr_file:
  Type: object
  Properties:
    tailf-mobile-infra:file:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        files:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: identityref
              reporting:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: enable
                enum:
                  - enable
                  - disable
              verbose:
                Description: (leaf)
```

```

x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: enable
enum:
- enable
- disable
limit:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  size:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
rate:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: int32
flush:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
procedure:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'

```

```
Properties:
  enable-event-id:
    Type: array
    Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      procedure:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      enable-inner:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          event:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              enable-field-id:
                Type: array
                Description: (list)
                x-yang:
                  Type: list
                Items:
                  Type: object
                  Properties:
                    event:
                      Description: (leaf)
                      x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                    enable:
                      Description: (non-presence)
                      Type: object
                      x-yang:
                        Type: container
                        is_presence: 'false'
                    Properties:
                      field:
```

```

Type: array
x-yang:
  Type: leaf-list
Items:
  Description: (leaf-list)
  Type: string
  Format: string

data_tailf-mobile-infra_edr_file-post:
Type: object
Properties:
  tailf-mobile-infra:files:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        reporting:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: enable
          enum:
            - enable
            - disable
        verbose:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: enable
          enum:
            - enable
            - disable
        limit:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            size:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
rate:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flush:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
procedure:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable-event-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        procedure:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
```

```

enable-inner:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    event:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable-field-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              event:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
              enable:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
                Properties:
                  field:
                    Type: array
                    x-yang:
                      Type: leaf-list
                    Items:
                      Description: (leaf-list)
                      Type: string
                      Format: string
data_tailf-mobile-infra_edr_file_files_files-name:
  Type: object
  Properties:
    tailf-mobile-infra:files:
      Type: array
      Description: (list)
      x-yang:
        Type: list

```

Items:
Type: object
Properties:
name:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: identityref
reporting:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: enumeration
 Default: enable
 enum:
 - enable
 - disable
verbose:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: enumeration
 Default: enable
 enum:
 - enable
 - disable
limit:
 Description: (non-presence)
 Type: object
 x-yang:
 Type: container
 is_presence: 'false'
 Properties:
 size:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: int32
 count:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: int32
rate:
 Description: (leaf)
 x-yang:
 Type: leaf

```

    Type: string
    Format: int32
flush:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
procedure:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable-event-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          procedure:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          enable-inner:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              event:
                Description: (non-presence)
                Type: object
                x-yang:
                  Type: container
                  is_presence: 'false'
            Properties:
              enable-field-id:

```



```

    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        event:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            field:
              Type: array
              x-yang:
                Type: leaf-list
              Items:
                Description: (leaf-list)
                Type: string
                Format: string
data_tailf-mobile-infra_edr_file_files_files-name_flush:
  Type: object
  Properties:
    tailf-mobile-infra:flush:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_flush-post:
  Type: object
  Properties:
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```

    Type: string
    Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_flush_interval:
  Type: object
  Properties:
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_limit:
  Type: object
  Properties:
    tailf-mobile-infra:limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_limit-post:
  Type: object
  Properties:
    tailf-mobile-infra:size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    tailf-mobile-infra:count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_limit_count:
  Type: object
  Properties:

```

```
tailf-mobile-infra:count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_limit_size:
  Type: object
  Properties:
    tailf-mobile-infra:size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_name:
  Type: object
  Properties:
    tailf-mobile-infra:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: identityref
data_tailf-mobile-infra_edr_file_files_files-name_procedure:
  Type: object
  Properties:
    tailf-mobile-infra:procedure:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable-event-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              procedure:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
            enable-inner:
              Description: (non-presence)
              Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  event:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable-field-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            event:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            enable:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:
              field:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
data_tailf-mobile-infra_edr_file_files_files-name_procedure-post:
Type: object
Properties:
  taillf-mobile-infra:enable-event-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:

```

```

procedure:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
enable-inner:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  event:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      enable-field-id:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            event:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            enable:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:
              field:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
      data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure:
        Type: object

```

```

Properties:
  tailf-mobile-infra:enable-event-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        procedure:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        enable-inner:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            event:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                enable-field-id:
                  Type: array
                  Description: (list)
                  x-yang:
                    Type: list
                Items:
                  Type: object
                  Properties:
                    event:
                      Description: (leaf)
                      x-yang:
                        Type: leaf
                      Type: string
                      Format: string
                enable:
                  Description: (non-presence)
                  Type: object
                  x-yang:
                    Type: container
                    is_presence: 'false'
                  Properties:
                    field:

```

Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: string

data_tailf-mobile-infra_ext_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner:

Type: object
Properties:
tailf-mobile-infra:enable-inner:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
event:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
enable-field-id:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
event:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
enable:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
field:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)

Type: string
Format: string
~~data_tailf-mobile-infra_ext_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner-post:~~

Type: object
Properties:
tailf-mobile-infra:event:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
enable-field-id:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
event:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
enable:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
field:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: string

~~data_tailf-mobile-infra_ext_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event:~~

Type: object
Properties:
tailf-mobile-infra:event:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'


```

Properties:
  enable-field-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        event:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            field:
              Type: array
              x-yang:
                Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string

```

?

data_tailf-mobile-infra_edr_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-imer_event-post

```

: type: object
Properties:
  tailf-mobile-infra:enable-field-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        event:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        enable:
          Description: (non-presence)
          Type: object
          x-yang:

```

```

    Type: container
    is_presence: 'false'
  Properties:
    field:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
?
data tailf-mobile-infra:ex_file_files_files-rare-procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event
: type: object
  Properties:
    tailf-mobile-infra:enable-field-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          event:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          enable:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              field:
                Type: array
                x-yang:
                  Type: leaf-list
                Items:
                  Description: (leaf-list)
                  Type: string
                  Format: string
?
data tailf-mobile-infra:ex_file_files_files-rare-procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event_enable
: type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:

```

```

    Type: container
    is_presence: 'false'
  Properties:
    field:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
?
data_tailf-mobile-infra_ext_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event_enable-post
: type: object
  Properties:
    tailf-mobile-infra:field:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
?
data_tailf-mobile-infra_ext_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event_enable_field_field-id
: type: object
  Properties:
    tailf-mobile-infra:field:
      Type: array
      x-yang:
        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
?
data_tailf-mobile-infra_ext_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_enable-inner_event_enable-field-id_enable-field-id-event_event
: type: object
  Properties:
    tailf-mobile-infra:event:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_ext_file_files_files-name_procedure_enable-event-id_enable-event-id-procedure_procedure:
Type: object
Properties:
  tailf-mobile-infra:procedure:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```

    Type: string
    Format: string
data_tailf-mobile-infra_edr_file_files_files-name_rate:
  Type: object
  Properties:
    tailf-mobile-infra:rate:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_edr_file_files_files-name_reporting:
  Type: object
  Properties:
    tailf-mobile-infra:reporting:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: enable
      enum:
        - enable
        - disable
data_tailf-mobile-infra_edr_file_files_files-name_verbose:
  Type: object
  Properties:
    tailf-mobile-infra:verbose:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: enable
      enum:
        - enable
        - disable
data_tailf-mobile-infra_edr_reporting:
  Type: object
  Properties:
    tailf-mobile-infra:reporting:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: enable
      enum:
        - enable
        - disable
data_tailf-mobile-infra_endpoint:
  Type: object
  Properties:

```

```
tailf-mobile-infra:endpoint:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          endpoint:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          address:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          Type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          status:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          Interface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          internal:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
```

```
    startTime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    stoppedTime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  all:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      grInstance:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      endpoint:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      address:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    Type:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
internal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
startTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
stoppedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_endpoint-post:
Type: object
Properties:
  tailf-mobile-infra:info:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
```

Properties:

- endpoint:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- address:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- Type:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- status:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- Interface:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- internal:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- startTime:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- stoppedTime:**
 - Description:** (leaf)
 - x-yang:**
 - Type:** leaf
 - Type:** string
 - Format:** string
- grInstance:**
 - Description:** (leaf)


```
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
tailf-mobile-infra:all:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    endpoint:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    Type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    status:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  Interface:
    Description: (leaf)
    x-yang:
```

```

    Type: leaf
  Type: string
  Format: string
internal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
startTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
stoppedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_endpoint_all:
  Type: object
  Properties:
    tailf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          grInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          endpoint:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          address:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address:
  Type: object
  Properties:
    tailf-mobile-infra:all:

```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    endpoint:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    Type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    status:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    Interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    internal:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    startTime:
      Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_Interface:
  Type: object
  Properties:
    tailf-mobile-infra:Interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_address:
  Type: object
  Properties:
    tailf-mobile-infra:address:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_endpoint:
  Type: object
  Properties:
    tailf-mobile-infra:endpoint:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_grInstance:
  Type: object
  Properties:
    tailf-mobile-infra:grInstance:
      Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_internal:

Type: object
Properties:
  tailf-mobile-infra:internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_startTime:

Type: object
Properties:
  tailf-mobile-infra:startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_status:

Type: object
Properties:
  tailf-mobile-infra:status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_stoppedTime:

Type: object
Properties:
  tailf-mobile-infra:stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_type:

Type: object
Properties:
  tailf-mobile-infra:type:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```
    Type: string
    Format: string
data_tailf-mobile-infra_endpoint_all_all-grInstance_all-endpoint_all-address_vrf:
  Type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_endpoint_info:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          endpoint:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          address:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          Type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          status:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          Interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
```

```

    Format: string
  internal:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  grInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          endpoint:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          address:
            Description: (leaf)
            x-yang:

```



```
    Type: leaf
  Type: string
  Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
internal:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
startTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
stoppedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
grInstance:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_Interface:

Type: object
Properties:
 tailf-mobile-infra:Interface:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string

data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_address:

Type: object
Properties:
 tailf-mobile-infra:address:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string

data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_endpoint:

Type: object
Properties:
 tailf-mobile-infra:endpoint:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string

data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_grInstance:

Type: object
Properties:
 tailf-mobile-infra:grInstance:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string

data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_internal:

Type: object
Properties:
 tailf-mobile-infra:internal:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string

data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_startTime:

Type: object

```
Properties:
  tailf-mobile-infra:startTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_status:
Type: object
Properties:
  tailf-mobile-infra:status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_stoppedTime:
Type: object
Properties:
  tailf-mobile-infra:stoppedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_type:
Type: object
Properties:
  tailf-mobile-infra:type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_endpoint_info_info-endpoint_info-address_vrf:
Type: object
Properties:
  tailf-mobile-infra:vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_geo:
Type: object
Properties:
  tailf-mobile-infra:geo:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
```

```

    is_presence: 'false'
  Properties: {}
data_tailf-mobile-infra_geomonitor:
  Type: object
  Properties:
    tailf-mobile-infra:geomonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        podmonitor:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            pods:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                name:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                retryCount:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
                retryInterval:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
                retryFailOverInterval:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32

```

```
    failedReplicaPercent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
remoteclustermonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vipmonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        instance-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    vips:
      Type: array
      Description: (list)
      x-yang:
        Type: list
```

```

Items:
  Type: object
  Properties:
    vipInterface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vipIp:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vipPort:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  trafficMonitor:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      thresholdCount:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string

```

```

    Format: int32
  thresholdInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor-post:
  Type: object
  Properties:
    tailf-mobile-infra:podmonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pods:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              retryCount:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryFailOverInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              failedReplicaPercent:
                Description: (leaf)

```

```

        x-yang:
            Type: leaf
            Type: string
            Format: int32
tailf-mobile-infra:remotecclustermonitor:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        retryCount:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
        retryInterval:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
tailf-mobile-infra:vipmonitor:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        instance:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
            Properties:
                instance-id:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: int32
                vips:
                    Type: array
                    Description: (list)
                    x-yang:
                        Type: list
            Items:
                Type: object

```



```
Properties:
  vipInterface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vipIp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vipPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryFailOverInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:trafficMonitor:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    thresholdCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    thresholdInterval:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor:
  Type: object
  Properties:
    tailf-mobile-infra:podmonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        pods:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              retryCount:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              retryFailOverInterval:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              failedReplicaPercent:
                Description: (leaf)
                x-yang:
                  Type: leaf

```

```

        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor-post:
  Type: object
  Properties:
    tailf-mobile-infra: pods:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          retryCount:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          retryInterval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          retryFailOverInterval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          failedReplicaPercent:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name:
  Type: object
  Properties:
    tailf-mobile-infra: pods:
      Type: array
      Description: (list)
      x-yang:
        Type: list

```

```

Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    failedReplicaPercent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_failedReplicaPercent:
  Type: object
  Properties:
    tailf-mobile-infra:failedReplicaPercent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_name:
  Type: object
  Properties:
    tailf-mobile-infra:name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string

```

```
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryCount:
  Type: object
  Properties:
    tailf-mobile-infra:retryCount:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryFailOverInterval:
  Type: object
  Properties:
    tailf-mobile-infra:retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_podmonitor_pods_pods-name_retryInterval:
  Type: object
  Properties:
    tailf-mobile-infra:retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_remotecustermonitor:
  Type: object
  Properties:
    tailf-mobile-infra:remotecustermonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        retryCount:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        retryInterval:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_geomonitor_remotecustermonitor-post:
```

```

Type: object
Properties:
  tailf-mobile-infra:retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:retryInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_remotecustermonitor_retryCount:
Type: object
Properties:
  tailf-mobile-infra:retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_remotecustermonitor_retryInterval:
Type: object
Properties:
  tailf-mobile-infra:retryInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_trafficMonitor:
Type: object
Properties:
  tailf-mobile-infra:trafficMonitor:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      thresholdCount:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      thresholdInterval:
        Description: (leaf)
        x-yang:

```

```

    Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_geomonitor_trafficMonitor-post:
  Type: object
  Properties:
    tailf-mobile-infra:thresholdCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    tailf-mobile-infra:thresholdInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdCount:
  Type: object
  Properties:
    tailf-mobile-infra:thresholdCount:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_trafficMonitor_thresholdInterval:
  Type: object
  Properties:
    tailf-mobile-infra:thresholdInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_vipmonitor:
  Type: object
  Properties:
    tailf-mobile-infra:vipmonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance:
          Type: array
          Description: (list)
          x-yang:
            Type: list
```

```
Items:
  Type: object
  Properties:
    instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    vips:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vipInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vipIp:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vipPort:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          retryCount:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          retryInterval:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          retryFailOverInterval:
            Description: (leaf)
            x-yang:
              Type: leaf
```



```

        Type: string
        Format: int32
data_tailf-mobile-infra_geomonitor_vipmonitor-post:
  Type: object
  Properties:
    tailf-mobile-infra:instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          instance-id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          vips:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                vipInterface:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: string
                vipIp:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: string
                vipPort:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: int32
                retryCount:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: string
                  Format: int32
```

```

    retryInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    retryFailOverInterval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id:
    Type: object
  Properties:
    tailf-mobile-infra:instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          instance-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          vips:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                vipInterface:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                vipIp:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                vipPort:
                  Description: (leaf)

```

```

    x-yang:
      Type: leaf
    Type: string
    Format: int32
  retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  retryInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  retryFailOverInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_instance-id:
  Type: object
  Properties:
    tailf-mobile-infra:instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface:
  Type: object
  Properties:
    tailf-mobile-infra:vips:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vipInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vipIp:
            Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  vipPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  retryFailOverInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32

```

data_tailf-mobile-infra_gomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_retryCount:

```

Type: object
Properties:
  tailf-mobile-infra:retryCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32

```

data_tailf-mobile-infra_gomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_retryFailOverInterval:

```

Type: object
Properties:
  tailf-mobile-infra:retryFailOverInterval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32

```

data_tailf-mobile-infra_gomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_retryInterval:

```

Type: object
Properties:

```

tailf-mobile-infra:retryInterval:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipInterface:

Type: object

Properties:

tailf-mobile-infra:vipInterface:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipIp:

Type: object

Properties:

tailf-mobile-infra:vipIp:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_tailf-mobile-infra_geomonitor_vipmonitor_instance_instance-id_vips_vips-vipInterface_vipPort:

Type: object

Properties:

tailf-mobile-infra:vipPort:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

data_tailf-mobile-infra_infra:

Type: object

Properties:

tailf-mobile-infra:infra:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

metrics:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

```

Properties:
  experimental:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      version:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  verbose:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      verboseLevels:
        Type: array
        Description: (list)
        x-yang:
          Type: list
      Items:
        Type: object
        Properties:
          podType:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: protocol
            enum:
              - protocol
              - load-balancer
              - service
              - application
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: production
            enum:
              - production
              - debug
              - trace
              - 'off'

```

```

metrics:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    metricsList:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
            level:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: production
              enum:
                - production
                - debug
                - trace
                - 'off'
          granular-labels:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string

transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    limit:
      Description: (non-presence)
      Type: object
      x-yang:

```

```

    Type: container
    is_presence: 'false'
  Properties:
    stage:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        same:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            stage:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
loop:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
    category:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:

```



```
Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      thresholds:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: low
            enum:
              - low
              - high
            count:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: integer
                Format: uint32
            action:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: noop
```

```

        enum:
        - noop
        - log-event
        - kill-session
data_tailf-mobile-infra_infra-post:
  Type: object
  Properties:
    tailf-mobile-infra:metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        experimental:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            version:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
        verbose:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            verboseLevels:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
            Properties:
              podType:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: enumeration
                Default: protocol
                enum:
                - protocol
                - load-balancer
                - service

```

```
- application
level:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: production
  enum:
  - production
  - debug
  - trace
  - 'off'
metrics:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    metricsList:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: production
            enum:
            - production
            - debug
            - trace
            - 'off'
          granular-labels:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
```

```

                                Format: string
tailf-mobile-infra:transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        stage:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        consecutive:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            same:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                stage:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                  Type: integer
                  Format: uint32
    loop:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        detection:
          Description: (leaf)
          x-yang:

```

```
    Type: leaf
  Type: string
  Format: enumeration
  Default: enable
  enum:
  - enable
  - disable
category:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: identityref
      threshold:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          interval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          thresholds:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                name:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: enumeration
                    Default: low
                  enum:
                  - low
                  - high
```

```

        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        action:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: noop
          enum:
            - noop
            - log-event
            - kill-session
data_tailf-mobile-infra_infra_metrics:
  Type: object
  Properties:
    tailf-mobile-infra:metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        experimental:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            version:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
        verbose:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            verboseLevels:
              Type: array
              Description: (list)
              x-yang:
                Type: list

```

```
Items:
  Type: object
  Properties:
    podType:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: protocol
      enum:
        - protocol
        - load-balancer
        - service
        - application
    level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: production
      enum:
        - production
        - debug
        - trace
        - 'off'
    metrics:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        metricsList:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
              level:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
```

```

    Format: enumeration
    Default: production
    enum:
    - production
    - debug
    - trace
    - 'off'
  granular-labels:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_infra_metrics-post:
Type: object
Properties:
  tailf-mobile-infra:experimental:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      version:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  tailf-mobile-infra:verbose:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      verboseLevels:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            podType:
              Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration

```



```
Default: protocol
enum:
- protocol
- load-balancer
- service
- application
level:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: production
enum:
- production
- debug
- trace
- 'off'
metrics:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  metricsList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        level:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: production
          enum:
            - production
            - debug
            - trace
            - 'off'
        granular-labels:
          Type: array
          x-yang:
```

```

        Type: leaf-list
    Items:
        Description: (leaf-list)
        Type: string
        Format: string
data_taulf-mobile-infra_infra_metrics_experimental:
  Type: object
  Properties:
    taulf-mobile-infra:experimental:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        version:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
data_taulf-mobile-infra_infra_metrics_experimental-post:
  Type: object
  Properties:
    taulf-mobile-infra:version:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_taulf-mobile-infra_infra_metrics_experimental_version:
  Type: object
  Properties:
    taulf-mobile-infra:version:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_taulf-mobile-infra_infra_metrics_verbose:
  Type: object
  Properties:
    taulf-mobile-infra:verbose:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        verboseLevels:
          Type: array

```

```
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  podType:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: protocol
    enum:
    - protocol
    - load-balancer
    - service
    - application
  level:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: production
    enum:
    - production
    - debug
    - trace
    - 'off'
  metrics:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    metricsList:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        level:
          Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: production
    enum:
    - production
    - debug
    - trace
    - 'off'
  granular-labels:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)
      Type: string
      Format: string
data_tailf-mobile-infra_infra_metrics_verbose-post:
Type: object
Properties:
  tailf-mobile-infra:verboseLevels:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podType:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: protocol
          enum:
          - protocol
          - load-balancer
          - service
          - application
        level:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: production
          enum:
          - production
          - debug
          - trace
          - 'off'
      metrics:

```

```

Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  metricsList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: production
            enum:
              - production
              - debug
              - trace
              - 'off'
          granular-labels:
            Type: array
            x-yang:
              Type: leaf-list
            Items:
              Description: (leaf-list)
              Type: string
              Format: string
  data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType:
Type: object
Properties:
  tailf-mobile-infra:verboseLevels:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:

```

```

podType:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: protocol
  enum:
    - protocol
    - load-balancer
    - service
    - application
level:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: production
  enum:
    - production
    - debug
    - trace
    - 'off'
metrics:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    metricsList:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          level:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: production
            enum:

```

- production
- debug
- trace
- 'off'

granular-labels:**Type:** array**x-yang:****Type:** leaf-list**Items:****Description:** (leaf-list)**Type:** string**Format:** string**data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_level:****Type:** object**Properties:****tailf-mobile-infra:level:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** production**enum:**

- production
- debug
- trace
- 'off'

data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics:**Type:** object**Properties:****tailf-mobile-infra:metrics:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****metricsList:****Type:** array**Description:** (list)**x-yang:****Type:** list**Items:****Type:** object**Properties:****name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string

level:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: production
enum:
- production
- debug
- trace
- 'off'

granular-labels:
Type: array
x-yang:
Type: leaf-list
Items:
Description: (leaf-list)
Type: string
Format: string

data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics-post:

Type: object

Properties:

tailf-mobile-infra:metricsList:

Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string

level:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: production
enum:
- production
- debug
- trace
- 'off'

granular-labels:
Type: array
x-yang:


```

        Type: leaf-list
      Items:
        Description: (leaf-list)
        Type: string
        Format: string
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-rate:
Type: object
Properties:
  tailf-mobile-infra:metricsList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        level:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: production
          enum:
            - production
            - debug
            - trace
            - 'off'
        granular-labels:
          Type: array
          x-yang:
            Type: leaf-list
          Items:
            Description: (leaf-list)
            Type: string
            Format: string
?
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-rate_granular-labels_granular-labels-id
: type: object
Properties:
  tailf-mobile-infra:granular-labels:
    Type: array
    x-yang:
      Type: leaf-list
    Items:
      Description: (leaf-list)

```

```

    Type: string
    Format: string
?
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_level
: type: object
  Properties:
    tailf-mobile-infra:level:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: production
      enum:
        - production
        - debug
        - trace
        - 'off'
?
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_metrics_metricsList_metricsList-name_name
: type: object
  Properties:
    tailf-mobile-infra:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_infra_metrics_verbose_verboseLevels_verboseLevels-podType_podType:
  Type: object
  Properties:
    tailf-mobile-infra:podType:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: protocol
      enum:
        - protocol
        - load-balancer
        - service
        - application
data_tailf-mobile-infra_infra_transaction:
  Type: object
  Properties:
    tailf-mobile-infra:transaction:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:

```

```
limit:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    stage:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
    consecutive:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        same:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            stage:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: integer
              Format: uint32
loop:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
    category:
      Type: array
```

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    thresholds:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: low
          enum:
            - low
            - high
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        action:
          Description: (leaf)
          x-yang:

```

```

        Type: leaf
        Type: string
        Format: enumeration
        Default: noop
        enum:
        - noop
        - log-event
        - kill-session
data_tailf-mobile-infra_infra_transaction-post:
Type: object
Properties:
  tailf-mobile-infra:limit:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      stage:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      consecutive:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          same:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              stage:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
  tailf-mobile-infra:loop:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      detection:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: enable
enum:
- enable
- disable
category:
  Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
Properties:
  name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: identityref
  threshold:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
  thresholds:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: low
          enum:

```

```

- low
- high
count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
action:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: noop
  enum:
    - noop
    - log-event
    - kill-session
data_tailf-mobile-infra_infra_transaction_limit:
  Type: object
  Properties:
    tailf-mobile-infra:limit:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        stage:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        consecutive:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            same:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:
              stage:
                Description: (leaf)
                x-yang:

```

```

        Type: leaf
        Type: integer
        Format: uint32
data_tailf-mobile-infra_infra_transaction_limit-post:
Type: object
Properties:
  tailf-mobile-infra:stage:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  tailf-mobile-infra:consecutive:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      same:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          stage:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_consecutive:
Type: object
Properties:
  tailf-mobile-infra:consecutive:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      same:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          stage:
            Description: (leaf)

```



```

    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_consecutive-post:
  Type: object
  Properties:
    tailf-mobile-infra:same:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        stage:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_consecutive_same:
  Type: object
  Properties:
    tailf-mobile-infra:same:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        stage:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_consecutive_same-post:
  Type: object
  Properties:
    tailf-mobile-infra:stage:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_consecutive_same_stage:
  Type: object
  Properties:
    tailf-mobile-infra:stage:
      Description: (leaf)
      x-yang:
```

```

    Type: leaf
    Type: integer
    Format: uint32
data_tailf-mobile-infra_infra_transaction_limit_stage:
  Type: object
  Properties:
    tailf-mobile-infra:stage:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
data_tailf-mobile-infra_infra_transaction_loop:
  Type: object
  Properties:
    tailf-mobile-infra:loop:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        detection:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: enable
            enum:
              - enable
              - disable
        category:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              name:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: identityref
        threshold:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'

```

```
Properties:
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  thresholds:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: low
          enum:
            - low
            - high
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        action:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: noop
          enum:
            - noop
            - log-event
            - kill-session
data_tailf-mobile-infra_infra_transaction_loop-post:
  Type: object
  Properties:
    tailf-mobile-infra:detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
```

```

enum:
- enable
- disable
taif-mobile-infra:category:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
    threshold:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        interval:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        thresholds:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
          Properties:
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: low
            enum:
              - low
              - high
            count:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```

        Type: integer
        Format: uint32
    action:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: enumeration
        Default: noop
        enum:
            - noop
            - log-event
            - kill-session
data_tailf-mobile-infra_infra_transaction_loop_category_category-name:
Type: object
Properties:
    tailf-mobile-infra:category:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                name:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: identityref
                threshold:
                    Description: (non-presence)
                    Type: object
                    x-yang:
                        Type: container
                        is_presence: 'false'
                Properties:
                    interval:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                        Type: integer
                        Format: uint32
                    thresholds:
                        Type: array
                        Description: (list)
                        x-yang:
                            Type: list
                        Items:
                            Type: object
                            Properties:
                                name:

```

Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: low
enum:
 - low
 - high
count:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32
action:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: noop
enum:
 - noop
 - log-event
 - kill-session

data_tailf-mobile-infra_infra_transaction_loop_category_category-name_name:

Type: object
Properties:
tailf-mobile-infra:name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: identityref

data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold:

Type: object
Properties:
tailf-mobile-infra:threshold:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
interval:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

```

thresholds:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: low
        enum:
        - low
        - high
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      action:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: noop
        enum:
        - noop
        - log-event
        - kill-session
data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold-post:
Type: object
Properties:
  tailf-mobile-infra:interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
  tailf-mobile-infra:thresholds:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:

```

```

name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: low
  enum:
    - low
    - high
count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
action:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: noop
  enum:
    - noop
    - log-event
    - kill-session

```

data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_interval:

```

Type: object
Properties:
  tailf-mobile-infra:interval:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32

```

data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name:

```

Type: object
Properties:
  tailf-mobile-infra:thresholds:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf

```


Type: string
Format: enumeration
Default: low
enum:
 - low
 - high
count:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32
action:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: noop
enum:
 - noop
 - log-event
 - kill-session

data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_action:

Type: object
Properties:
tailf-mobile-infra:action:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: noop
enum:
 - noop
 - log-event
 - kill-session

data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_count:

Type: object
Properties:
tailf-mobile-infra:count:
Description: (leaf)
x-yang:
Type: leaf
Type: integer
Format: uint32

data_tailf-mobile-infra_infra_transaction_loop_category_category-name_threshold_thresholds_thresholds-name_name:

Type: object
Properties:
tailf-mobile-infra:name:
Description: (leaf)

```

    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: low
    enum:
      - low
      - high
data_tailf-mobile-infra_infra_transaction_loop_detection:
  Type: object
  Properties:
    tailf-mobile-infra:detection:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: enable
      enum:
        - enable
        - disable
data_tailf-mobile-infra_instance:
  Type: object
  Properties:
    tailf-mobile-infra:instance:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: leafref
            endpoint:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
            Properties:

```

```
ep:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      eptype:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: identityref
      replicas:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      nodes:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      loopbackEth:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      loopbackPort:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      instancetype:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: IPv4
        enum:
          - IPv4
          - IPv6
          - Dual
      vip:
        Type: array
        Description: (list)
```

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ipv6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  warn:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
critical:
  Description: (non-presence)
  Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
crash:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf

```

```

    Type: string
    Format: enumeration
    Default: http
    enum:
    - http
    - https
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
service:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      service-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            interface-type:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: identityref
            loopbackEth:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            loopbackPort:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
```

```

uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
  - http
  - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:

```



```
Type: object
Properties:
  vip-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vip-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  vip-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
```

```

        Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
count:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
  internal:
    Description: (non-presence)
```

```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          start:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
interface:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      interface-type:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: identityref
      loopbackEth:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      loopbackPort:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      uri-scheme:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: http

```

```
enum:
- http
- https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
```

```

    Format: string
vip-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'

```

```
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  threshold:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)

```



```

    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      start:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_instance-post:
  Type: object
  Properties:
    tailf-mobile-infra:instance-id:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          id:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: leafref
          endpoint:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              ep:
                Type: array
                Description: (list)
                x-yang:
                  Type: list
                Items:
                  Type: object
                  Properties:
                    eptype:
                      Description: (leaf)
                      x-yang:
                        Type: leaf
                      Type: string
                      Format: identityref
                    replicas:
                      Description: (leaf)

```

```

x-yang:
  Type: leaf
Type: string
Format: int32
nodes:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
loopbackEth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        vip-port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string

```

```
    Format: int32
vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
```

```

system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    warn:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        cpu-percent:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          memory-in-mbs:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
            num-of-goroutine:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
        critical:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            cpu-percent:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            memory-in-mbs:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32

```

```
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  crash:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu-percent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      memory-in-mbs:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      num-of-goroutine:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  uri-scheme:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: http
    enum:
      - http
      - https
  certificate-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  service:
    Type: array
    Description: (list)
    x-yang:
      Type: list
```

```

Items:
  Type: object
  Properties:
    service-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        uri-scheme:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: http
          enum:
            - http
            - https
        instancetype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: IPv4

```

```
enum:
- IPv4
- IPv6
- Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      vip-interface:
        Description: (leaf)
        x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf

```



```
Type: string
Format: leafref
dispatcher:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
count:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
```

```

nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          rate-limit:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
      internal:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          base-port:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
          Properties:
            start:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string

```

```

                                Format: int32
interface:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      interface-type:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: identityref
      loopbackEth:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      loopbackPort:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      uri-scheme:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: http
        enum:
          - http
          - https
      instancetype:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: IPv4
        enum:
          - IPv4
          - IPv6
          - Dual
      certificate-name:
        Description: (leaf)
        x-yang:
          Type: leaf
```

```

    Type: string
    Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```
    Type: string
    Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
```

```
is_presence: 'false'
Properties:
count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
flowctrl-group:
```

```

    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    internal:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        base-port:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            start:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id:
  Type: object
  Properties:
    tailf-mobile-infra:instance-id:
      Type: array
      Description: (list)

```

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    endpoint:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        ep:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              eptype:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: identityref
              replicas:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              nodes:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
              loopbackEth:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
              loopbackPort:

```



```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: int32
instancetype:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual
vip:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
Type: object
Properties:
  vip-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  vip-port:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  vip-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
```

```

        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ipv6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      vrf:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    warn:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      cpu-percent:
        Description: (leaf)
        x-yang:

```

```
    Type: leaf
    Type: string
    Format: int32
memory-in-mbs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
num-of-goroutine:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
critical:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
crash:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: int32
memory-in-mbs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
num-of-goroutine:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
  - http
  - https
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
service:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      service-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
interface:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:

```

```
interface-type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: identityref
loopbackEth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: http
  enum:
    - http
    - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
  enum:
    - IPv4
    - IPv6
    - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
```

```

response:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
procedure:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      vip-interface:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:

```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    capacity:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
```



```

        x-yang:
          Type: leaf
          Type: string
          Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
      internal:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          base-port:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container
              is_presence: 'false'
            Properties:
              start:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: int32
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
        loopbackEth:

```

```

Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
loopbackPort:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: int32
uri-scheme:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: http
enum:
- http
- https
instancetype:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual
certificate-name:
  Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
sla:
  Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  response:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    procedure:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
```

```

vip-ip6:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
vip-ipv6-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)

```

```
x-yang:
  Type: leaf
  Type: string
  Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      capacity:
        Description: (leaf)
        x-yang:
```

```

        Type: leaf
        Type: string
        Format: int32
    rate-limit:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    internal:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            base-port:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    start:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint:
    Type: object
    Properties:
        tailf-mobile-infra:endpoint:
            Description: (non-presence)
            Type: object
            x-yang:
                Type: container
                is_presence: 'false'
            Properties:
                ep:
                    Type: array
                    Description: (list)
                    x-yang:
                        Type: list
                    Items:
                        Type: object
                        Properties:
                            eptype:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf

```

```
    Type: string
    Format: identityref
replicas:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nodes:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
loopbackEth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-port:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)

```



```
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
system-health-level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  warn:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu-percent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      memory-in-mbs:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      num-of-goroutine:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  critical:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu-percent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      memory-in-mbs:
        Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  crash:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  uri-scheme:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: http
    enum:
      - http
      - https
  certificate-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  service:

```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    service-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface-type:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: identityref
          loopbackEth:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          loopbackPort:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          uri-scheme:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: http
          enum:
            - http
            - https
          instancetype:
            Description: (leaf)
            x-yang:
```

```

    Type: leaf
Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string

```

```
    Format: int32
vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
```

```
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
```

```
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        start:
```

```

        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32

interface:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        interface-type:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: identityref
        loopbackEth:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        loopbackPort:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
        uri-scheme:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: http
            enum:
            - http
            - https
        instancetype:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: IPv4
            enum:
            - IPv4
            - IPv6
            - Dual

```



```
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
```

```

    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      vrf:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:

```

Description: (non-presence)
Type: object
x-yang:
 Type: container
 is_presence: 'false'
Properties:
 count:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: int32
 capacity:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: int32
 outbound:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: boolean
 rate-limit:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: int32
 cache:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: boolean
 threshold:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: int32
 expiry:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: int32
 nonresponsive:
 Description: (leaf)
 x-yang:

```

    Type: leaf
    Type: string
    Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          capacity:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
            rate-limit:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          start:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
  data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint-post:
    Type: object

```

```
Properties:
  tailf-mobile-infra:ep:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        eptype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        replicas:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        nodes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        instancetype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: IPv4
          enum:
            - IPv4
            - IPv6
            - Dual
        vip:
          Type: array
```

```
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ipv6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
```

vrf:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
```

system-health-level:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

Properties:

warn:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
```

Properties:

cpu-percent:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
```

memory-in-mbs:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
```

num-of-goroutine:

```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
```

critical:

```
  Description: (non-presence)
```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
crash:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:

```



```
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
  - http
  - https
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
service:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      service-name:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      interface:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            interface-type:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: identityref
            loopbackEth:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            loopbackPort:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
```

```
    Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
    - http
    - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
    - IPv4
    - IPv6
    - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
```

```
Items:
  Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)
        x-yang:
          Type: leaf
```

```

    Type: string
    Format: int32
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32

```

```
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    capacity:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    rate-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
internal:
```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          start:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
interface:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      interface-type:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: identityref
      loopbackEth:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      loopbackPort:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      uri-scheme:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration

```

```
    Default: http
    enum:
    - http
    - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: string
vip-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```



```
    Format: '[null]'
```

```
vrf:
```

```
  Description: (leaf)
```

```
  x-yang:
```

```
    Type: leaf
```

```
    Type: string
```

```
    Format: leafref
```

```
vrf:
```

```
  Description: (leaf)
```

```
  x-yang:
```

```
    Type: leaf
```

```
  Type: string
```

```
  Format: leafref
```

```
dispatcher:
```

```
  Description: (non-presence)
```

```
  Type: object
```

```
  x-yang:
```

```
    Type: container
```

```
    is_presence: 'false'
```

```
Properties:
```

```
  count:
```

```
    Description: (leaf)
```

```
    x-yang:
```

```
      Type: leaf
```

```
      Type: string
```

```
      Format: int32
```

```
  capacity:
```

```
    Description: (leaf)
```

```
    x-yang:
```

```
      Type: leaf
```

```
      Type: string
```

```
      Format: int32
```

```
  outbound:
```

```
    Description: (leaf)
```

```
    x-yang:
```

```
      Type: leaf
```

```
      Type: string
```

```
      Format: boolean
```

```
  rate-limit:
```

```
    Description: (leaf)
```

```
    x-yang:
```

```
      Type: leaf
```

```
      Type: string
```

```
      Format: int32
```

```
  cache:
```

```
    Description: (leaf)
```

```
    x-yang:
```

```
      Type: leaf
```

```
      Type: string
```

```
      Format: boolean
```

```
  threshold:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          capacity:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
            rate-limit:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
        internal:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            base-port:

```

```

    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      start:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype:
Type: object
Properties:
  tailf-mobile-infra:ep:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        eptype:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        replicas:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        nodes:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```

    Type: string
    Format: int32
  instancetype:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
    enum:
      - IPv4
      - IPv6
      - Dual
  vip:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        vip-ip:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        vip-port:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        vip-interface:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        offline:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
  vip6:

```

```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    vip-ipv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
system-health-level:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  warn:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
```

```

memory-in-mbs:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
num-of-goroutine:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
critical:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
crash:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:

```

```

        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    num-of-goroutine:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
uri-scheme:
    Description: (leaf)
    x-yang:
        Type: leaf
    Type: string
    Format: enumeration
    Default: http
    enum:
        - http
        - https
certificate-name:
    Description: (leaf)
    x-yang:
        Type: leaf
    Type: string
    Format: leafref
service:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            service-name:
                Description: (leaf)
                x-yang:
                    Type: leaf
                Type: string
                Format: string
            interface:
                Type: array
                Description: (list)
                x-yang:
                    Type: list
                Items:
                    Type: object
                    Properties:
                        interface-type:
                            Description: (leaf)
                            x-yang:

```

```

    Type: leaf
Type: string
Format: identityref
loopbackEth:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: http
    enum:
    - http
    - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
    enum:
    - IPv4
    - IPv6
    - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  response:
    Description: (leaf)
    x-yang:

```



```

    Type: leaf
    Type: string
    Format: int32
  procedure:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
```

```

    Type: list
  Items:
    Type: object
    Properties:
      vip-ip6:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      vip-ipv6-port:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      vrf:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  dispatcher:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf

```

```
    Type: string
    Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
```

```

        Format: string
    capacity:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    rate-limit:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: int32
    internal:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            base-port:
                Description: (non-presence)
                Type: object
                x-yang:
                    Type: container
                    is_presence: 'false'
                Properties:
                    start:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: int32
interface:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
        Properties:
            interface-type:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: string
                    Format: identityref
    loopbackEth:
        Description: (leaf)
        x-yang:
            Type: leaf

```

```
    Type: string
    Format: string
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
uri-scheme:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: http
  enum:
  - http
  - https
instancetype:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: IPv4
  enum:
  - IPv4
  - IPv6
  - Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
```

```

    Type: string
    Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:

```

```
    Type: leaf
    Type: string
    Format: string
vip-ipv6-port:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
```

```

    Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    capacity:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32

```



```

        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    internal:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        base-port:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            start:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_certificate-name:
  Type: object
  Properties:
    tailf-mobile-infra:certificate-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_eptype:
  Type: object
  Properties:
    tailf-mobile-infra:eptype:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_instancetype:
  Type: object
  Properties:
    tailf-mobile-infra:instancetype:
      Description: (leaf)

```

```

x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual

```

data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type:

```

Type: object
Properties:
  tailf-mobile-infra:interface:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: identityref
        loopbackEth:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        loopbackPort:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        uri-scheme:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: http
          enum:
- http
- https
        instancetype:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```
Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual
certificate-name:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: leafref
sla:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
response:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32
procedure:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32
vip:
Type: array
Description: (list)
x-yang:
Type: list
Items:
Type: object
Properties:
vip-ip:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: string
vip-port:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32
```

```

vip-interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
offline:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: '[null]'
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:

```

```
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: leafref
dispatcher:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
count:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
cache:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
expiry:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      rate-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
internal:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    base-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      start:
        Description: (leaf)

```

```

        x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_certificate-name
: type: object
  Properties:
    tailf-mobile-infra:certificate-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher
: type: object
  Properties:
    tailf-mobile-infra:dispatcher:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        outbound:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: boolean
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        cache:
          Description: (leaf)
          x-yang:

```

```

    Type: leaf
  Type: string
  Format: boolean
threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    capacity:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    rate-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher-post
: type: object
  Properties:
    tailf-mobile-infra:count:

```



```
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
tailf-mobile-infra:rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
tailf-mobile-infra:threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
```

```

    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      rate-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_cache
: type: object
  Properties:
    tailf-mobile-infra:cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_capacity
: type: object
  Properties:
    tailf-mobile-infra:capacity:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_dispatcher_count
: type: object
  Properties:
    tailf-mobile-infra:count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?

```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_expiry
: type: object
```

Properties:

tailf-mobile-infra:expiry:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

?

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate
: type: object
```

Properties:

tailf-mobile-infra:flowctrl-group:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

name:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

capacity:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

rate-limit:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

?

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_capacity
: type: object
```

Properties:

tailf-mobile-infra:capacity:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

?

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate_rate
: type: object
```

Properties:

```

tailf-mobile-infra:name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_flowctrl-group_flowctrl-group-rate-rate-limit
: type: object
Properties:
  tailf-mobile-infra:rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_nonresponsive
: type: object
Properties:
  tailf-mobile-infra:nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_outbound
: type: object
Properties:
  tailf-mobile-infra:outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_rate-limit
: type: object
Properties:
  tailf-mobile-infra:rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_dispatcher_threshold
: type: object
Properties:
  tailf-mobile-infra:threshold:
    Description: (leaf)
    x-yang:

```

```

    Type: leaf
    Type: string
    Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_instancetype
: type: object
  Properties:
    tailf-mobile-infra:instancetype:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: IPv4
      enum:
        - IPv4
        - IPv6
        - Dual
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_interface-type
: type: object
  Properties:
    tailf-mobile-infra:interface-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal
: type: object
  Properties:
    tailf-mobile-infra:internal:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        base-port:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            start:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_internal-post

```

```

: type: object
  Properties:
    tailf-mobile-infra:base-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        start:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_internal_base-port
: type: object
  Properties:
    tailf-mobile-infra:base-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        start:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_internal_base-port_start
: type: object
  Properties:
    tailf-mobile-infra:start:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_internal_base-port_start
: type: object
  Properties:
    tailf-mobile-infra:start:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?

```

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_loopbackEth
: type: object
  Properties:
    tailf-mobile-infra:loopbackEth:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_loopbackPort
: type: object
  Properties:
    tailf-mobile-infra:loopbackPort:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_sla
Type: object
Properties:
  tailf-mobile-infra:sla:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      response:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      procedure:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_sla-post
: type: object
  Properties:
    tailf-mobile-infra:response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    tailf-mobile-infra:procedure:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_procedure
: type: object
  Properties:
    tailf-mobile-infra:procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_sla_response
: type: object
  Properties:
    tailf-mobile-infra:response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_uri-scheme
: type: object
  Properties:
    tailf-mobile-infra:uri-scheme:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: http
      enum:
      - http
      - https
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_interface_interface-interface-type_vip6_vip6-vip-ip6
: type: object
  Properties:
    tailf-mobile-infra:vip6:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vip-ip6:
            Description: (leaf)

```



```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  vip-ipv6-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip6_vip6-vip-ip6_offline
: type: object
  Properties:
    tailf-mobile-infra:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ip6
: type: object
  Properties:
    tailf-mobile-infra:vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip6_vip6-vip-ip6_vip-ipv6-port
: type: object
  Properties:
    tailf-mobile-infra:vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?

```

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip6_vip6-vip-ip6_vrf
: type: object
```

Properties:

tailf-mobile-infra:vrf:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: leafref

?

```
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip_vip-vip-ip
: type: object
```

Properties:

tailf-mobile-infra:vip:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

vip-ip:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

vip-port:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

vip-interface:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

offline:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: '[null]'

vrf:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: leafref

?

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip_vip-vip-ip_offline
: type: object
  Properties:
    tailf-mobile-infra:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip_vip-vip-ip_vip-interface
: type: object
  Properties:
    tailf-mobile-infra:vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip_vip-vip-ip_vip-ip
: type: object
  Properties:
    tailf-mobile-infra:vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip_vip-vip-ip_vip-port
: type: object
  Properties:
    tailf-mobile-infra:vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vip_vip-vip-ip_vrf
: type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_interface_interface-interface-type_vrf
Type: object
Properties:

```

```

tailf-mobile-infra:vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackEth:

Type: object
Properties:
  tailf-mobile-infra:loopbackEth:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_loopbackPort:

Type: object
Properties:
  tailf-mobile-infra:loopbackPort:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_nodes:

Type: object
Properties:
  tailf-mobile-infra:nodes:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_replicas:

Type: object
Properties:
  tailf-mobile-infra:replicas:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_service_service-service-name:

Type: object
Properties:
  tailf-mobile-infra:service:
    Type: array

```

```
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    service-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
          loopbackEth:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          loopbackPort:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          uri-scheme:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: http
            enum:
              - http
              - https
          instancetype:
            Description: (leaf)
            x-yang:
              Type: leaf
```

```

Type: string
Format: enumeration
Default: IPv4
enum:
- IPv4
- IPv6
- Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32

```

```
    vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vip6:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
vrf:
```

```

  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  cache:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  expiry:
    Description: (leaf)
    x-yang:
```



```
    Type: leaf
    Type: string
    Format: int32
nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
          rate-limit:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
internal:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    base-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      start:
        Description: (leaf)
```

```

        x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_interface_interface-interface-type
: type: object
  Properties:
    tailf-mobile-infra:interface:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: identityref
          loopbackEth:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          loopbackPort:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          uri-scheme:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: http
            enum:
              - http
              - https
          instancetype:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: IPv4
            enum:

```

```
- IPv4
- IPv6
- Dual
certificate-name:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: leafref
sla:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
vip:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      vip-ip:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
      vip-port:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: int32
      vip-interface:
        Description: (leaf)
        x-yang:
          Type: leaf
```

```

        Type: string
        Format: string
    offline:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
    vrf:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: leafref
vip6:
    Type: array
    Description: (list)
    x-yang:
        Type: list
    Items:
        Type: object
    Properties:
        vip-ip6:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
        vip-ipv6-port:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: int32
        offline:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
        vrf:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: leafref
vrf:
    Description: (leaf)
    x-yang:
        Type: leaf
        Type: string

```

```
Format: leafref
dispatcher:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  capacity:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  outbound:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  rate-limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  cache:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  threshold:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  nonresponsive:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
  internal:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      base-port:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
      Properties:
        start:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32

```

?

```

data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_certificate-rate
: type: object
  Properties:
    tailf-mobile-infra:certificate-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_dispatcher
: type: object
  Properties:
    tailf-mobile-infra:dispatcher:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        count:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        outbound:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: boolean
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        cache:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: boolean
        threshold:
          Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  expiry:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  nonresponsive:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  flowctrl-group:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        capacity:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        rate-limit:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-endpoint_ep-ep-type_service_service-service-name_interface_interface-interface-type_dispatcher-post
: type: object
  Properties:
    tailf-mobile-infra:count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32

```



```
tailf-mobile-infra:capacity:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:outbound:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
tailf-mobile-infra:rate-limit:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:cache:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
tailf-mobile-infra:threshold:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:expiry:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:nonresponsive:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
tailf-mobile-infra:flowctrl-group:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    name:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      capacity:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      rate-limit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qtype_service_service-service-rate_interface_interface-interface-type_dispatcher_cache
: type: object
  Properties:
    tailf-mobile-infra:cache:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: boolean
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qtype_service_service-service-rate_interface_interface-interface-type_dispatcher_capacity
: type: object
  Properties:
    tailf-mobile-infra:capacity:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qtype_service_service-service-rate_interface_interface-interface-type_dispatcher_count
: type: object
  Properties:
    tailf-mobile-infra:count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qtype_service_service-service-rate_interface_interface-interface-type_dispatcher_expiry
: type: object
  Properties:
    tailf-mobile-infra:expiry:
      Description: (leaf)

```

```

      x-yang:
        Type: leaf
        Type: string
        Format: int32
    ?
data tailf-mobile-infra:instance-id=instance-id=port-group-type=service-service=interface-interface-interface-type=dispatcher-flowctrl-group-flowctrl-group=
: type: object
  Properties:
    tailf-mobile-infra:flowctrl-group:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          capacity:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          rate-limit:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
    ?
data tailf-mobile-infra:instance-id=instance-id=port-group-type=service-service=interface-interface-interface-type=dispatcher-flowctrl-group-flowctrl-group=capacity
: type: object
  Properties:
    tailf-mobile-infra:capacity:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    ?
data tailf-mobile-infra:instance-id=instance-id=port-group-type=service-service=interface-interface-interface-type=dispatcher-flowctrl-group-flowctrl-group=rae
: type: object
  Properties:
    tailf-mobile-infra:name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```

    Format: string
?
data tailf-mobile-infra:instance_id instance-id endpoint_ep ep-type service service-rate interface interface-interface-type dispatcher_flow-control-gop_flow-control-gop-rate-limit
: type: object
  Properties:
    tailf-mobile-infra:rate-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance_id instance-id endpoint_ep ep-type service service-rate interface interface-interface-type dispatcher_nonresponsive
: type: object
  Properties:
    tailf-mobile-infra:nonresponsive:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance_id instance-id endpoint_ep ep-type service service-rate interface interface-interface-type dispatcher_outbound
: type: object
  Properties:
    tailf-mobile-infra:outbound:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
?
data tailf-mobile-infra:instance_id instance-id endpoint_ep ep-type service service-rate interface interface-interface-type dispatcher_rate-limit
: type: object
  Properties:
    tailf-mobile-infra:rate-limit:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance_id instance-id endpoint_ep ep-type service service-rate interface interface-interface-type dispatcher_threshold
: type: object
  Properties:
    tailf-mobile-infra:threshold:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance_id instance-id endpoint_ep ep-type service service-rate interface interface-interface-type instancetype
: type: object

```

```

Properties:
  taillf-mobile-infra:instancetype:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: IPv4
    enum:
      - IPv4
      - IPv6
      - Dual
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_interface-type
: type: object
  Properties:
    taillf-mobile-infra:interface-type:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: identityref
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_internal
: type: object
  Properties:
    taillf-mobile-infra:internal:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        base-port:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            start:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_internal-post
: type: object
  Properties:
    taillf-mobile-infra:base-port:
      Description: (non-presence)
      Type: object

```

```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      start:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_internal_base-port
: type: object
  Properties:
    tailf-mobile-infra:base-port:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        start:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_internal_base-port-post
: type: object
  Properties:
    tailf-mobile-infra:start:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_internal_base-port_start
: type: object
  Properties:
    tailf-mobile-infra:start:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qt_type_service_service-service-rate_interface_interface-interface-type_loopbackEth
: type: object
  Properties:
    tailf-mobile-infra:loopbackEth:
      Description: (leaf)

```

x-yang:
Type: leaf
Type: string
Format: string

?

data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_loopbackPort

: **type:** object**Properties:****tailf-mobile-infra:loopbackPort:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32

?

data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_sla

: **type:** object**Properties:****tailf-mobile-infra:sla:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****response:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32**procedure:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32

?

data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-rate_interface_interface-interface-type_sla-post

: **type:** object**Properties:****tailf-mobile-infra:response:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32**tailf-mobile-infra:procedure:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32

```

?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-rate_interface_interface-interface-type_sla_procedure
: type: object
  Properties:
    tailf-mobile-infra:procedure:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-rate_interface_interface-interface-type_sla_response
: type: object
  Properties:
    tailf-mobile-infra:response:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-rate_interface_interface-interface-type_uri-scheme
: type: object
  Properties:
    tailf-mobile-infra:uri-scheme:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: http
      enum:
        - http
        - https
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-qttype_service_service-service-rate_interface_interface-interface-type_vip6_vip6-vip-ip6
: type: object
  Properties:
    tailf-mobile-infra:vip6:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vip-ip6:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          vip-ipv6-port:

```



```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      offline:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
      vrf:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
    ?
data tailf-mobile-infra:instance-id=instance-id-id=endpoint=ep=ep-type=service=service=service-name=interface=interface=interface-type=vip6=vip6=vip-ip6=offline
: type: object
  Properties:
    tailf-mobile-infra:offline:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
    ?
data tailf-mobile-infra:instance-id=instance-id-id=endpoint=ep=ep-type=service=service=service-name=interface=interface=interface-type=vip6=vip6=vip-ip6=vip-ip6
: type: object
  Properties:
    tailf-mobile-infra:vip-ip6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ?
data tailf-mobile-infra:instance-id=instance-id-id=endpoint=ep=ep-type=service=service=service-name=interface=interface=interface-type=vip6=vip6=vip-ip6=vip-ip6-port
: type: object
  Properties:
    tailf-mobile-infra:vip-ipv6-port:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    ?
data tailf-mobile-infra:instance-id=instance-id-id=endpoint=ep=ep-type=service=service=service-name=interface=interface=interface-type=vip6=vip6=vip-ip6=vrf
: type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: leafref
?
data tailf-mobile-infra:instance-instance-id-instance-id-id-endpoint-ep-ep-ep-type-service-service-service-rate-interface-interface-interface-type-vip-vip-vip-ip
: type: object
  Properties:
    tailf-mobile-infra:vip:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          vip-ip:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          vip-port:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          vip-interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          offline:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: '[null]'
          vrf:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: leafref
?
data tailf-mobile-infra:instance-instance-id-instance-id-id-endpoint-ep-ep-ep-type-service-service-service-rate-interface-interface-interface-type-vip-vip-vip-ip-offline
: type: object
  Properties:
    tailf-mobile-infra:offline:
      Description: (leaf)

```

```

      x-yang:
        Type: leaf
      Type: string
      Format: '[null]'
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint_ep _ep-type _service _service-service-name _interface _interface-interface-type _vip _vip-vip-ip _vip-interface
: type: object
  Properties:
    tailf-mobile-infra:vip-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint_ep _ep-type _service _service-service-name _interface _interface-interface-type _vip _vip-vip-ip _vip-ip
: type: object
  Properties:
    tailf-mobile-infra:vip-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint_ep _ep-type _service _service-service-name _interface _interface-interface-type _vip _vip-vip-ip _vip-port
: type: object
  Properties:
    tailf-mobile-infra:vip-port:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint_ep _ep-type _service _service-service-name _interface _interface-interface-type _vip _vip-vip-ip _vrf
: type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
?
data tailf-mobile-infra:instance _instance-id _instance-id-id _endpoint_ep _ep-type _service _service-service-name _interface _interface-interface-type _vrf
: type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string

```

```

    Format: leafref
?
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_service_service-service-name_service-name
: type: object
  Properties:
    tailf-mobile-infra:service-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_system-health-level:

Type: object
Properties:
  tailf-mobile-infra:system-health-level:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      warn:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          cpu-percent:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          memory-in-mbs:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          num-of-goroutine:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          critical:
            Description: (non-presence)
            Type: object
            x-yang:
              Type: container

```

```

    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  crash:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_system-health-level-post:
  Type: object
  Properties:
    tailf-mobile-infra:warn:
      Description: (non-presence)
      Type: object

```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
tailf-mobile-infra:critical:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    cpu-percent:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    memory-in-mbs:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    num-of-goroutine:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
tailf-mobile-infra:crash:
  Description: (non-presence)
  Type: object
  x-yang:

```

```

Type: container
is_presence: 'false'
Properties:
  cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash:

```

Type: object
Properties:
  tailf-mobile-infra:crash:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      cpu-percent:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      memory-in-mbs:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      num-of-goroutine:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash-post:

```

Type: object
Properties:
  tailf-mobile-infra:cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_cpu-percent:

Type: object
Properties:
  tailf-mobile-infra:cpu-percent:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_memory-in-mbs:

Type: object
Properties:
  tailf-mobile-infra:memory-in-mbs:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
?
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_crash_num-of-goroutine
: type: object
Properties:
  tailf-mobile-infra:num-of-goroutine:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical:

```


Type: object

Properties:

tailf-mobile-infra:critical:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

cpu-percent:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

memory-in-mbs:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

num-of-goroutine:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical-post:

Type: object

Properties:

tailf-mobile-infra:cpu-percent:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

tailf-mobile-infra:memory-in-mbs:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

tailf-mobile-infra:num-of-goroutine:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_cpu-percent:

Type: object

Properties:
tailf-mobile-infra:cpu-percent:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32

?

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_memory-in-mbs
: type: object

Properties:
tailf-mobile-infra:memory-in-mbs:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32

?

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_critical_num-of-goroutine
: type: object

Properties:
tailf-mobile-infra:num-of-goroutine:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn:

Type: object
Properties:
tailf-mobile-infra:warn:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'
Properties:
cpu-percent:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32
memory-in-mbs:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32
num-of-goroutine:
Description: (leaf)

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn-post:

```

Type: object

Properties:

tailf-mobile-infra:cpu-percent:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

tailf-mobile-infra:memory-in-mbs:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

tailf-mobile-infra:num-of-goroutine:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_cpu-percent:

```

Type: object

Properties:

tailf-mobile-infra:cpu-percent:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_memory-in-mbs:

```

Type: object

Properties:

tailf-mobile-infra:memory-in-mbs:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

?

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_system-health-level_warn_num-of-goroutine

```

: type: object

Properties:

tailf-mobile-infra:num-of-goroutine:

Description: (leaf)

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_uri-scheme:
Type: object
Properties:
  tailf-mobile-infra:uri-scheme:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: enumeration
      Default: http
    enum:
      - http
      - https
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6:
Type: object
Properties:
  tailf-mobile-infra:vip6:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        vip-ipv6:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        vip-ipv6-port:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        offline:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf

```

```

        Type: string
        Format: leafref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_offline:

Type: object
Properties:
  tailf-mobile-infra:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6:

Type: object
Properties:
  tailf-mobile-infra:vip-ipv6:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vip-ipv6-port:

Type: object
Properties:
  tailf-mobile-infra:vip-ipv6-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip6_vip6-vip-ipv6_vrf:

Type: object
Properties:
  tailf-mobile-infra:vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip:

Type: object
Properties:
  tailf-mobile-infra:vip:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:

```

```

Type: object
Properties:
  vip-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vip-port:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  vip-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_offline:

Type: object
Properties:
  tailf-mobile-infra:offline:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-eptype_vip_vip-vip-ip_vip-interface:

Type: object
Properties:
  tailf-mobile-infra:vip-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_vip_vip-vip-ip_vip-ip:

Type: object
Properties:
 tailf-mobile-infra:vip-ip:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_vip_vip-vip-ip_vip-port:

Type: object
Properties:
 tailf-mobile-infra:vip-port:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: int32

data_tailf-mobile-infra_instance_instance-id_instance-id-id_endpoint_ep_ep-etype_vip_vip-vip-ip_vrf:

Type: object
Properties:
 tailf-mobile-infra:vrf:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: leafref

data_tailf-mobile-infra_instance_instance-id_instance-id-id_id:

Type: object
Properties:
 tailf-mobile-infra:id:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: leafref

data_tailf-mobile-infra_instances:

Type: object
Properties:
 tailf-mobile-infra:instances:
 Description: (non-presence)
 Type: object
 x-yang:
 Type: container
 is_presence: 'false'
Properties:
 instance:
 Type: array
 Description: (list)

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    system-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    cluster-id:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    slice-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_instances-post:
  Type: object
  Properties:
    tailf-mobile-infra:instance:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          instance-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          system-id:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```



```

    Format: string
  cluster-id:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  slice-name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_instances_instance_instance-id:
Type: object
Properties:
  tailf-mobile-infra:instance:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        instance-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        system-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        cluster-id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        slice-name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_instances_instance_instance-id_cluster-id:
Type: object
Properties:

```

```

tailf-mobile-infra:cluster-id:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: string
data_tailf-mobile-infra_instances_instance_instance-id_instance-id:
  Type: object
  Properties:
    tailf-mobile-infra:instance-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_instances_instance_instance-id_slice-name:
  Type: object
  Properties:
    tailf-mobile-infra:slice-name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_instances_instance_instance-id_system-id:
  Type: object
  Properties:
    tailf-mobile-infra:system-id:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_k8:
  Type: object
  Properties:
    tailf-mobile-infra:k8:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        label:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'

```

```

Properties:
  pod-group-config:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        pod-group:
          Description: Group for the VMs (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: protocol-layer
          enum:
            - protocol-layer
            - service-layer
            - cdl-layer
            - oam-layer
          key:
            Description: Key for the label (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          value:
            Description: Value for the label (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
        data_tailf-mobile-infra_k8-post:
          Type: object
          Properties:
            tailf-mobile-infra:label:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                pod-group-config:
                  Type: array
                  Description: (list)
                  x-yang:
                    Type: list
                  Items:
                    Type: object
                    Properties:
                      pod-group:

```

```

Description: Group for the VMs (leaf)
x-yang:
  Type: leaf
Type: string
Format: enumeration
Default: protocol-layer
enum:
- protocol-layer
- service-layer
- cdl-layer
- oam-layer
key:
Description: Key for the label (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
value:
Description: Value for the label (leaf)
x-yang:
  Type: leaf
Type: string
Format: string
data_tailf-mobile-infra_k8_label:
Type: object
Properties:
  tailf-mobile-infra:label:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pod-group-config:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            pod-group:
              Description: Group for the VMs (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: enumeration
              Default: protocol-layer
              enum:
- protocol-layer
- service-layer
- cdl-layer
- oam-layer

```

```

    key:
      Description: Key for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    value:
      Description: Value for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_k8_label-post:
  Type: object
  Properties:
    tailf-mobile-infra:pod-group-config:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          pod-group:
            Description: Group for the VMs (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: enumeration
            Default: protocol-layer
            enum:
              - protocol-layer
              - service-layer
              - cdl-layer
              - oam-layer
          key:
            Description: Key for the label (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          value:
            Description: Value for the label (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config_pod-group_pod-group-config-key_pod-group-config-value
  Type: object
  Properties:
    tailf-mobile-infra:pod-group-config:

```

```

Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    pod-group:
      Description: Group for the VMs (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: protocol-layer
      enum:
      - protocol-layer
      - service-layer
      - cdl-layer
      - oam-layer
    key:
      Description: Key for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    value:
      Description: Value for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  ?
data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config-pod-group_pod-group-config-key_pod-group-config-value_key
: type: object
  Properties:
    tailf-mobile-infra:key:
      Description: Key for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  ?
data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config-pod-group_pod-group-config-key_pod-group-config-value_pod-group
: type: object
  Properties:
    tailf-mobile-infra:pod-group:
      Description: Group for the VMs (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: enumeration
      Default: protocol-layer
      enum:

```

```

    - protocol-layer
    - service-layer
    - cdl-layer
    - oam-layer
?
data_tailf-mobile-infra_k8_label_pod-group-config_pod-group-config-pod-group_pod-group-config-key_pod-group-config-value_value
: type: object
Properties:
  tailf-mobile-infra:value:
    Description: Value for the label (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_local-instance:
Type: object
Properties:
  tailf-mobile-infra:local-instance:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      instance:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
data_tailf-mobile-infra_local-instance-post:
Type: object
Properties:
  tailf-mobile-infra:instance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_tailf-mobile-infra_local-instance_instance:
Type: object
Properties:
  tailf-mobile-infra:instance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
data_tailf-mobile-infra_logging:
Type: object
Properties:
  tailf-mobile-infra:logging:
    Description: (non-presence)

```

```

Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  transaction:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      persist:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
          enum:
            - enable
            - disable
        max-file-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
        max-rotation:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: integer
            Format: uint32
      message:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
          enum:
            - enable
            - disable
      duplicate:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: enable
          enum:

```


- enable
- disable

level:**Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****application:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

transaction:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

tracing:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

monitor-subscriber:**Description:** (leaf)**x-yang:****Type:** leaf

```

    Type: string
    Format: enumeration
    Default: trace
    enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
logger:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        level:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            application:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: trace
                enum:
                - trace
                - debug
                - info
                - warn
                - error
                - 'off'
            transaction:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: trace
                enum:
                - trace

```

- debug
- info
- warn
- error
- 'off'

tracing:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

monitor-subscriber:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

async:**Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****application:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****enable:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****buffer-size:**

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
tracing:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:

```

```
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
```

monitor-subscriber:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
```

error:

```
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    stack:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
```

```

        Default: enable
        enum:
        - enable
        - disable
data_tailf-mobile-infra_logging-post:
Type: object
Properties:
  tailf-mobile-infra:transaction:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  persist:
Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: enumeration
  Default: enable
  enum:
  - enable
  - disable
  max-file-size:
Description: (leaf)
x-yang:
  Type: leaf
  Type: integer
  Format: uint32
  max-rotation:
Description: (leaf)
x-yang:
  Type: leaf
  Type: integer
  Format: uint32
  message:
Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: enumeration
  Default: enable
  enum:
  - enable
  - disable
  duplicate:
Description: (leaf)
x-yang:
  Type: leaf
  Type: string
  Format: enumeration
  Default: enable

```

```
    enum:
      - enable
      - disable
tailf-mobile-infra:level:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    application:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: trace
        enum:
          - trace
          - debug
          - info
          - warn
          - error
          - 'off'
    transaction:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: trace
        enum:
          - trace
          - debug
          - info
          - warn
          - error
          - 'off'
    tracing:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: trace
        enum:
          - trace
          - debug
          - info
          - warn
          - error
          - 'off'
    monitor-subscriber:
      Description: (leaf)
      x-yang:
```

```
    Type: leaf
Type: string
Format: enumeration
Default: trace
enum:
- trace
- debug
- info
- warn
- error
- 'off'
tailf-mobile-infra:logger:
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      level:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          application:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: enumeration
              Default: trace
              enum:
- trace
- debug
- info
- warn
- error
- 'off'
            transaction:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: trace
                enum:
```



```
- trace
- debug
- info
- warn
- error
- 'off'
tracing:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
monitor-subscriber:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
taif-mobile-infra:async:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    application:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
```

```

    buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
  disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
tracing:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'

```

```
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
```

monitor-subscriber:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'

Properties:
enable:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'

Properties:
buffer-size:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: int32
disable:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: '[null]'

tailf-mobile-infra:error:
Description: (non-presence)
Type: object
x-yang:
Type: container
is_presence: 'false'

Properties:
stack:
Description: (leaf)
x-yang:
Type: leaf
Type: string

```

    Format: enumeration
    Default: enable
    enum:
    - enable
    - disable
data_tailf-mobile-infra_logging_async:
  Type: object
  Properties:
    tailf-mobile-infra_async:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        application:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            enable:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                buffer-size:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: int32
                disable:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: '[null]'
            transaction:
              Description: (non-presence)
              Type: object
              x-yang:
                Type: container
                is_presence: 'false'
              Properties:
                enable:
                  Description: (non-presence)
                  Type: object
                  x-yang:

```

```

    Type: container
    is_presence: 'false'
  Properties:
    buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
tracing:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
monitor-subscriber:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object

```

```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
data_tailf-mobile-infra_logging_async-post:
  Type: object
  Properties:
    tailf-mobile-infra:application:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            buffer-size:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
    tailf-mobile-infra:transaction:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'

```

```
Properties:
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
```

taif-mobile-infra:tracing:

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
```

taif-mobile-infra:monitor-subscriber:

```
Description: (non-presence)
Type: object
x-yang:
  Type: container
```

```

    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: '[null]'
data_tailf-mobile-infra_logging_async_application:
  Type: object
  Properties:
    tailf-mobile-infra:application:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            buffer-size:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: '[null]'
data_tailf-mobile-infra_logging_async_application-post:

```



```
Type: object
Properties:
  tailf-mobile-infra:enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      tailf-mobile-infra:disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
data_tailf-mobile-infra_logging_async_application_disable:
Type: object
Properties:
  tailf-mobile-infra:disable:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_tailf-mobile-infra_logging_async_application_enable:
Type: object
Properties:
  tailf-mobile-infra:enable:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_logging_async_application_enable-post:
Type: object
Properties:
  tailf-mobile-infra:buffer-size:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_logging_async_application_enable_buffer-size:
  Type: object
  Properties:
    tailf-mobile-infra:buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_logging_async_monitor-subscriber:
  Type: object
  Properties:
    tailf-mobile-infra:monitor-subscriber:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            buffer-size:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
data_tailf-mobile-infra_logging_async_monitor-subscriber-post:
  Type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'

```

```

    Properties:
      buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
    tailf-mobile-infra:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
  data_tailf-mobile-infra_logging_async_monitor-subscriber_disable:
    Type: object
    Properties:
      tailf-mobile-infra:disable:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: '[null]'
  data_tailf-mobile-infra_logging_async_monitor-subscriber_enable:
    Type: object
    Properties:
      tailf-mobile-infra:enable:
        Description: (non-presence)
        Type: object
        x-yang:
          Type: container
          is_presence: 'false'
        Properties:
          buffer-size:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
  data_tailf-mobile-infra_logging_async_monitor-subscriber_enable-post:
    Type: object
    Properties:
      tailf-mobile-infra:buffer-size:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
  data_tailf-mobile-infra_logging_async_monitor-subscriber_enable_buffer-size:
    Type: object
    Properties:
      tailf-mobile-infra:buffer-size:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_logging_async_tracing:
  Type: object
  Properties:
    tailf-mobile-infra:tracing:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        enable:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            buffer-size:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: int32
            disable:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: '[null]'
data_tailf-mobile-infra_logging_async_tracing-post:
  Type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    tailf-mobile-infra:disable:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: '[null]'
data_tailf-mobile-infra_logging_async_tracing_disable:
  Type: object
  Properties:
    tailf-mobile-infra:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_tailf-mobile-infra_logging_async_tracing_enable:
  Type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
data_tailf-mobile-infra_logging_async_tracing_enable-post:
  Type: object
  Properties:
    tailf-mobile-infra:buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_logging_async_tracing_enable_buffer-size:
  Type: object
  Properties:
    tailf-mobile-infra:buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_logging_async_transaction:
  Type: object
  Properties:
```

```

tailf-mobile-infra:transaction:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
        disable:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: '[null]'
data_tailf-mobile-infra_logging_async_transaction-post:
  Type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: int32
    tailf-mobile-infra:disable:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: '[null]'
data_tailf-mobile-infra_logging_async_transaction_disable:
  Type: object
  Properties:

```

```
tailf-mobile-infra:disable:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: '[null]'
data_tailf-mobile-infra_logging_async_transaction_enable:
  Type: object
  Properties:
    tailf-mobile-infra:enable:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        buffer-size:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_logging_async_transaction_enable-post:
  Type: object
  Properties:
    tailf-mobile-infra:buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_logging_async_transaction_enable_buffer-size:
  Type: object
  Properties:
    tailf-mobile-infra:buffer-size:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_logging_error:
  Type: object
  Properties:
    tailf-mobile-infra:error:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        stack:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
data_taulf-mobile-infra_logging_error-post:
Type: object
Properties:
  taulf-mobile-infra:stack:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
data_taulf-mobile-infra_logging_error_stack:
Type: object
Properties:
  taulf-mobile-infra:stack:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
data_taulf-mobile-infra_logging_level:
Type: object
Properties:
  taulf-mobile-infra:level:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      application:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: enumeration
        Default: trace
        enum:

```



```

- trace
- debug
- info
- warn
- error
- 'off'
transaction:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
tracing:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
monitor-subscriber:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
data_tailf-mobile-infra_logging_level-post:
Type: object
Properties:
  tailf-mobile-infra:application:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string

```

```
    Format: enumeration
    Default: trace
    enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
tailf-mobile-infra:transaction:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
tailf-mobile-infra:tracing:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
tailf-mobile-infra:monitor-subscriber:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
  - trace
  - debug
  - info
  - warn
  - error
  - 'off'
data_tailf-mobile-infra_logging_level_application:
Type: object
Properties:
  tailf-mobile-infra:application:
    Description: (leaf)
```

x-yang:
Type: leaf
Type: string
Format: enumeration
Default: trace
enum:
- trace
- debug
- info
- warn
- error
- 'off'

data_tailf-mobile-infra_logging_level_monitor-subscriber:

Type: object
Properties:
tailf-mobile-infra:monitor-subscriber:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: trace
enum:
- trace
- debug
- info
- warn
- error
- 'off'

data_tailf-mobile-infra_logging_level_tracing:

Type: object
Properties:
tailf-mobile-infra:tracing:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration
Default: trace
enum:
- trace
- debug
- info
- warn
- error
- 'off'

data_tailf-mobile-infra_logging_level_transaction:

Type: object
Properties:
tailf-mobile-infra:transaction:
Description: (leaf)
x-yang:
Type: leaf
Type: string
Format: enumeration

```

Default: trace
enum:
- trace
- debug
- info
- warn
- error
- 'off'
data_tailf-mobile-infra_logging_logger_logger-name:
Type: object
Properties:
  tailf-mobile-infra:logger:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        level:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            application:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: trace
                enum:
                - trace
                - debug
                - info
                - warn
                - error
                - 'off'
            transaction:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: enumeration
                Default: trace
                enum:

```

- trace
- debug
- info
- warn
- error
- 'off'

tracing:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

monitor-subscriber:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

data_tailf-mobile-infra_logging_logger_logger-name_level:**Type:** object**Properties:****tailf-mobile-infra:level:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****application:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn

```

- error
- 'off'
transaction:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
tracing:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
monitor-subscriber:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: enumeration
  Default: trace
  enum:
    - trace
    - debug
    - info
    - warn
    - error
    - 'off'
data_tailf-mobile-infra_logging_logger_logger-name_level-post:
Type: object
Properties:
  tailf-mobile-infra:application:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: trace
    enum:
      - trace

```

- debug
- info
- warn
- error
- 'off'

tailf-mobile-infra:transaction:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

tailf-mobile-infra:tracing:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

tailf-mobile-infra:monitor-subscriber:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** trace**enum:**

- trace
- debug
- info
- warn
- error
- 'off'

data_tailf-mobile-infra_logging_logger_logger-name_level_application:**Type:** object**Properties:****tailf-mobile-infra:application:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration

Default: trace

enum:

- trace
- debug
- info
- warn
- error
- 'off'

data_tailf-mobile-infra_logging_logger_logger-name_level_monitor-subscriber:

Type: object

Properties:

tailf-mobile-infra:monitor-subscriber:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: trace

enum:

- trace
- debug
- info
- warn
- error
- 'off'

data_tailf-mobile-infra_logging_logger_logger-name_level_tracing:

Type: object

Properties:

tailf-mobile-infra:tracing:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: trace

enum:

- trace
- debug
- info
- warn
- error
- 'off'

data_tailf-mobile-infra_logging_logger_logger-name_level_transaction:

Type: object

Properties:

tailf-mobile-infra:transaction:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: enumeration

Default: trace

enum:

- trace
- debug

- info
- warn
- error
- 'off'

data_tailf-mobile-infra_logging_logger_logger-name_name:**Type:** object**Properties:****tailf-mobile-infra:name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**data_tailf-mobile-infra_logging_transaction:****Type:** object**Properties:****tailf-mobile-infra:transaction:****Description:** (non-presence)**Type:** object**x-yang:****Type:** container**is_presence:** 'false'**Properties:****persist:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** enable**enum:**

- enable
- disable

max-file-size:**Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**max-rotation:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** integer**Format:** uint32**message:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** enumeration**Default:** enable**enum:**

```

- enable
- disable
duplicate:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: enumeration
    Default: enable
  enum:
    - enable
    - disable
data_tailf-mobile-infra_logging_transaction-post:
  Type: object
  Properties:
    tailf-mobile-infra:persist:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: enable
      enum:
        - enable
        - disable
    tailf-mobile-infra:max-file-size:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    tailf-mobile-infra:max-rotation:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    tailf-mobile-infra:message:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: enable
      enum:
        - enable
        - disable
    tailf-mobile-infra:duplicate:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration

```

```
    Default: enable
    enum:
    - enable
    - disable
data_tailf-mobile-infra_logging_transaction_duplicate:
Type: object
Properties:
  tailf-mobile-infra:duplicate:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
    - enable
    - disable
data_tailf-mobile-infra_logging_transaction_max-file-size:
Type: object
Properties:
  tailf-mobile-infra:max-file-size:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_tailf-mobile-infra_logging_transaction_max-rotation:
Type: object
Properties:
  tailf-mobile-infra:max-rotation:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_tailf-mobile-infra_logging_transaction_message:
Type: object
Properties:
  tailf-mobile-infra:message:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
    - enable
    - disable
data_tailf-mobile-infra_logging_transaction_persist:
Type: object
Properties:
  tailf-mobile-infra:persist:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: enable
    enum:
      - enable
      - disable
data_tailf-mobile-infra_nodemonitor:
  Type: object
  Properties:
    tailf-mobile-infra:nodemonitor:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        mode:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: '0'
            enum:
              - '0'
              - '1'
              - '2'
              - '3'
          interval:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_nodemonitor-post:
  Type: object
  Properties:
    tailf-mobile-infra:mode:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: '0'
        enum:
          - '0'
          - '1'
          - '2'
          - '3'
    tailf-mobile-infra:interval:
      Description: (leaf)

```

```
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_nodemonitor_interval:
  Type: object
  Properties:
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_nodemonitor_mode:
  Type: object
  Properties:
    tailf-mobile-infra:mode:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: '0'
        enum:
          - '0'
          - '1'
          - '2'
          - '3'
data_tailf-mobile-infra_peers:
  Type: object
  Properties:
    tailf-mobile-infra:peers:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        all:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              grInstance:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
```

```
endpoint:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
localAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
peerAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
direction:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
podInstance:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
connectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
rpc:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
additionalDetails:
  Description: (leaf)
  x-yang:
```

```

    Type: leaf
    Type: string
    Format: string
  interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers-post:
  Type: object
  Properties:
    tailf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          grInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          endpoint:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          localAddress:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          peerAddress:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          direction:
```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  Type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  connectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  rpc:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  additionalDetails:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all:
  Type: object
  Properties:
    tailf-mobile-infra:all:

```



```
Type: array
Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    grInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    endpoint:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    localAddress:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    peerAddress:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    direction:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  Type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  connectedTime:
    Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  rpc:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  additionalDetails:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress:
Type: object
Properties:
  tailf-mobile-infra:all:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        grInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        endpoint:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string

```

```
localAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
peerAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
direction:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
podInstance:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
connectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
rpc:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
additionalDetails:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
interfaceName:
  Description: (leaf)
  x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    vrf:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_additionalDetails:
    Type: object
    Properties:
        tailf-mobile-infra:additionalDetails:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_connectedTime:
    Type: object
    Properties:
        tailf-mobile-infra:connectedTime:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_direction:
    Type: object
    Properties:
        tailf-mobile-infra:direction:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_endpoint:
    Type: object
    Properties:
        tailf-mobile-infra:endpoint:
            Description: (leaf)
            x-yang:
                Type: leaf
                Type: string
                Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_grInstance:
    Type: object

```

```

Properties:
  tailf-mobile-infra:grInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_interfaceName:

Type: object
Properties:
  tailf-mobile-infra:interfaceName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_localAddress:

Type: object
Properties:
  tailf-mobile-infra:localAddress:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_peerAddress:

Type: object
Properties:
  tailf-mobile-infra:peerAddress:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_podInstance:

Type: object
Properties:
  tailf-mobile-infra:podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_rpc:

Type: object
Properties:
  tailf-mobile-infra:rpc:

```

```

    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_type:

Type: object
Properties:
  tailf-mobile-infra:type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_peers_all_all-grInstance_all-endpoint_all-localAddress_all-peerAddress_vrf:

Type: object
Properties:
  tailf-mobile-infra:vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_resource:

Type: object
Properties:
  tailf-mobile-infra:resource:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      pod:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            podtype:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: identityref
            cpu:
              Description: (non-presence)
              Type: object

```

```
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  limit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
memory:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
gomaxproc:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
labels:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    key:
      Description: Key for the label (leaf)
      x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    value:
        Description: Value for the label (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_resource-post:
    Type: object
    Properties:
        tailf-mobile-infra:pod:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    podtype:
                        Description: (leaf)
                        x-yang:
                            Type: leaf
                            Type: string
                            Format: identityref
                    cpu:
                        Description: (non-presence)
                        Type: object
                        x-yang:
                            Type: container
                            is_presence: 'false'
                        Properties:
                            request:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf
                                    Type: string
                                    Format: int32
                            limit:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf
                                    Type: string
                                    Format: int32
                    memory:
                        Description: (non-presence)
                        Type: object
                        x-yang:
                            Type: container
                            is_presence: 'false'

```



```

Properties:
  request:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  limit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
gomaxproc:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: int32
labels:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    key:
      Description: Key for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    value:
      Description: Value for the label (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_resource_pod_pod-podtype:
Type: object
Properties:
  tailf-mobile-infra:pod:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      podtype:
        Description: (leaf)

```

```

x-yang:
  Type: leaf
Type: string
Format: identityref
cpu:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
memory:
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
    limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
gomaxproc:
Description: (leaf)
x-yang:
  Type: leaf
Type: string
Format: int32
labels:
Description: (non-presence)
Type: object

```

```

    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      key:
        Description: Key for the label (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        value:
          Description: Value for the label (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu:
Type: object
Properties:
  tailf-mobile-infra:cpu:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      request:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      limit:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu-post:
Type: object
Properties:
  tailf-mobile-infra:request:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  tailf-mobile-infra:limit:
    Description: (leaf)
    x-yang:
      Type: leaf

```

```

    Type: string
    Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_limit:
  Type: object
  Properties:
    tailf-mobile-infra:limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_cpu_request:
  Type: object
  Properties:
    tailf-mobile-infra:request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_gomaxproc:
  Type: object
  Properties:
    tailf-mobile-infra:gomaxproc:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_labels:
  Type: object
  Properties:
    tailf-mobile-infra:labels:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        key:
          Description: Key for the label (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        value:
          Description: Value for the label (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string

```

data_tailf-mobile-infra_resource_pod_pod-podtype_labels-post:

Type: object

Properties:

tailf-mobile-infra:key:

Description: Key for the label (leaf)

x-yang:

Type: leaf

Type: string

Format: string

tailf-mobile-infra:value:

Description: Value for the label (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_tailf-mobile-infra_resource_pod_pod-podtype_labels_key:

Type: object

Properties:

tailf-mobile-infra:key:

Description: Key for the label (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_tailf-mobile-infra_resource_pod_pod-podtype_labels_value:

Type: object

Properties:

tailf-mobile-infra:value:

Description: Value for the label (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_tailf-mobile-infra_resource_pod_pod-podtype_memory:

Type: object

Properties:

tailf-mobile-infra:memory:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

request:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

limit:

Description: (leaf)

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_memory-post:
  Type: object
  Properties:
    tailf-mobile-infra:request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
    tailf-mobile-infra:limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_memory_limit:
  Type: object
  Properties:
    tailf-mobile-infra:limit:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_memory_request:
  Type: object
  Properties:
    tailf-mobile-infra:request:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resource_pod_pod-podtype_podtype:
  Type: object
  Properties:
    tailf-mobile-infra:podtype:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: identityref
data_tailf-mobile-infra_resources:
  Type: object
  Properties:
    tailf-mobile-infra:resources:
      Description: (non-presence)

```

```
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  info:
    Type: array
    Description: (list)
    x-yang:
      Type: list
  Items:
    Type: object
    Properties:
      podInstance:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      cpuUsage:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      totalNodeMemoryInMB:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      usedPodMemoryInMB:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      diskUsageInKbps:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      goRoutinesCount:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: int32
      gcCount:
        Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
    gcPauseInNS:
      Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources-post:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          cpuUsage:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          totalNodeMemoryInMB:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          usedPodMemoryInMB:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          diskUsageInKbps:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32

```



```
    goRoutinesCount:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    gcCount:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    gcPauseInNS:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
  data_tailf-mobile-infra_resources_info:
    Type: object
    Properties:
      tailf-mobile-infra:info:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            podInstance:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            cpuUsage:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
            totalNodeMemoryInMB:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: int32
            usedPodMemoryInMB:
              Description: (leaf)
              x-yang:
                Type: leaf
```

```

    Type: string
    Format: int32
diskUsageInKbps:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
goRoutinesCount:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
gcCount:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
gcPauseInNS:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance:
  Type: object
  Properties:
    tailf-mobile-infra:info:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          cpuUsage:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
          totalNodeMemoryInMB:
            Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  usedPodMemoryInMB:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  diskUsageInKbps:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  goRoutinesCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  gcCount:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  gcPauseInNS:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_cpuUsage:
  Type: object
  Properties:
    tailf-mobile-infra:cpuUsage:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_diskUsageInKbps:
  Type: object
  Properties:
    tailf-mobile-infra:diskUsageInKbps:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```

    Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_gcCount:
  Type: object
  Properties:
    tailf-mobile-infra:gcCount:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_gcPauseInNS:
  Type: object
  Properties:
    tailf-mobile-infra:gcPauseInNS:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_goRoutinesCount:
  Type: object
  Properties:
    tailf-mobile-infra:goRoutinesCount:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_podInstance:
  Type: object
  Properties:
    tailf-mobile-infra:podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_resources_info_info-podInstance_totalNodeMemoryInMB:
  Type: object
  Properties:
    tailf-mobile-infra:totalNodeMemoryInMB:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_resources_info_info-podInstance_usedPodMemoryInMB:
  Type: object
  Properties:
    tailf-mobile-infra:usedPodMemoryInMB:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_router:
  Type: object
  Properties:
    tailf-mobile-infra_router:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        bgplist:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              bgp:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              loopbackPort:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              loopbackBFDPort:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: integer
                  Format: uint32
              learnDefaultRoute:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: boolean
            interfaceList:
              Type: array
              Description: (list)
              x-yang:
```

```

Type: list
Items:
  Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    bondingInterfaces:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          bondingInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: leafref
    neighbors:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          neighbor:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          remote-as:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: integer
              Format: uint32
          fail-over:

```

```

        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: enumeration
            Default: bfd
            enum:
            - bfd
policies:
Type: array
Description: (list)
x-yang:
    Type: list
Items:
    Type: object
Properties:
    policy-name:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    as-path-set:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    ip-prefix:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    source-prefix:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    mask-range:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
    interface:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
```

```

    modifySourceIp:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    isStaticRoute:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    gateWay:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  bfd:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      interval:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      min_rx:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
      multiplier:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: integer
        Format: uint32
  bfd:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      instance:

```



```
Description: (non-presence)
Type: object
x-yang:
  Type: container
  is_presence: 'false'
Properties:
  instance-id:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        id:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
          interface-list:
            Type: array
            Description: (list)
            x-yang:
              Type: list
            Items:
              Type: object
              Properties:
                interface:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: string
                vrf:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string
                    Format: leafref
                neighbors:
                  Type: array
                  Description: (list)
                  x-yang:
                    Type: list
                  Items:
                    Type: object
                    Properties:
                      neighbor:
                        Description: (leaf)
                        x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
    gateway-ip:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: string
            Format: string
monitor-interface:
    Description: (non-presence)
    Type: object
    x-yang:
        Type: container
        is_presence: 'false'
    Properties:
        interface-list:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
            Properties:
                interface:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                linked-interface:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
                interface-type:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                        Type: string
                        Format: string
data_tailf-mobile-infra_router-post:
    Type: object
    Properties:
        tailf-mobile-infra:bgplist:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:

```

```
Type: object
Properties:
  bgp:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  loopbackPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  loopbackBFDPort:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  learnDefaultRoute:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  interfaceList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        bondingInterfaces:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              bondingInterface:
                Description: (leaf)
                x-yang:
```

```

        Type: leaf
        Type: string
        Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: leafref
neighbors:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    neighbor:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    remote-as:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    fail-over:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: bfd
      enum:
        - bfd
policies:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    policy-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string

```

```
as-path-set:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
ip-prefix:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
source-prefix:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
mask-range:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
modifySourceIp:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
isStaticRoute:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
gateWay:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
bfd:
  Description: (non-presence)
  Type: object
```

```

x-yang:
  Type: container
  is_presence: 'false'
Properties:
  interval:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  min_rx:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
  multiplier:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: integer
      Format: uint32
tailf-mobile-infra:bfd:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    instance:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
        Items:
          Type: object
          Properties:
            id:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: leafref
            interface-list:

```

```

    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
        neighbors:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              neighbor:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
            gateway-ip:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
tailf-mobile-infra:monitor-interface:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interface-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list

```

```

Items:
  Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    linked-interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    interface-type:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_router_bfd:
  Type: object
  Properties:
    tailf-mobile-infra:bfd:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            instance-id:
              Type: array
              Description: (list)
              x-yang:
                Type: list
            Items:
              Type: object
              Properties:
                id:
                  Description: (leaf)
                  x-yang:
                    Type: leaf
                    Type: string

```



```

    Format: leafref
interface-list:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
    neighbors:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          neighbor:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
    gateway-ip:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bfd-post:
  Type: object
  Properties:
    tailf-mobile-infra:instance:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:

```

```

instance-id:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      id:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: leafref
      interface-list:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            interface:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            vrf:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: leafref
            neighbors:
              Type: array
              Description: (list)
              x-yang:
                Type: list
              Items:
                Type: object
                Properties:
                  neighbor:
                    Description: (leaf)
                    x-yang:
                      Type: leaf
                      Type: string
                      Format: string
            gateway-ip:
              Description: (leaf)
              x-yang:

```

```

        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_router_bfd_instance:
  Type: object
  Properties:
    tailf-mobile-infra:instance:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        instance-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: leafref
        interface-list:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              interface:
                Description: (leaf)
                x-yang:
                  Type: leaf
                  Type: string
                  Format: string
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: leafref
        neighbors:
          Type: array
          Description: (list)
          x-yang:

```

```

        Type: list
      Items:
        Type: object
        Properties:
          neighbor:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          gateway-ip:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
    data_tailf-mobile-infra_router_bfd_instance-post:
      Type: object
      Properties:
        tailf-mobile-infra:instance-id:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              id:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: leafref
              interface-list:
                Type: array
                Description: (list)
                x-yang:
                  Type: list
                Items:
                  Type: object
                  Properties:
                    interface:
                      Description: (leaf)
                      x-yang:
                        Type: leaf
                      Type: string
                      Format: string
              vrf:
                Description: (leaf)
                x-yang:
                  Type: leaf

```

```

        Type: string
        Format: leafref
    neighbors:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                neighbor:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
        gateway-ip:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id:
Type: object
Properties:
    tailf-mobile-infra:instance-id:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                id:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: leafref
                interface-list:
                    Type: array
                    Description: (list)
                    x-yang:
                        Type: list
                    Items:
                        Type: object
                        Properties:
                            interface:
                                Description: (leaf)
                                x-yang:
                                    Type: leaf

```

```

        Type: string
        Format: string
    vrf:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: leafref
    neighbors:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                neighbor:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
    gateway-ip:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
data_taulf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_id:
    Type: object
    Properties:
        taulf-mobile-infra:id:
            Description: (leaf)
            x-yang:
                Type: leaf
            Type: string
            Format: leafref
data_taulf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface:
    Type: object
    Properties:
        taulf-mobile-infra:interface-list:
            Type: array
            Description: (list)
            x-yang:
                Type: list
            Items:
                Type: object
                Properties:
                    interface:
                        Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: leafref
  neighbors:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        neighbor:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
  gateway-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_gateway-ip
Type: object
Properties:
  tailf-mobile-infra:gateway-ip:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_interface
Type: object
Properties:
  tailf-mobile-infra:interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
?
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor

```

```

: type: object
  Properties:
    tailf-mobile-infra:neighbors:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          neighbor:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
?
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_neighbors_neighbors-neighbor_neighbor
: type: object
  Properties:
    tailf-mobile-infra:neighbor:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bfd_instance_instance-id_instance-id-id_interface-list_interface-list-interface_vrf:
  Type: object
  Properties:
    tailf-mobile-infra:vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: leafref
data_tailf-mobile-infra_router_bgplist_bgplist-bgp:
  Type: object
  Properties:
    tailf-mobile-infra:bgplist:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          bgp:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: integer

```



```
    Format: uint32
loopbackPort:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
loopbackBFDPort:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
learnDefaultRoute:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: string
  Format: boolean
interfaceList:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    interface:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    bondingInterfaces:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
      Properties:
        bondingInterface:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
vrf:
  Description: (leaf)
  x-yang:
    Type: leaf
```

```

    Type: string
    Format: leafref
neighbors:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    neighbor:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    remote-as:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: integer
        Format: uint32
    fail-over:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: enumeration
        Default: bfd
      enum:
        - bfd
policies:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
  Properties:
    policy-name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    as-path-set:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    ip-prefix:

```

```
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
source-prefix:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
mask-range:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
interface:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
modifySourceIp:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
isStaticRoute:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: boolean
gateWay:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
bfd:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
Properties:
  interval:
    Description: (leaf)
    x-yang:
```

```

        Type: leaf
        Type: integer
        Format: uint32
    min_rx:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
    multiplier:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer
            Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd:
Type: object
Properties:
    tailf-mobile-infra:bfd:
        Description: (non-presence)
        Type: object
        x-yang:
            Type: container
            is_presence: 'false'
        Properties:
            interval:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
            min_rx:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
            multiplier:
                Description: (leaf)
                x-yang:
                    Type: leaf
                    Type: integer
                    Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd-post:
Type: object
Properties:
    tailf-mobile-infra:interval:
        Description: (leaf)
        x-yang:
            Type: leaf
            Type: integer

```

```
    Format: uint32
tailf-mobile-infra:min_rx:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
tailf-mobile-infra:multipplier:
  Description: (leaf)
  x-yang:
    Type: leaf
  Type: integer
  Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_interval:
  Type: object
  Properties:
    tailf-mobile-infra:interval:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_min_rx:
  Type: object
  Properties:
    tailf-mobile-infra:min_rx:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bfd_multiplier:
  Type: object
  Properties:
    tailf-mobile-infra:multipplier:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_bgp:
  Type: object
  Properties:
    tailf-mobile-infra:bgp:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface:
  Type: object
```

```

Properties:
  tailf-mobile-infra:interfaceList:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        bondingInterfaces:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              bondingInterface:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
        vrf:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: leafref
        neighbors:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              neighbor:
                Description: (leaf)
                x-yang:
                  Type: leaf
                Type: string
                Format: string
              remote-as:
                Description: (leaf)

```

```

        x-yang:
          Type: leaf
          Type: integer
          Format: uint32
      fail-over:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: enumeration
          Default: bfd
        enum:
          - bfd
?
data tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface
: type: object
  Properties:
    tailf-mobile-infra:bondingInterfaces:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          bondingInterface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
?
data tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_bondingInterfaces_bondingInterfaces-bondingInterface_bondingInterface
: type: object
  Properties:
    tailf-mobile-infra:bondingInterface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_interface:
  Type: object
  Properties:
    tailf-mobile-infra:interface:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor:

```

```

Type: object
Properties:
  tailf-mobile-infra:neighbors:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        neighbor:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        remote-as:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: integer
          Format: uint32
        fail-over:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: enumeration
          Default: bfd
          enum:
            - bfd

```

?
 data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_fail-over

```

: type: object
Properties:
  tailf-mobile-infra:fail-over:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: enumeration
    Default: bfd
    enum:
      - bfd

```

?
 data_tailf-mobile-infra_router_bgpList_bgpList-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_neighbor

```

: type: object
Properties:
  tailf-mobile-infra:neighbor:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string

```



```

    Format: string
?
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_neighbors_neighbors-neighbor_remote-as
: type: object
  Properties:
    tailf-mobile-infra:remote-as:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: integer
      Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_interfaceList_interfaceList-interface_vrf:

Type: object
Properties:
  tailf-mobile-infra:vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: leafref
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_learnDefaultRoute:
Type: object
Properties:
  tailf-mobile-infra:learnDefaultRoute:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackBFDPort:
Type: object
Properties:
  tailf-mobile-infra:loopbackBFDPort:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_loopbackPort:
Type: object
Properties:
  tailf-mobile-infra:loopbackPort:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: integer
    Format: uint32
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name:

Type: object
Properties:

```

```
tailf-mobile-infra:policies:
  Type: array
  Description: (list)
  x-yang:
    Type: list
  Items:
    Type: object
    Properties:
      policy-name:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      as-path-set:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      ip-prefix:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      source-prefix:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      mask-range:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      interface:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      modifySourceIp:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
      isStaticRoute:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: boolean
      gateWay:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_as-path-set:

Type: object
Properties:
  tailf-mobile-infra:as-path-set:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_gateWay:

Type: object
Properties:
  tailf-mobile-infra:gateWay:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_interface:

Type: object
Properties:
  tailf-mobile-infra:interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_ip-prefix:

Type: object
Properties:
  tailf-mobile-infra:ip-prefix:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_bgplist_bgplist-bgp_policies_policies-policy-name_isStaticRoute:

```

```

Type: object
Properties:
  tailf-mobile-infra:isStaticRoute:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_tailf-mobile-infra_router_bgp-list_bgp-list-bgp_policies_policies-policy-name_mask-range:

Type: object
Properties:
  tailf-mobile-infra:mask-range:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_router_bgp-list_bgp-list-bgp_policies_policies-policy-name_modifySourceIp:

Type: object
Properties:
  tailf-mobile-infra:modifySourceIp:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: boolean
data_tailf-mobile-infra_router_bgp-list_bgp-list-bgp_policies_policies-policy-name_policy-name:

Type: object
Properties:
  tailf-mobile-infra:policy-name:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_router_bgp-list_bgp-list-bgp_policies_policies-policy-name_source-prefix:

Type: object
Properties:
  tailf-mobile-infra:source-prefix:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_router_monitor-interface:

Type: object
Properties:

```

```
tailf-mobile-infra:monitor-interface:
  Description: (non-presence)
  Type: object
  x-yang:
    Type: container
    is_presence: 'false'
  Properties:
    interface-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          linked-interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          interface-type:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
data_tailf-mobile-infra_router_monitor-interface-post:
  Type: object
  Properties:
    tailf-mobile-infra:interface-list:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          interface:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          linked-interface:
```

```

        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface:

Type: object
Properties:
  tailf-mobile-infra:interface-list:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        linked-interface:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
        interface-type:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface:

Type: object
Properties:
  tailf-mobile-infra:interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_interface_type:

```

```

Type: object
Properties:
  tailf-mobile-infra:interface-type:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_router_monitor-interface_interface-list_interface-list-interface_linked-interface:

Type: object
Properties:
  tailf-mobile-infra:linked-interface:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc:
Type: object
Properties:
  tailf-mobile-infra:rpc:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      all:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            podInstance:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            name:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            remoteAddress:
              Description: (leaf)
              x-yang:

```

```
    Type: leaf
  Type: string
  Format: string
remoteHost:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
setName:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
connectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disconnectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
monitorRPCHost:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
processingInstanceInfo:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```



```

    version:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  data_tailf-mobile-infra_rpc-post:
    Type: object
  Properties:
    tailf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        remoteAddress:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        remoteHost:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
      Type:
        Description: (leaf)
        x-yang:
          Type: leaf

```

```
    Type: string
    Format: string
  setName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  status:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  connectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disconnectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  monitorRPCHost:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  processingInstanceInfo:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  version:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_taulf-mobile-infra_rpc_all:
```

```
Type: object
Properties:
  taif-mobile-infra:all:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        name:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        remoteAddress:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        remoteHost:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        Type:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        setName:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        status:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
```

```

    Format: string
  connectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  disconnectedTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  monitorRPCHost:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  processingInstanceInfo:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  version:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  vrf:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress:
  Type: object
  Properties:
    tailf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:

```

```
    Type: leaf
    Type: string
    Format: string
name:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
remoteAddress:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
remoteHost:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
Type:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
setName:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
status:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
connectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
disconnectedTime:
  Description: (leaf)
  x-yang:
    Type: leaf
    Type: string
    Format: string
```

```

    monitorRPCHost:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    processingInstanceInfo:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    version:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    vrf:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_connectedTime:

  Type: object
  Properties:
    tailf-mobile-infra:connectedTime:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_disconnectedTime:

  Type: object
  Properties:
    tailf-mobile-infra:disconnectedTime:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_monitorRPCHost:

  Type: object
  Properties:
    tailf-mobile-infra:monitorRPCHost:
      Description: (leaf)
      x-yang:
        Type: leaf

```

```

    Type: string
    Format: string
data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_name:

Type: object
Properties:
  tailf-mobile-infra:name:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_podInstance:

Type: object
Properties:
  tailf-mobile-infra:podInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_processingInstanceInfo:

Type: object
Properties:
  tailf-mobile-infra:processingInstanceInfo:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_remoteAddress:

Type: object
Properties:
  tailf-mobile-infra:remoteAddress:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_remoteHost:

Type: object
Properties:
  tailf-mobile-infra:remoteHost:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```

data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_setName:

Type: object
Properties:
 tailf-mobile-infra:setName:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string

data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_status:

Type: object
Properties:
 tailf-mobile-infra:status:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string

data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_type:

Type: object
Properties:
 tailf-mobile-infra:type:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string

data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_version:

Type: object
Properties:
 tailf-mobile-infra:version:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string

data_tailf-mobile-infra_rpc_all_all-podInstance_all-name_all-remoteAddress_vrf:

Type: object
Properties:
 tailf-mobile-infra:vrf:
 Description: (leaf)
 x-yang:
 Type: leaf
 Type: string
 Format: string

data_tailf-mobile-infra_running-status:

Type: object


```
Properties:
  tailf-mobile-infra:running-status:
    Description: (non-presence)
    Type: object
    x-yang:
      Type: container
      is_presence: 'false'
    Properties:
      info:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            podInstance:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            runningStatus:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            systemHealth:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
            startTime:
              Description: (leaf)
              x-yang:
                Type: leaf
              Type: string
              Format: string
  data_tailf-mobile-infra_running-status-post:
    Type: object
    Properties:
      tailf-mobile-infra:info:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
```

```

    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    runningStatus:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    systemHealth:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    startTime:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
  data_tailf-mobile-infra_running-status_info:
    Type: object
    Properties:
      tailf-mobile-infra:info:
        Type: array
        Description: (list)
        x-yang:
          Type: list
        Items:
          Type: object
          Properties:
            podInstance:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            runningStatus:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
            systemHealth:
              Description: (leaf)
              x-yang:
                Type: leaf

```

```

        Type: string
        Format: string
    startTime:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_running-status_info_info-podInstance:
Type: object
Properties:
    tailf-mobile-infra:info:
        Type: array
        Description: (list)
        x-yang:
            Type: list
        Items:
            Type: object
            Properties:
                podInstance:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
                runningStatus:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
                systemHealth:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
                startTime:
                    Description: (leaf)
                    x-yang:
                        Type: leaf
                    Type: string
                    Format: string
data_tailf-mobile-infra_running-status_info_info-podInstance_podInstance:
Type: object
Properties:
    tailf-mobile-infra:podInstance:
        Description: (leaf)
        x-yang:
            Type: leaf
        Type: string

```

```

    Format: string
data_tailf-mobile-infra_running-status_info_info-podInstance_runningStatus:

  Type: object
  Properties:
    tailf-mobile-infra:runningStatus:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_running-status_info_info-podInstance_startTime:
  Type: object
  Properties:
    tailf-mobile-infra:startTime:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_running-status_info_info-podInstance_systemHealth:

  Type: object
  Properties:
    tailf-mobile-infra:systemHealth:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_sessions:
  Type: object
  Properties:
    tailf-mobile-infra:sessions:
      Description: (non-presence)
      Type: object
      x-yang:
        Type: container
        is_presence: 'false'
      Properties:
        commit-pending:
          Type: array
          Description: (list)
          x-yang:
            Type: list
          Items:
            Type: object
            Properties:
              podInstance:
                Description: (leaf)
                x-yang:
                  Type: leaf

```

```
    Type: string
    Format: string
  grInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  pendingCommit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  dbBinarySize:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  lastDbSyncTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  affinity:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
    Properties:
      podInstance:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
      count:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
```

```

        Format: int32
data_tailf-mobile-infra_sessions-post:
  Type: object
  Properties:
    tailf-mobile-infra:commit-pending:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          grInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
          count:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          pendingCommit:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          dbBinarySize:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: int32
          lastDbSyncTime:
            Description: (leaf)
            x-yang:
              Type: leaf
            Type: string
            Format: string
    tailf-mobile-infra:affinity:
      Type: array
      Description: (list)

```

```
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_sessions_affinity:
  Type: object
  Properties:
    tailf-mobile-infra:affinity:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          count:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: int32
data_tailf-mobile-infra_sessions_affinity_affinity-podInstance:
  Type: object
  Properties:
    tailf-mobile-infra:affinity:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
```

```

    podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_sessions_affinity_affinity-podInstance_count:
  Type: object
  Properties:
    tailf-mobile-infra:count:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: int32
data_tailf-mobile-infra_sessions_affinity_affinity-podInstance_podInstance:
  Type: object
  Properties:
    tailf-mobile-infra:podInstance:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_sessions_commit-pending:
  Type: object
  Properties:
    tailf-mobile-infra:commit-pending:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          podInstance:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          grInstance:
            Description: (leaf)
            x-yang:
              Type: leaf

```



```

    Type: string
    Format: string
  count:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  pendingCommit:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  dbBinarySize:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: int32
  lastDbSyncTime:
    Description: (leaf)
    x-yang:
      Type: leaf
    Type: string
    Format: string
data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance:
Type: object
Properties:
  tailf-mobile-infra:commit-pending:
    Type: array
    Description: (list)
    x-yang:
      Type: list
    Items:
      Type: object
      Properties:
        podInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
        grInstance:
          Description: (leaf)
          x-yang:
            Type: leaf
          Type: string
          Format: string
      count:
        Description: (leaf)

```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  pendingCommit:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  dbBinarySize:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
  lastDbSyncTime:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_count:
Type: object
Properties:
  tailf-mobile-infra:count:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_dbBinarySize:
Type: object
Properties:
  tailf-mobile-infra:dbBinarySize:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_grInstance:
Type: object
Properties:
  tailf-mobile-infra:grInstance:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string

```

data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_lastDbSyncTime:

Type: object

Properties:

tailf-mobile-infra:lastDbSyncTime:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_pendingCommit:

Type: object

Properties:

tailf-mobile-infra:pendingCommit:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

data_tailf-mobile-infra_sessions_commit-pending_commit-pending-podInstance_commit-pending-grInstance_podInstance:

Type: object

Properties:

tailf-mobile-infra:podInstance:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

data_tailf-mobile-infra_show:

Type: object

Properties:

tailf-mobile-infra:show:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties: {}

data_tailf-mobile-infra_vrf:

Type: object

Properties:

tailf-mobile-infra:vrf:

Description: (non-presence)

Type: object

x-yang:

Type: container

is_presence: 'false'

Properties:

vrflist:

Type: array

```

Description: (list)
x-yang:
  Type: list
Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
      gateway:
        Description: (leaf)
        x-yang:
          Type: leaf
          Type: string
          Format: string
        gatewayIpv6:
          Description: (leaf)
          x-yang:
            Type: leaf
            Type: string
            Format: string
          device:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
            linkDevice:
              Description: (leaf)
              x-yang:
                Type: leaf
                Type: string
                Format: string
    data_tailf-mobile-infra_vrf-info:
      Type: object
      Properties:
        tailf-mobile-infra:vrf-info:
          Description: (non-presence)
          Type: object
          x-yang:
            Type: container
            is_presence: 'false'
          Properties:
            all:
              Type: array
              Description: (list)
              x-yang:
                Type: list

```

Items:**Type:** object**Properties:****name:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**gateway:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**gatewayIpv6:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**device:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**linkDevice:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string**tableId:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** int32**state:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** boolean**podName:****Description:** (leaf)**x-yang:****Type:** leaf**Type:** string**Format:** string

data_tailf-mobile-infra_vrf-info-post:

Type: object

Properties:

tailf-mobile-infra:all:

Type: array

Description: (list)

x-yang:

Type: list

Items:

Type: object

Properties:

name:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

gateway:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

gatewayIpv6:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

device:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

linkDevice:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: string

tableId:

Description: (leaf)

x-yang:

Type: leaf

Type: string

Format: int32

state:

Description: (leaf)

x-yang:

Type: leaf

```
    Type: string
    Format: boolean
  podName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf-info_all:
  Type: object
  Properties:
    tailf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gateway:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gatewayIpv6:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          device:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          linkDevice:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          tableId:
            Description: (leaf)
```

```

    x-yang:
      Type: leaf
      Type: string
      Format: int32
  state:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: boolean
  podName:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf-info_all_all-name:
  Type: object
  Properties:
    tailf-mobile-infra:all:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gateway:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          gatewayIpv6:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string
          device:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string
              Format: string

```



```
    linkDevice:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
    tableId:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
    state:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
    podName:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
  data_tailf-mobile-infra_vrf-info_all_all-name_device:
    Type: object
    Properties:
      tailf-mobile-infra:device:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
  data_tailf-mobile-infra_vrf-info_all_all-name_gateway:
    Type: object
    Properties:
      tailf-mobile-infra:gateway:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
  data_tailf-mobile-infra_vrf-info_all_all-name_gatewayIpv6:
    Type: object
    Properties:
      tailf-mobile-infra:gatewayIpv6:
        Description: (leaf)
        x-yang:
          Type: leaf
        Type: string
        Format: string
```

```

data_tailf-mobile-infra_vrf-info_all_all-name_linkDevice:
  Type: object
  Properties:
    tailf-mobile-infra:linkDevice:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf-info_all_all-name_name:
  Type: object
  Properties:
    tailf-mobile-infra:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf-info_all_all-name_podName:
  Type: object
  Properties:
    tailf-mobile-infra:podName:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf-info_all_all-name_state:
  Type: object
  Properties:
    tailf-mobile-infra:state:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: boolean
data_tailf-mobile-infra_vrf-info_all_all-name_tableId:
  Type: object
  Properties:
    tailf-mobile-infra:tableId:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: int32
data_tailf-mobile-infra_vrf-post:
  Type: object
  Properties:
    tailf-mobile-infra:vrflist:
      Type: array
      Description: (list)

```

```

x-yang:
  Type: list
Items:
  Type: object
  Properties:
    name:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    gateway:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    gatewayIpv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    device:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
    linkDevice:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name:
  Type: object
  Properties:
    tailf-mobile-infra:vrflist:
      Type: array
      Description: (list)
      x-yang:
        Type: list
      Items:
        Type: object
        Properties:
          name:
            Description: (leaf)
            x-yang:
              Type: leaf
              Type: string

```

```

    Format: string
  gateway:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  gatewayIpv6:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  device:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
  linkDevice:
    Description: (leaf)
    x-yang:
      Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_device:
  Type: object
  Properties:
    tailf-mobile-infra:device:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gateway:
  Type: object
  Properties:
    tailf-mobile-infra:gateway:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string
        Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_gatewayIpv6:
  Type: object
  Properties:
    tailf-mobile-infra:gatewayIpv6:
      Description: (leaf)
      x-yang:
        Type: leaf
        Type: string

```

```

    Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_linkDevice:
  Type: object
  Properties:
    tailf-mobile-infra:linkDevice:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
data_tailf-mobile-infra_vrf_vrflist_vrflist-name_name:
  Type: object
  Properties:
    tailf-mobile-infra:name:
      Description: (leaf)
      x-yang:
        Type: leaf
      Type: string
      Format: string
operations:
  Type: object
  Properties:
    ietf-restconf:operations:
      Type: object
      x-yang:
        Type: operations
      Description: This resource is a container that provides access to the
data-model-specific
      RPC operations supported by the server. See RESTCONF RFC 8040 for further
information.
      Properties: {}
root:
  Type: object
  Properties:
    ietf-restconf:restconf:
      Type: object
      x-yang:
        Type: root
      Description: This is the RESTCONF root resource for the RESTCONF datstore
and operation resources. See RESTCONF RFC 8040 for further information.
      Properties:
        data:
          Type: object
          Properties: {}
        operations:
          Type: object
          Properties: {}
        yang-library-version:
          Type: string
yang-library-version:
  Type: object
  Properties:

```

ietf-restconf:yang-library-version:**Type:** object**Description:** This leaf identifies the revision date of the 'ietf-yang-library' YANG module that is implemented by this server. See RESTCONF RFC 8040 for further information.**x-yang:****Type:** leaf**Properties:** {}