Accessory Kits Contents

This appendix describes the contents of the Cisco Nexus 7000 Series accessory kits.

This appendix includes the following sections:

Cisco Nexus 7004 Switch Accessory Kit

This section describes the contents of the accessory kit that you can order for the Cisco Nexus 7004 switch. The accessory kit is shipped with each Cisco Nexus 7004 chassis. You use that kit for mounting the chassis on a four-post or two-post rack. Typically, you mount the front of the chassis using the front-mount brackets, which are already attached to the chassis, but if you need to mount the center of the chassis, you use the center-mount brackets (order part number N7K-C7004-RMK), which you must order separately. The kit also includes the screws, grounding lug, and other equipment that you use for all installations of this chassis.

Table 1: Cisco Nexus 7004 Switch Accessory Kit Contents , on page 1 lists and illustrates the contents for this kit.

.

Table 1: Cisco Nexus 7004 Switch Accessory Kit Contents

Illustration	Description	Quantity
	Chassis mounting screws • 12-24 x 3/4-in. Phillips screws • M6 x 19 mm Phillips screws	10 10
	RJ-45 rollover cable	1

Illustration	Description	Quantity
	D B9F/RJ-45F PC terminal	1
	Ground lug kit (includes the following parts): • Two-hole lug • M4 x 8-mm Phillips pan-head screws	1 kit 1 per kit 2 per kit
	Cable ties, 8.5 inches	1 kit (3 pieces)
	ESD wrist strap (disposable)	1
Not applicable	Hazardous substances list for customers in China	1
Not applicable	Cisco Information Packet 1-Year Limited Warranty for Hardware	1 1
Not applicable	GR-1089 Installation and Caution Instructions	1

Note   If you do not receive a part listed in this document, contact Cisco Technical Support at this URL: http://www.cisco.com/warp/public/687/Directory/DirTAC.shtml. If you purchased this product through a Cisco reseller, you might receive additional contents in your kit, such as documentation, hardware, and power cables.

The product shipment includes power cords for the following power supplies:

- 3-kW AC power supplies—one power cord per power supply

- 3-kW DC power supplies—no power cords supplied (you must supply a cable for 6 AWG and up to 45 A).

The shipped cables depend on your specification when placing a Cisco Nexus 7000 Series device order.

The available power cords for the 3-kW AC power supplies are as follows:

- CAB-AC-16A-AUS—power cord, 250-VAC 16A, C19, Australia

- CAB-AC16A-CH—power cord, 16-A, China

- CAB-AC-2500W-EU—power cord, 250-VAC 16A, Europe

- CAB-AC-2500W-INT—power cord, 250-VAC 16A, International

- CAB-AC-2500W-ISRL—power cord, 250-VAC 16-A, Israel

- CAB-9K16A-US1—power cord, 250-VAC 16A, Src Plug NEMA 6-20, US/Japan

- CAB-AC-C6K-TWLK—power cord, 250-VAC 16A, twist lock, NEMA L6-20

- CAB-7513AC—power cord, AC 110V North America

- CAB-C19-CBN—cabinet jumper power cord, 250-VAC, 16A, C20C

- CAB-ACS-16—power cord, 16-A, Switzerland

- CAB-L520P-C19-US—NEMA L5-20 to IEC-C19 6ft US

The available AC power cords for the 3.5-kW HVAC/HVDC power supplies are as follows:

- CAB-AC-16A-SG-AR—power cord, 250-VAC 16A, IRSM 2073Saf-D-Grid, Argentina

- CAB-AC-16A-SG-AZ—power cord, 250-VAC 16A, AU20LS3/Saf-D-Grid, Australia and New Zealand

- CAB-AC-16A-SG-BR—power cord, 250-VAC 16A, EL224/Saf-D-Grid, Brazil

- CAB-AC-16A-SG-CH—power cord, 250-VAC 16A, GB 16C/Saf-D-Grid, China

- CAB-AC-16A-SG-EU—power cord, 250-VAC 16A, CEE 7-7/Saf-D-Grid, Europe

- CAB-AC-16A-SG-IN—power cord, 250-VAC 16A, IEC60309/Saf-D-Grid, International

- CAB-AC-16A-SG-IND—power cord, 250-VAC 16A, SABS 164-1/Saf-D-Grid, India

- CAB-AC-16A-SG-IS—power cord, 250-VAC 16A, SI 16S3/Saf-D-Grid, Israel

- CAB-AC-16A-SG-IT—power cord, 250-VAC 16A, CEI 23-50/Saf-D-Grid to IEC-C19, Italy

- CAB-AC-16A-SG-SA—power cord, 250-VAC 16A, EL/Saf-D-Grid, South Africa

- CAB-AC-16A-SG-SK—power cord, 250-VAC 16A, Src/Saf-D-Grid, South Korea

- CAB-AC-20A-SG-US—power cord, 110-VAC 20A, straight blade, NEMA 5-20P/Saf-D-Grid, North America

- CAB-AC-20A-SG-US1—power cord, 125-VAC 20A, twist lock, NEMA L5-20/Saf-D-Grid, North America

- CAB-AC-20A-SG-US2—power cord, 250-VAC 20A, straight-blade, NEMA 6-20/Saf-D-Grid

- CAB-AC-20A-SG-US3—power cord, 250-VAC 20A, twist lock, NEMA L6-20/Saf-D-Grid

- CAB-AC-20A-SG-US4—power cord, 277-VAC 20A, NEMA L7-20P/Saf-D-Grid, North America

- CAB-AC-20A-SG-C20—cabinet jumper PDU power cord, 250-VAC, 20A, IEC C20/Saf-D-Grid, North America

- CAB-AC-16A-SG-SW—power cord, 250-VAC 16A, SEV 5934-2/Saf-D-Grid, Switzerland

- CAB-HV-25A-SG-US2—power cord, 300-VAC/500-VDC 20A, Ring Terminal/Saf-D-Grid, North America

- CAB-HV-25A-SG-US5—power cord, 300-VAC 20A, Saf-D-Grid P-10/Saf-D-Grid P4, North America

- CAB-HV-25A-SG-IN2—power cord, 300-VAC/500-VDC 20A, IEC/EU, Ring Terminal/Saf-D-Grid, International

• CAB-HV-25A-SG-IN3—power cord, 300-VAC 20A, Saf-D-Grid P-10/Saf-D-Grid P4, IEC/EU, International

> **Note** All cables will not be orderable at first customer shipment (FCS).

The available DC power cords for the 3.5-kW HVAC/HVDC power supplies are as follows:

• CAB-HV-25A-SG-US1—power cord, 400-VDC 20A, Saf-D-Grid/Saf-D-Grid, North America

• CAB-HV-25A-SG-US2—power cord, 300-VAC/500-VDC 20A, Ring Terminal/Saf-D-Grid, North America

• CAB-HV-25A-SG-IN1—power cord, 400-VDC 20A, IEC/EU, Saf-D-Grid/Saf-D-Grid, International

• CAB-HV-25A-SG-IN2—power cord, 300-VAC/500-VDC 20A, IEC/EU, Ring Terminal/Saf-D-Grid, International

> **Note** All cables will not be orderable at first customer shipment (FCS).

Cisco Nexus 7009 Switch Accessory and Optional Kits

This section describes the contents of the Cisco Nexus 7009 accessory kits and the other kits that you can order for the Cisco Nexus 7009 switch. The accessory kit is shipped with each Cisco Nexus 7009 chassis. You use that kit for mounting the front of the chassis on a four-post or two-post rack. If you are centering the chassis on a two-post rack, you must also order the Cisco Nexus 7009 Center Mount Kit (part number N7K-C7009-CMK). If you need to another bottom support bracket for front-mounting the chassis, order the Cisco Nexus 7009 Bottom Support Kit (part number N7K-C7009-BSK). If you need an additional set of brackets for mounting the front of the chassis to a rack, order the Cisco Nexus 7009 Rack Mount Kit (part number N7K-C7009-RMK).

This section includes the following topics:

Cisco Nexus 7009 Accessory Kit

The Cisco Nexus 7009 Accessory Kit is shipped with each Cisco Nexus 7009 chassis. Table 2: Cisco Nexus 7009 Switch Accessory Kit Contents , on page 5 lists and illustrates the contents for this kit.

Table 2: Cisco Nexus 7009 Switch Accessory Kit Contents

Illustration	Description	Quantity
	Front-mount Bottom-Support Kit (available separately as N7K-C7009-BSK) includes the following parts:	1 kit
	• Front-mount bottom support rails	2 per kit
	• Crossbar	1 per kit
	• 12-24 x 3/4-in. Phillips screws	20 per kit
	• M6 x 19-mm Phillips screws	20 per kit
	• M4 x 8-mm Phillips screws	2 per kit
	Note This accessory kit does not include the center-mount bottom-support kit (part number N7K-C7009-CMK). If you ordered that kit, it is included separately with the switch shipment.	
	RJ-45 rollover cable	1
	D B9F/RJ-45F PC terminal	1
	Ground lug kit (includes the following parts):	1 kit
	• Two-hole lug	1 per kit
	• M4 x 8-mm Phillips pan-head screws	2 per kit
	Cable ties, 8.5 inches	1 kit (7 pieces)

Illustration	Description	Quantity
ESD wrist strap	ESD wrist strap (disposable)	1
Not applicable	DCNM License for one Nexus 7000 Series chassis (optional)	1
Not applicable	Hazardous substances list for customers in China	1
Not applicable	Cisco Information Packet 1-Year Limited Warranty for Hardware	1 1
Not applicable	GR-1089 Installation and Caution Instructions	1

Note   If you do not receive a part listed in this document, contact Cisco Technical Support at this URL: http://www.cisco.com/warp/public/687/Directory/DirTAC.shtml. If you purchased this product through a Cisco reseller, you might receive additional contents in your kit, such as documentation, hardware, and power cables.

If your Cisco Nexus 7000 Series system includes 6 kW power supply units, the product shipment includes one or two country-specific power cords for each of those power supply units. The shipped cables depend on your specification when placing a Cisco Nexus 7000 Series device order. The available power cords for the 6 kW power supplies are as follows:

- CAB-AC-16A-AUS—power cord, 250-VAC 16A, C19, Australia

- CAB-AC16A-CH—power cord, 16-A, China

- CAB-AC-2500W-EU—power cord, 250-VAC 16A, Europe

- CAB-AC-2500W-INT—power cord, 250-VAC 16A, International

- CAB-AC-2500W-ISRL—power cord, 250-VAC 16-A, Israel

- CAB-9K16A-US1—power cord, 250-VAC 16A, Src Plug NEMA 6-20, US/Japan

- CAB-AC-C6K-TWLK—power cord, 250-VAC 16A, twist lock, NEMA L6-20

- CAB-7513AC—power cord, AC 110V North America

- CAB-C19-CBN—cabinet jumper power cord, 250-VAC, 16A, C20C

- CAB-ACS-16—power cord, 16-A, Switzerland

- CAB-L520P-C19-US—NEMA L5-20 to IEC-C19 6ft US

Cisco Nexus 7009 Center-Mount Kit

The Cisco Nexus 7009 Center-Mount Kit is not included in the Cisco Nexus 7009 accessory kit, but, if you are centering the Cisco Nexus 7009 chassis on a two-post rack, you must order this kit (N7K-C7009-CMK) when you order the switch. Table 3: Cisco Nexus 7009 Center-Mount Kit (N7K-C7009-CMK) , on page 7 lists the contents for this kit.

*Table 3: Cisco Nexus 7009 Center-Mount Kit (N7K-C7009-CMK)*

Description	Quantity
Center-Mount Kit includes the following parts:	1 kit
• Center-mount rack mounting brackets (right and left brackets)	2 per kit
• Center-mount bottom support rails (right and left rails)	2 per kit
• Crossbar	1 per kit
• 12-24 x 3/4-in. Phillips screws	20 per kit
• M6 x 19-mm Phillips screws	20 per kit
• M4 x 8-mm screws	2 per kit

Cisco Nexus 7009 Bottom Support Kit

The Cisco Nexus 7009 Bottom Support Kit is included in the Cisco Nexus 7009 Accessory Kit for use in mounting the front of the chassis to a two-post or four-post rack. If you need to replace these parts, you can order this kit by using part number N7K-C7009-BSK. Table 4: Cisco Nexus 7009 Bottom Support Kit (N7K-C7009-BSK), on page 7 lists and illustrates the contents for this kit.

Table 4: Cisco Nexus 7009 Bottom Support Kit (N7K-C7009-BSK)

Illustration	Description	Quantity
	Front-mount Bottom Support Kit includes the following parts:	1 kit
	• Front-mount bottom support rails (right and left rails)	2 per kit
	• Crossbar	1 per kit
	• 12-24 x 3/4-in. Phillips screws	20 per kit
	• M6 x 19-mm Phillips screws	20 per kit
	• M4 x 8-mm Phillips screws	2 per kit

Cisco Nexus 7009 Rack-Mount Kit

The Cisco Nexus 7009 switch ships with the front-mount rack mounting brackets assembled onto the chassis, but you can order the Cisco Nexus 7009 Rack-Mount Kit (order number N7K-C7009-RMK) if you need replacement parts. Table 5: Cisco Nexus 7009 Rack-Mount Kit (N7K-C7009-RMK), on page 8 lists and illustrates the contents for this kit.

Table 5: Cisco Nexus 7009 Rack-Mount Kit (N7K-C7009-RMK)

Description	Quantity
Rack-Mount Kit (available separately as N7K-C7009-RMK) includes the following parts:	1 kit
• Front-mount rack mounting brackets (right and left brackets)	2 per kit
• M4 x 6-mm Phillips screws	12 per kit

Cisco Nexus 7010 Switch Accessory Kits

Table 6: Cisco Nexus 7010 System Accessory Kit Contents , on page 8 lists and illustrates the accessory kit contents for the Cisco Nexus 7010 switch.

*Table 6: Cisco Nexus 7010 System Accessory Kit Contents*

Illustration	Description	Quantity
	Bottom support rails kit (includes the following parts): • 12-24 x 3/4-in. Phillips screws • M6 x 19-mm Phillips screws • Adjustable bottom support rails	1 kit 20 per kit 20 per kit 2 per kit
	RJ-45 rollover cable	1
	DB-9F/RJ-45F PC terminal	1

Illustration	Description	Quantity
Ground lug kit	Ground lug kit (includes the following parts):	1 kit
	• Two-hole lug	1 per kit
	• M4 x 8-mm Phillips pan-head screws	2 per kit
	Cable ties, 8.5 inches	1 kit (10 pieces)
ESD wrist strap	ESD wrist strap (disposable)	1
Not applicable	DCNM License for one Nexus 7000 Series chassis (optional)	1
Not applicable	Hazardous substances list for customers in China	1
Not applicable	Cisco Information Packet	1
	1-Year Limited Warranty for Hardware	1
Not applicable	GR-1089 Installation and Caution Instructions	1

Note If you do not receive a part listed in this document, contact Cisco Technical Support at this URL: http://www.cisco.com/warp/public/687/Directory/DirTAC.shtml. If you purchased this product through a Cisco reseller, you might receive additional contents in your kit, such as documentation, hardware, and power cables.

If your Cisco Nexus 7000 Series system includes 6 kW power supply units, the product shipment includes one or two country-specific power cords for each of those power supply units. The shipped cables depend on your specification when placing a Cisco Nexus 7000 Series device order. The available power cords for the 6 kW power supplies are as follows:

- CAB-AC-16A-AUS—power cord, 250-VAC 16A, C19, Australia
- CAB-AC16A-CH—power cord, 16-A, China

- CAB-AC-2500W-EU—power cord, 250-VAC 16A, Europe
- CAB-AC-2500W-INT—power cord, 250-VAC 16A, International
- CAB-AC-2500W-ISRL—power cord, 250-VAC 16-A, Israel
- CAB-9K16A-US1—power cord, 250-VAC 16A, Src Plug NEMA 6-20, US/Japan
- CAB-AC-C6K-TWLK—power cord, 250-VAC 16A, twist lock, NEMA L6-20
- CAB-7513AC—power cord, AC 110V North America
- CAB-C19-CBN—cabinet jumper power cord, 250-VAC, 16A, C20C
- CAB-ACS-16—power cord, 16-A, Switzerland
- CAB-L520P-C19-US—NEMA L5-20 to IEC-C19 6ft US

Cisco Nexus 7018 Switch Accessory Kits

lists and illustrates the accessory kit contents for the Cisco Nexus 7018 switch.

Table 7: Cisco Nexus 7018 Switch Accessory Kit Contents

| Illustration	Description	Quantity
	Bottom support rails kit (includes the following parts): • 12-24 x 3/4-in. Phillips screws • M6 x 19-mm Phillips screws • Adjustable bottom support rails	1 kit 34 per kit 34 per kit 2 per kit
	RJ-45 rollover cable	1
	D B9F/RJ-45F PC terminal	1
	Ground lug kit (includes the following parts): • Two-hole lug • M4 x 8-mm Phillips pan-head screws	1 kit 1 per kit 2 per kit

Illustration	Description	Quantity
	Cable ties, 8.5 inches	1 kit (10 pieces)
ESD wrist strap	ESD wrist strap (disposable)	1
Not applicable	DCNM License for one Nexus 7000 Series chassis (optional)	1
Not applicable	Hazardous substances list for customers in China	1
Not applicable	Cisco Information Packet	1
	1-Year Limited Warranty for Hardware	1
Not applicable	GR-1089 Installation and Caution Instructions	1

Note If you do not receive a part listed in this document, contact Cisco Technical Support at this URL: http://www.cisco.com/warp/public/687/Directory/DirTAC.shtml. If you purchased this product through a Cisco reseller, you might receive additional contents in your kit, such as documentation, hardware, and power cables.

If your Cisco Nexus 7000 Series system includes 6 kW power supply units, the product shipment includes one or two country-specific power cords for each of those power supply units. The shipped cables depend on your specification when placing a Cisco Nexus 7000 Series device order. The available power cords for the 6 kW power supplies are as follows:

- CAB-AC-16A-AUS—power cord, 250-VAC 16A, C19, Australia
- CAB-AC16A-CH—power cord, 16-A, China
- CAB-AC-2500W-EU—power cord, 250-VAC 16A, Europe
- CAB-AC-2500W-INT—power cord, 250-VAC 16A, International
- CAB-AC-2500W-ISRL—power cord, 250-VAC 16-A, Israel
- CAB-9K16A-US1—power cord, 250-VAC 16A, Src Plug NEMA 6-20, US/Japan

- CAB-AC-C6K-TWLK—power cord, 250-VAC 16A, twist lock, NEMA L6-20
- CAB-7513AC—power cord, AC 110V North America
- CAB-C19-CBN—cabinet jumper power cord, 250-VAC, 16A, C20C
- CAB-ACS-16—power cord, 16-A, Switzerland
- CAB-L520P-C19-US—NEMA L5-20 to IEC-C19 6ft US