



G Commands

This chapter describes the Cisco Nexus 1010 commands that begin with the letter G.

gunzip

To uncompress a compressed file, use the **gunzip** command.

gunzip *filename*

Syntax Description

<i>filename</i>	Name of a file. The filename is case sensitive.
-----------------	---

Defaults

None

Command Modes

Any command mode

Supported User Roles

network-admin

Command History

Release	Modification
4.0(4)SP1(1)	This command was introduced.

Usage Guidelines

The compressed filename must have the .gz extension.

You do not have to enter the .gz extension as part of the filename.

The Cisco NX-OS software uses Lempel-Ziv 1977 (LZ77) coding for compression.

Examples

This example shows how to uncompress a compressed file:

```
n1010# gunzip run_cfg.cfg
```

Send document comments to nexus1k-docfeedback@cisco.com.

Related Commands	Command	Description
	dir	Displays the directory contents.
	gzip	Compresses a file.

Send document comments to nexus1k-docfeedback@cisco.com.

gzip

To compress a file, use the **gzip** command.

gzip *filename*

Syntax Description	<i>filename</i>	Name of a file. The filename is case sensitive.
---------------------------	-----------------	---

Defaults	None
-----------------	------

Command Modes	Any command mode
----------------------	------------------

SupportedUserRoles	network-admin
---------------------------	---------------

Command History	Release	Modification
	4.0(4)SP1(1)	This command was introduced.

Usage Guidelines	After you use this command, the file is replaced with the compressed filename that has the .gz extension. The Cisco NX-OS software uses Lempel-Ziv 1977 (LZ77) coding for compression.
-------------------------	--

Examples	This example shows how to compress a file: n1010# gzip run_cfg.cfg
-----------------	--

Related Commands	Command	Description
	dir	Displays the directory contents.
gunzip	Uncompresses a compressed file.	

Send document comments to nexus1k-docfeedback@cisco.com.