



Release Notes for Unified Contact Center Enterprise, Release 12.5(2)

First Published: 2022-07-26

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
<http://www.cisco.com>
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/c/en/us/about/legal/trademarks.html>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 1994–2022 Cisco Systems, Inc. All rights reserved.



CONTENTS

CHAPTER 1	Unified Contact Center Enterprise	1
	New Features	1
	Dual Platform Support	1
	HTTP Strict Transport Security Support for Unified CCE Web Applications	1
	Updated Features	2
	Diagnostic Framework Portico	2
	Important Notes	2
	OpenJDK Java Runtime Environment Update	2
	Tomcat Upgrade	3
	Cloud Connect Update	3
	24 Character Hostname Support for ICM nodes	3
	Deprecated Features	3
	Removed and Unsupported Features	4
	Third Party Software Impacts	5
	Other Software Upgrades	5
CHAPTER 2	Cisco Finesse	7
	In This Release	7
CHAPTER 3	Cisco Unified Customer Voice Portal	9
	In This Release	9
CHAPTER 4	Cisco Unified Intelligence Center	11
	In This Release	11
CHAPTER 5	Cisco Enterprise Chat and Email	13

In This Release 13

CHAPTER 6 **Cisco Unified Contact Center Management Portal 15**

In This Release 15

CHAPTER 7 **Cisco Unified Contact Center Domain Manager 17**

In This Release 17

CHAPTER 8 **Caveats 19**

Caveat Queries by Product 19

Bug Search Tool 19

Severity 3 or Higher Caveats 20



CHAPTER 1

Unified Contact Center Enterprise

All features that were introduced in 12.5(1) and 12.5(1) ES releases are included as part of 12.5(2).

- [New Features, on page 1](#)
- [Updated Features, on page 2](#)
- [Important Notes, on page 2](#)
- [Deprecated Features, on page 3](#)
- [Removed and Unsupported Features, on page 4](#)
- [Third Party Software Impacts, on page 5](#)

New Features

Dual Platform Support

Contact Center Enterprise (CCE) components supports the following platforms:

- Microsoft Windows Server 2016 and Microsoft SQL Server 2017
- Microsoft Windows Server 2019 and Microsoft SQL Server 2019



Note The cross combination of platforms is not supported. For example, Windows Server 2016 with SQL Server 2019 or Windows Server 2019 with SQL Server 2017 is not supported.

For more information, see the *Install Microsoft Windows Server* section in the Cisco Unified Contact Center Enterprise Installation and Upgrade Guide at <https://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-enterprise/products-installation-guides-list.html>

HTTP Strict Transport Security Support for Unified CCE Web Applications

In this release, the Unified CCE web applications such as Diagnostic Portico, CCE Administration, and Websetup will support HTTP Strict Transport Security (HSTS). The Unified CCE web applications will use the HSTS header to instruct the browsers to use only the HTTPS connections.

The Internet Script Editor (ISE) will use the HTTPS connection to communicate with the Administration and Data Server.

The interface to download the ISE client from the Administration and Data Server will happen only over the HTTPS connection and any attempt to download using an HTTP connection will be forbidden.

The following additional security hardening measures are added on the ISE installer location:

1. Disabled directory and wildcard listing.
2. Disabled anonymous authentication, and enabled basic or windows authentication.
3. Disabled the following unused HTTP methods: PUT, POST, and DELETE.

For more information, see the *Internet Script Editor* section in the *Scripting and Media Routing Guide for Cisco Unified ICM/Contact Center Enterprise* at <https://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-enterprise/products-user-guide-list.html>.

Updated Features

The following are the updated features available for each Contact Center Enterprise solution in Release 12.5(2).

Diagnostic Framework Portico

The Unified ICM/Unified CCE Diagnostic Framework Portico has moved to form-based authentication for login. It has a new login page, an option to log out, and a 30 minute session timeout.



Note The **GetMenu** URL is now deprecated.



Note For more information, see *Diagnostic Tools* section in the *Serviceability Guide for Cisco Unified ICM/Contact Center Enterprise* at <https://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-enterprise/products-installation-and-configuration-guides-list.html>

Important Notes

OpenJDK Java Runtime Environment Update

12.5(2) MR installs OpenLogic's OpenJDK JRE as the runtime support for all the CCE java applications. If you uninstall CCE 12.5(2) MR, the applications will use the following JRE versions:

- OpenJDK JRE that was installed on 12.5(1a) base installer or 12.5(1) ES55 and above.
- Or
- Oracle JRE that was installed on 12.5(1).

Before you install or upgrade to 12.5(2), make sure to export the certificates of all the components. For more information, see the *Certificate management requirements* section in the Cisco Unified Contact Center Installation and Upgrade Guide at <https://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-enterprise/products-installation-guides-list.html>.

Tomcat Upgrade

In ICM 12.5(2), Tomcat is upgraded from 9.0.44 to 9.0.62 .

Cloud Connect Update

Starting release 12.5(2), Cloud Connect 12.5(1) is not supported. If you are using Cloud Connect 12.5(1) in your deployment and you want to upgrade to ICM 12.5(2), make sure that you upgrade to Cloud Connect 12.6.

24 Character Hostname Support for ICM nodes

CCE hostname (Router, Logger, AW/AW-HDS/AW-HDS-DD, PG) can now be configured up to a maximum of 24 characters.

For more information, see *Cisco Unified Contact Center Enterprise Installation and Upgrade Guide* at <https://www.cisco.com/c/en/us/support/customer-collaboration/unified-contact-center-enterprise/products-installation-guides-list.html>

Deprecated Features

Deprecated features are fully supported. However, there is no additional development for deprecated features. These features may be scheduled to be removed in a future release. Plan to transition to the designated replacement feature. If you are implementing a new deployment, use the replacement technology rather than the deprecated feature.

Table 1: Deprecated Features/Solution

Deprecated Feature	Announced in Release	Replacement	Notes
UCC Enterprise Gateway PG (Parent PG in Parent-Child deployments)	12.5(1)	None	None
Integrity Check Tool	12.0(1)	None	None
External Script Validation	12.0(1)	None	None
Translation Route Wizard	12.0(1)	Translation Route Explorer	None

Deprecated Feature	Announced in Release	Replacement	Notes
MIB Objects: cccaDistAwWebViewEnabled cccaDistAwWebViewServerName cccaSupportToolsURL cccaDialerCallAttemptsPerSec	11.6(1)	None	None
Generic PG	11.5(1)	Agent PG and VRU PG	None
"Sprawler" deployment	10.0(1)	A Packaged CCE deployment	A "Sprawler" was a Progger with an Administration & Data Server on a single box. It was used for lab deployments.
Cisco Hosted Collaboration Solution for Contact Center (HCS-CC)	12.5(2)	Unified CCE / Packaged CCE / Webex CCE	None

Removed and Unsupported Features

The features listed in the following table are no longer available.

Table 2: Removed and Unsupported Features

Feature	Effective from Release	Replacement
Internet Explorer 11	12.5(2)	Edge Chromium (Microsoft Edge v79 and later)
Avaya Aura Contact Center (AACC - formerly Symposium) PG	12.5(2)	Migrate to Contact Center Enterprise or Webex CCE.
Aspect PG	12.5(2)	Migrate to Contact Center Enterprise or Webex CCE.
Symposium ACD	12.5(2)	Migrate to Contact Center Enterprise or Webex CCE.
ECSPIM/Avaya (Definity) PG using CVLAN interface	12.5(2)	TAESPIM/Avaya (Definity) PG using TSAPI interface

Feature	Effective from Release	Replacement
Customer Journey Analyzer for Business Metrics (Trials)	12.5(2)	None Note Customer Journey Analyzer was available for trials only in Release 12.5(1). The trials have been discontinued.

Third Party Software Impacts

Other Software Upgrades

The following softwares are upgraded in this release:

- JRE—Upgraded to 1.8 (32 bit), Update 332.
- Perl—Upgraded to version 5.32.1.
- Apache Tomcat—Upgraded to version 9.0.62.
- OpenSSL—Upgraded to version openssl-1.1.1m.
- Apache Struts—Upgraded to version 2.5.30.
- Jackson—Upgraded to version 2.13.2.
- Spring—Upgraded to version 5.2.20.
- Hibernate—Upgraded to version 5.6.7.
- Log4J—Upgraded to version 2.17.2.
- Xerces—Upgraded to version 2.12.2.
- Xstream—Upgraded to version 1.4.19.



CHAPTER 2

Cisco Finesse

- [In This Release, on page 7](#)

In This Release

There are no release notes for this component.



CHAPTER 3

Cisco Unified Customer Voice Portal

- [In This Release, on page 9](#)

In This Release

There are no release notes for this component.



CHAPTER 4

Cisco Unified Intelligence Center

- [In This Release, on page 11](#)

In This Release

There are no release notes for this component.



CHAPTER 5

Cisco Enterprise Chat and Email

- [In This Release, on page 13](#)

In This Release

There are no release notes for this component.



CHAPTER 6

Cisco Unified Contact Center Management Portal

- [In This Release, on page 15](#)

In This Release

There are no release notes for this component.



CHAPTER 7

Cisco Unified Contact Center Domain Manager

- [In This Release, on page 17](#)

In This Release

There are no release notes for this component.



CHAPTER 8

Caveats

- [Caveat Queries by Product](#), on page 19

Caveat Queries by Product

Bug Search Tool

If you have an account with Cisco.com, you can use the Bug Search tool to find caveats of any severity for any release. Access the Bug Search tool at <https://bst.cloudapps.cisco.com/bugsearch/>. Enter the bug identifier in the search box, and press return or click **Search**.

To access a list of open caveats and resolved caveats (rather than an individual caveat) for a particular product or component, see the relevant sections later in these notes.

You can also choose your own filters and criteria in the tool to see a specific subset of caveats, as described in the following table.

If you choose this in Releases	And you choose this in Status	A list of the following caveats appears
Affecting or Fixed in these Releases OR Affecting these Releases	Open	Any caveat in an open state for the release or releases you select.
Fixed in these Releases	Fixed	Any caveat in any release with the fix applied to the specific release or releases you select.
Affecting or Fixed in these Releases	Fixed	Any caveat that is either fixed or occurs in the specific release or releases you select.
Affecting these Releases	Fixed	Any caveat that occurs in the release or releases you select.

Severity 3 or Higher Caveats

Use the following links to the Bug Search Tool to view a list of Severity 3 or higher caveats for each product or component for the current release. You can filter the result by setting the filter values in the tool.



Note If the list of caveats does not automatically appear when you open the browser, refresh the browser.

Cisco Unified Contact Center Enterprise

[https://bst.cloudapps.cisco.com/bugsearch/search?kw=* &pf=prdNm&pfVal=268439622&rls=12.5\(2\)&sb=anfr&svr=3nH&bt=custV](https://bst.cloudapps.cisco.com/bugsearch/search?kw=* &pf=prdNm&pfVal=268439622&rls=12.5(2)&sb=anfr&svr=3nH&bt=custV)