

Troubleshooting

- Update the SSO Certificate for the Cisco Jabber Domain, on page 1
- Cisco Jabber Diagnostics Tool, on page 2

Update the SSO Certificate for the Cisco Jabber Domain

This procedure applies to cloud or hybrid deployments. Use this procedure to upload an updated single sign-on (SSO) certificate for your Cisco Jabber domain.



Note

Only certificates with 1024, 2048, or 4096 encryption bits and RC4-MD5 algorithms are supported.

Before you begin

The certificate must be in a .CER or .CRT file format.

Procedure

Step 1	Log in to the Webex Org Admin tool at https://www.webex.com/go/connectadmin.
Step 2	After loading the Administration tool, click the Configuration tab.
Step 3	In the left navigation bar, click on Security Settings.
Step 4	Click the link for Organization Certificate Management . Previously imported X.509 certificates are displayed.
Step 5	In the Alias field, enter your company's Webex Organization.
Step 6	Click Browse to navigate to the X.509 certificate. The certificate must be in a .CER or .CRT file format.
Step 7	Click Import to import the certificate. If the certificate is not according to the format specified for an X.509 certificate, an error is displayed.
Step 8	Click Close twice to return to the SSO Related Options screen.
Step 9	Click Save to save your Federated Web single sign-on configuration details.

Cisco Jabber Diagnostics Tool

Windows and Mac

The Cisco Jabber Diagnostics Tool provides configuration and diagnostics information for the following functionality:

- Service Discovery
- Webex
- Cisco Unified Communications Manager Summary
- Cisco Unified Communications Manager Configuration
- Voicemail
- Certificate Validation
- Active Directory
- · DNS Records

To access the Cisco Jabber Diagnostics Tool window, users must bring the hub window into focus and enter Ctrl + Shift + D. Users can update the data by clicking the **Reload** button. Users can also save the information to an html file by clicking the **Save** button.

The Cisco Jabber Diagnostics Tool is available by default. To disable this tool, you must set the DIAGNOSTICS_TOOL_ENABLED installation parameter to FALSE. For more information about this installation parameter, see *On-Premise Deployment for Cisco Jabber*, or *Cloud and Hybrid Deployments for Cisco Jabber*, depending on your setup.