

Cisco Global Certification and Security Assurance

Updated as of 5/18/2009

Common Criteria Evaluations

Cisco continues to be a global leader in completing and pursuing Common Criteria evaluations; below are current, completed certifications as well as those evaluations which are not yet finalized.

For more information about Common Criteria, please go to: http://www.niap-ccevs.org/ and http://www.commoncriteriaportal.org/

Table 1. Cisco Common Criteria Current Certifications

Technology	Product	Optional IPSec Hardware Acceleration Module	Software Version	EAL	Certification
VPN	ASA 5500 Series (5505, 5510, 5520, 5540, 5550); Cisco VPN Client		7.2.4.18; 7.2.4.30 VPN Client: 5.0.03.0560; 5.0.05.0290	EAL4	Certificate VID 10313 Main 189
Wireless	Cisco Unified Wireless Communications [WLAN] Cisco 4400 Series WLAN Controllers, Cisco Catalyst 6500 Series Wireless Services Module (WiSM), Cisco Aironet LWAPP 1130, 1230, and 1242 Series AP's, Cisco Wireless Control System (WCS), Cisco 2710 Location Appliance, and Cisco Secure ACS	0.0.00.0	4.1.185.10 FIPS	EAL2+	VID 10324
Network Access Control	Cisco Network Admission Control (NAC) solution including the NAC Appliance NAC Appliance network module (NME-NAC-K9) for Cisco Internet Services Routers (ISRs), NAC Agent, NAC Profiler and Cisco Secure Access Control Server (ACS v4.1.4.13)	None	12.4(11)T3 and 12.2(18)SXF10	EAL2	<u>Certificate</u>
Firewall	Assurance Maintenance: NIAP #6016 PIX 515/515E, 525, 535; ASA 5510/5520/5540	None	7.2.(2)27	EAL4	VID 6016 Main 173
Storage	MDS 9000 Family SAN-OS	None	3.2.(2c)	EAL3	VID 10015
Network Management	Cisco Info Center v7.1 with Cisco WebTop v2.0	None	7.1	EAL2	VID 10066
Security Management/ IPS/IDS	CS-MARS 110, 110R, Cisco Security MARS 210 and Cisco security MARS GC2		5.2.4.2387	EAL2	VID 10181
Firewall	Cisco ACE XML Gateway and Manager	None	5.0.3	EAL3	VID 10076

Technology	Product	Optional IPSec Hardware Acceleration Module	Software Version	EAL	Certification
Secure Messaging	IronPort Messaging Gateway [C150, C350, C600, C650, X1000 and X1050)	None	5.1.2	EAL2	VID 10144
IOS AAA	Wireless (1100, 1200, 1400, 3200, MWR), Access Servers (5350, 5400, 5850), Integrated Access Device (AD2430), with Cisco Secure Access Control Server (ACS) for Windows	None	Various	EAL3	VID 6013
IOS AAA	Catalyst Switches (2900, 3500, 3700, 4500, 4948, 6500) and Cisco Secure ACS for Windows 4.1.4.13	None	Various	EAL3	VID 6012
	Routers: 800, 1700, 1800, 2600XM,2800, 3700, 3800, 7200, 7300, 7400, 7600; 10000 and 12000 and Cisco Secure ACS version 4.1.2.12	None	Various	EAL3	VID 6014
OSIPSEC	IOS IPSEC on the Integrated Services Routers, VPN Services Module (VPNSM) and IPSec VPN Shared Port Adapter (SPA) including VLAN separation	None	12.4(11)T3 and 12.2(18)SXF10	EAL4	VID 10116
IPS	IPS 4240, 4255 and 4260 Sensors		6.0	EAL2	VID 10159
l	IDS 4215 and 4250 Sensors				
	IDSM2 Catalyst 6500 Intrusion Detection/Prevention Module				
	ASA family (5510, 5520, 5540) with SSM-AIP-10, SSM-AIP-20				
	NM-CIDS				
IDS	ISDM2		4.1(3)	EAL2+	VID 9500
	IDS 4200 Series		4.1(3)	EAL2	VID 6002
PSEC	1841	AIM-VPN/BPII-PLUS	12.4(6)T3, 12,4(7), 12.2 (33)SRA	EAL2	<u>Certificate</u>
	2801, 2811, 2821, 2851	AIM-VPN/EPII-PLUS			
	3825	AIM-VPN/EPII-PLUS			
	3845	AIM-VPN/HPII-PLUS			
	7204, 7206, 7301	SA-VAM2			
	7600 (Cat 6500)	SPA-IPSEC-2G			
IPSEC	VPN 3K 3005, 3015, 3020, 3030, 3060, 3080		4.1.7.N (VPN 3K)	EAL2	<u>Certificate</u>
	Cisco IPSec VPN Client (Windows, Solaris, Linux)		4.80 Windows/Linux, 4.6.02 Solaris		
	3002		4.7.2D		
	830		12.4(5a) [831, 837]		
	PIX 501		6.3(5) [PIX]		
	Movian Software Client		4.0		
Host Intrusion Protection	CSA		4.5	EAL2	VID 10008
FWSM	Firewall Services Module		3.1(4)	EAL4	Certificate- Assurance Continuity
			3.1(3.17)	EAL4	VID 6015
Firewall/PIX	PIX 515, 515E, 520, 525 & 535 (with VAC+) ASA 5510, 5520, 5540		7.0(6)	EAL4	VID 6016

Technology	Product	Optional IPSec Hardware Acceleration Module	Software Version	EAL	Certification
Firewall/PIX	501,506, 506E, 515, 515E, 520, 525, & 535		6.2(2)	EAL4	<u>Certificate</u>
OS/Firewall	870, 1800, 2800, 3800, 7200 and 7301		12.3(14)T, 12.4(4)T	EAL4	VID 10038
IOS/IPSEC	1720, 1721, 1760	MOD1700-VPN	12.3(6a)	EAL4	<u>Certificate</u>
	2610XM, 2611XM, 2620XM, 2621XM, 2650XM, 2651XM	AIM-VPN/EP or AIM- VPN/BPII			
	3660	AIM-VPN/HP			
	3725	AIM-VPN/EPII			
	3745	AIM-VPN/HPII			
	7204, 7206	VAM2			
	7301	VAM2			
IOS/IPSec	1720, 1750	MOD1700-VPN	12.2(6)	EAL4	<u>Certificate</u>
	2610, 2611, 2612, 2613, 2620, 2621	AIM-VPN/BP	12.2(6)	EAL4	<u>Certificate</u>
	3620, 3640	NM-VPN/MP	12.2(6)	EAL4	<u>Certificate</u>
	3660	AIM-VPN/HP	12.2(6)	EAL4	<u>Certificate</u>
	7120, 7140	SM-ISM or SA-ISA	12.2(6)	EAL4	<u>Certificate</u>
		SM-VAM(2) or SA-VAM(2)	12.2(10)E	EAL4	<u>Certificate</u>
	7204, 7206	SA-ISA	12.2(6)	EAL4	<u>Certificate</u>
		SA-VAM(2)	12.2(10)E	EAL4	Certificate
VoIP	Cisco VoIP Telephony System		Cisco IP Telephone 7960, 7.0(2)	EAL1	<u>Certificate</u>
			Cisco IP Telephone 7970G, 6.0(2)		
			Cisco CallManager, 4.1(2)		
			Cisco Unity, 4.0(4)		
			Cisco 2651XM-V, 12.3(10)		
MSPP	Cisco ONS 15454 SONET Multiservice Provisioning Platform (MSPP) and Cisco ONS 15454 SDH Multiservice Provisioning Platform (MSPP)	n/a	4.1.3	EAL2	VID 10013

¹⁾ Cisco 7100 and 7200 routers without optional IPSec hardware acceleration modules can be configured with either the 12.2(6) or 12.1(10)E software release.

2) Cisco 7100 or 7200 router equipped with an SM-VAM or SA-VAM does not support RSA public/private keys pairs for IKE authentication.

Table 2. Common Criteria in Progress Evaluations

Technology	Product	PP Compliance	Level
Switch	Cisco Nexus 7000 Cisco Nexus 7000 Series 10-Slot Chassis and 10-Slot Fabric Module; Cisco Nexus 7000 Series 18-Slot Chassis and 18-Slot Fabric Module; Cisco Nexus 7000 Series Sup Module; Cisco Nexus 7000 32- Port 10Gb Ethernet Mod w/80Gbps Fabric; Cisco Nexus 7000 48-Port 10/100/1000 Gbps Ethernet Module w/40 Gbps Fabric; Cisco Nexus 7000 48-Port Gig Ethernet SFP Mod w/40 Gbps Fabric; Cisco Secure Access Control Server v5.1 [includes hardened version of Linux Kernel 4.4]; Cisco NX-OS [includes hardened version of Linux Kernel 2.6]	None	EAL4
WAAS	Cisco Wide Area Application Services; , Wide Area Application Engine 512, 612,674, 7341, and 7371 and NME-WAE 502 and NME WAE 522	None	EAL4
IronPort	IronPort Web Security Appliance (WSA), S-Series (S350 & S650) running AsyncOS 5.1	None	EAL2

For more information about Common Criteria, please go to: http://www.niap-ccevs.org/ and http://www.commoncriteriaportal.org/



Americas Headquarters Cisco Systems, Inc. San Jose, CA Asia Pacific Headquarters Cisco Systems (USA) Pte. Ltd. Singapore Europe Headquarters Cisco Systems International BV Amsterdam, The Netherlands

Cisco has more than 200 offices worldwide. Addresses, phone numbers, and fax numbers are listed on the Cisco Website at www.cisco.com/go/offices.

CCDE, CCENT, Cisco Eos, Cisco Lumin, Cisco Nexus, Cisco StadiumVision, Cisco TelePresence, Cisco WebEx, the Cisco logo, DCE, and Welcome to the Human Network are trademarks: Changing the Way We Work, Live, Play, and Learn and Cisco Store are service marks: and Access Registrar, Aironet, AsyncOS, Bringing the Meeting To You, Catalyst, CCDA, CCDP, CCIE, CCIP, CCNA, CCNP, CCSP, CCVP, Cisco, the Cisco Certified Internetwork Expert logo, Cisco IOS, Cisco Press, Cisco Systems, Cisco Systems Capital, the Cisco Systems Iogo, Cisco Unity, Collaboration Without Limitation, EtherFast, EtherSwitch, Event Center, Fast Step, Follow Me Browsing, FormShare, GigaDrive, HomeLink, Internet Quotient, IOS, IPhone, iQuick Study, IronPort, the IronPort logo, LightStream, Linksys, MediaTone, MeetingPlace, MeetingPlace, Chime Sound, MGX, Networkers, Networking Academy, Network Registrar, PCNow, PIX, PowerPanels, ProConnect, ScriptShare, SenderBase, SMARTnet, Spectrum Expert, StackWise, The Fastest Way to Increase Your Internet Quotient, TransPath, WebEx, and the WebEx logo are registered trademarks of Cisco Systems, Inc. and/or its affiliates in the United States and certain other countries.

All other trademarks mentioned in this document or website are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company, (0809R)

Printed in USA C78-331727-01 0509